

CvSU Vision

The premier university in historic Cavite globally recognized for excellence in character development, academics, research, innovation and sustainable community engagement.



CAVITE STATE UNIVERSITY

Bacoor City Campus
Soldiers Hills IV, Molino VI,
City of Bacoor, Cavite
(046) 476 - 5029
www.cvsu.edu.ph

CvSU Mission

Cavite State University shall provide excellent, equitable and relevant educational opportunities in the arts, science and technology through quality instruction and responsive research and development activities.
It shall produce professional, skilled and morally upright individuals for global competitiveness.

DEPARTMENT OF COMPUTER STUDIES
DCIT 26

Name: Somera, Alord Jhinroy M.
Course and Section: BSCS 3-5

Date: 11-9-25
Score:

HANDS-ON ACTIVITY #3

GRADING RUBRICS:

CRITERIA	PERFORMANCE INDICATORS	POINTS
User Interface (UI) & Controls	Professional, responsive, and intuitive design using appropriate Flet controls.	25
Code Readability	Code is concise, easy to read, and well-structured with appropriate use of functions.	25
Completeness	Meets all specifications and functions correctly with expected input.	25
Logic	The app provides accurate outputs.	25
Total		100

SCREENSHOT OUTPUT:

Guided Activity #1



```
import flet as cs

def main(page: cs.Page):
    def toggle_theme(e):
        if page.theme_mode == cs.ThemeMode.DARK:
            page.theme_mode = cs.ThemeMode.LIGHT

        else:
            page.theme_mode = cs.ThemeMode.DARK
        page.update()

    theme_switch = cs.Switch(label="Dark Mode", on_change=toggle_theme)
    page.add(theme_switch)

cs.app(target=main)
```




Guided Activity #2

```
import asyncio
import flet as ft

async def main(page: ft.Page):
    async def button_click(e):
        await asyncio.sleep(5)
        page.add(ft.Text("Hello!"))

    page.add(
        ft.ElevatedButton("Say hello with delay!", on_click=button_click)
    )

ft.app(target=main, view=ft.AppView.WEB_BROWSER, port=1221)
```



Guided Activity #3

```
import flet as ft


# This is for guided activity #3

def main(page: ft.Page):
    def calculate(e):
        try:
            result = eval(enter.value)
            outputs.value = str(result)
        except Exception as ex:
            outputs.value = "Error: Invalid Expression"
        page.update()

    enter = ft.TextField(hint_text="Enter your calculation")
    outputs = ft.TextField(read_only=True)
    calculate_button = ft.ElevatedButton("Calculate", on_click=calculate)

    page.add(
        ft.Column([
            enter,
            outputs,
            calculate_button
        ])
    )

ft.app(target=main)
```



Guided Activity #4

```
import flet as ft


#This is Guided Activity #4

def main(page: ft.Page):
    def chat_message(e):
        user_message = user_input.value
        user_input.value = ""
        list1 = ["hello", "hi", "hey", "zup"]
        list2 = ["none", "nothing", "no", "wala", "yes", "okay"]
        # basic response logic
        if user_message.lower() in list1:
            response = "Hello! How can I help you today?"
        elif user_message.lower() in list2:
            response = "Okay. Is there anything else I can do for you?"
        elif "goodbye" in user_message.lower():
            response = "Bye. Have a nice day beacon!"
        else:
            response = "I'm still learning. Please try asking something else"

        chat_history.controls.append(
            ft.Row([
                ft.Text(user_message, weight=ft.FontWeight.BOLD),
                ft.Text(response)
            ])
        )
        page.update()
    chat_history = ft.Column()
    user_input = ft.TextField(hint_text="Type your message here")
    send_button = ft.ElevatedButton("Send", on_click=chat_message)

    page.add(
        ft.Column([
            chat_history,
            ft.Row([user_input, send_button])
        ])
    )

ft.app(target=main)
```



Guided Activity #5

```
#This is the guided activity #5
def main(page: ft.Page):
    def login_clicked(e):
        username = username_input.value
        password = password_input.value

        # Replace this with your actual authentication logic

        if username == "admin" and password == "admin":
            page.add(ft.Text("Login successful!"))

        else:
            page.add(ft.Text("Invalid username or password."))

    page.title = "Login Page"

    username_input = ft.TextField(label="Username")
    password_input = ft.TextField(label="Password", password=True)
    login_button = ft.ElevatedButton("Login", on_click=login_clicked)

    page.add(
        ft.Column([
            username_input,
            password_input,
            login_button
        ])
    )

    page.update()

ft.app(target=main, view=ft.AppView.WEB_BROWSER, port=1223)
```

