```
import pandas as pd
import numpy as np
import seaborn as sns


df=pd.read_csv("/content/Admission_Predict.csv")
df=pd.read_csv("/content/Admission_Predict_Ver1.1.csv")


df.columns
```

```
Index(['Serial No.', 'GRE Score', 'TOEFL Score', 'University Rating', 'SOP',
       'LOR ', 'CGPA', 'Research', 'Chance of Admit '],
      dtype='object')
```

Default title text

```
# @title Default title text
df.shape
```

```
(500, 9)
```

```
from sklearn.preprocessing import Binarizer
bi=Binarizer(threshold=0.75)
df['Chance of Admit ']=bi.fit_transform(df[['Chance of Admit ']])


df.head()
```

	Serial No.	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research	Chance of Admit
0	1	337	118	4	4.5	4.5	9.65	1	1.0
1	2	324	107	4	4.0	4.5	8.87	1	1.0
2	3	316	104	3	3.0	3.5	8.00	1	0.0
3	4	322	110	3	3.5	2.5	8.67	1	1.0
4	5	314	103	2	2.0	3.0	8.21	0	0.0

```
x=df.drop('Chance of Admit ',axis=1)
y=df['Chance of Admit ']


x
```

	Serial No.	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research
0	1	337	118	4	4.5	4.5	9.65	1
1	2	324	107	4	4.0	4.5	8.87	1
2	3	316	104	3	3.0	3.5	8.00	1
3	4	322	110	3	3.5	2.5	8.67	1
4	5	314	103	2	2.0	3.0	8.21	0
...	...	...	...	...	...	...	...	...
495	496	332	108	5	4.5	4.0	9.02	1
496	497	337	117	5	5.0	5.0	9.87	1
497	498	330	120	5	4.5	5.0	9.56	1
498	499	312	103	4	4.0	5.0	8.43	0
499	500	327	113	4	4.5	4.5	9.04	0

500 rows × 8 columns

```
y=y.astype('int')


y
```

```
0      1
1      1
2      0
3      1
```

```
4      0
      ..
495    1
496    1
497    1
498    0
499    1
Name: Chance of Admit , Length: 500, dtype: int64
```

```
sns.countplot(x = y)
```

```
<Axes: xlabel='Chance of Admit ', ylabel='count'>
```




```
y.value_counts()
```

```
0    290
1    210
Name: Chance of Admit , dtype: int64
```

```
from sklearn.model_selection import train_test_split
```

```
x_train,x_test,y_train,y_test=train_test_split(x,y,random_state=0,test_size=0.25)
```

```
xt=x_train.shape
print("The shape of traning data is:",xt)
```

```
The shape of traning data is: (375, 8)
```

```
xxt=x_test.shape
print("The shape of testing data is:",xxt)
```

```
The shape of traning data is: (125, 8)
```

```
yt=y_train.shape
print("The shape of traning data is:",yt)
```

```
The shape of traning data is: (375,)
```

```
yyt=y_test.shape
print("The shape of testing data is:",yyt)
```

```
The shape of traning data is: (125,)
```

```
from sklearn.tree import DecisionTreeClassifier
```

```
classifier=DecisionTreeClassifier(random_state=0)
```

```
classifier.fit(x_train,y_train)
```

```
y_pred=classifier.predict(x_test)  #prediction based on input means x


#comparing acutal and predict
result=pd.DataFrame({
    'actual':y_test,  #already known values
    'predicted':y_pred  #predictedvalues
})


result
```

	actual	predicted
90	0	0
254	1	1
283	1	1
445	1	1
461	0	0
...	...	...
430	0	0
49	1	0
134	1	1
365	1	1
413	0	0

125 rows × 2 columns

```
from sklearn.metrics import ConfusionMatrixDisplay,accuracy_score
from sklearn.metrics import classification_report


ConfusionMatrixDisplay.from_predictions (y_test,y_pred)
```

```
<sklearn.metrics._plot.confusion_matrix.ConfusionMatrixDisplay at 0x7990a6004130>
```




```
accuracy=accuracy_score(y_test,y_pred)
print("The accuracy is:",accuracy)
```

```
The accuracy is: 0.96
```

```
print(classification_report(y_test,y_pred))
```

```
                  precision    recall  f1-score   support

               0       0.96      0.98      0.97        81
               1       0.95      0.93      0.94        44

        accuracy                           0.96       125
       macro avg       0.96      0.95      0.96       125
    weighted avg       0.96      0.96      0.96       125
```

```
import matplotlib.pyplot as plt

from sklearn.tree import plot_tree

plt.figure(figsize=(15,15))
plot_tree(classifier, fontsize=6,filled=True );
```