```
Create Table:
CREATE table Employee(
emp id number(5),
emp_name varchar(20),
emp_address varchar(15),
emp salary number(7),
emp_gender varchar(2)
);
Inserting Values:
INSERT INTO Employee VALUES (1001,"Mahesh Kale","Aurangabad", 20000,"M")
INSERT INTO Employee VALUES (1002, "Mahira Sharma", "Kolkatta", 50000, "F");
INSERT INTO Employee VALUES (1003, "Pravisht Mishra", "Bangalore", 30000, "M");
INSERT INTO Employee VALUES (1004,"Niti Mohan","Mumbai", 64000,"F");
INSERT INTO Employee VALUES(1005,"Shakti Arora","Pune", 70000,"M");
Update table:
UPDATE Employee set emp_salary=60000 WHERE emp_name="Niti Mohan";
Delete record:
DELETE FROM Employee WHERE emp_id=1005;
Display data of table:
```

SELECT * FROM Employee

Output:

emp_id	emp_name	emp_address	emp_salary	emp_gender
1001	Mahesh Kale	Aurangabad	20000	M
1002	Mahira Sharma	Kolkatta	50000	F
1003	Pravisht Mishra	Kolkatta	30000	М
1004	Niti Mohan	Mumbai	60000	F