## **Assignment -3**

## **Build CNN Model for Classification Of Flowers**

Assignment Date	30 September 2022
Student Name	Prithivraj T
Student Roll Number	73151915043
Maximum Marks	2 Marks

## Question-1:

Download the dataset

## Question-2:

**Image Augmentation** 

### **Solution**

from tensorflow.keras.preprocessing.image import ImageDataGenerator train\_datagen=ImageDataGenerator(rescale=1./255,zoom\_range=0.2,horizontal\_flip=True,vertical\_flip=True)

test\_datagen=ImageDataGenerator(rescale=1./255)

2)Image Augmentation	^ <b>\</b>	⊕	П,	· [	î	:
[ ] from tensorflow.keras.preprocessing.image import ImageDataGenerator						
[ ] train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)						
[ ] test_datagen=ImageDataGenerator(rescale=1./255)						
Load Data						
[ ] x_train=train_datagen.flow_from_directory(r"/content/drive/HyDrive/Assignment 3/Flowers-Dataset/Training",target_size=(64,64),class_	node='c	atego	rica	l',ba	tch_	siz€
Found 3293 images belonging to 5 classes.						
[ ] x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing",target_size=(64,64),class_models_	e='cate	goric	al',	batch	_siz	e=24
Found 1317 images belonging to 5 classes.						
[ ] x_train.class_indices						
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}						

## Question-3:

Create model

## **Solution**

from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten model=Sequential()

3)Create Model	
[ ] from tensorflow.keras.models import Sequential	
[ ] from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten	
[ ] model=Sequential()	↑ ↓ ⊕ <b>目 /</b> □ i :

## Question-4:

Add Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

## **Solution**

# a)Convolution Layer

 $model. add (Convolution 2D(32, (3,3), kernel\_initializer = "random\_uniform", activation = "relu", strides = (1,1), input\_shape = (64,64,3)))$ 

## b) MaxPooling Layer

model.add(MaxPooling2D(pool\_size=(2,2)))

## c) Flatten Layer

model.add(Flatten())

# d) Dense(Hidden layer)

model.add(Dense(300,activation="relu"))
model.add(Dense(300,activation="relu"))

## e) Output layer

model.add(Dense(5,activation="softmax"))

a)Convolution Layer		
[ ] model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))		
b)MaxPooling Layer		
[ ] model.add(MaxPooling2D(pool_size=(2,2)))		
c)Flatten		
[ ] model.add(Flatten())		
d)Dense(Hidden layer)		
[ ] model.add(Dense(300,activation="relu"))		
[ ] model.add(Dense(300,activation="relu"))		
d)Dense(Hidden layer)		
[ ] model.add(Dense(300,activation="relu"))		
[ ] model.add(Dense(300,activation="relu"))		
e)Output layer		
<pre>model.add(Dense(5,activation="softmax"))</pre>	1 4 4 4 10 8	Ė

### Question-5:

Compile The Model

#### **Solution**

model.compile(loss="categorical\_crossentropy",metrics=['accuracy'],optimizer='adam')

```
5)Compile the model

[ ] model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')
```

### Question-6:

Fit The Model

#### **Solution**

model.fit(x\_train,epochs=5,steps\_per\_epoch=len(x\_train),validation\_data=x\_test,validation\_steps=len(x\_test))

### Question-7:

Save The Model

### Solution

model.save("Flowers.h5")

```
7)Save the model
[ ] model.save("Flowers.h5")
```

## Question-8:

### Test The Model

### **Solution**

import numpy as np
from tensorflow.keras.models import load\_model
from tensorflow.keras.preprocessing import image
model=load\_model("Flowers.h5")
img=image.load\_img(r"/content/drive/MyDrive/Assignment 3/FlowersDataset/Testing/daisy/14333681205\_a07c9f1752\_m.jpg",target\_size=(64,64))
x=image.img\_to\_array(img)
x=np.expand\_dims(x,axis=0)
pred=model.predict(x)
pred
index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]

8)Te	est the model	
[]	<pre>import numpy as np from tensorflow.keras.models import load_model from tensorflow.keras.preprocessing import image</pre>	
[]	model=load_model("Flowers.h5")	
[]	img=image.load_img(r"/content/drive/MyOrive/Assignment 3/Flowers-Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(6	4,64))
[]	ing	
[]	x=image.img_to_array(img)	
[]	x=np.expand_dims(x,axis=0)	
[]	x=image.img_to_array(img)	
[]	$x = np.expand\_dims(x, axis = \theta)$	
[]	pred-model.predict(x)	
[]	pred	
	array([[1., 0., 0., 0., 0.]], dtype=float32)	
[]	<pre>index=['daisy','dandelion','rose','sunflower','tulip']</pre>	
0	<pre>index[np.argmax(pred)]</pre>	↑ ↓ ⊕ <b>□ ‡ [ î</b> :
	'daisy'	