


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Booking a Trip	51.986 s	1	0	1	0	6	4	1	1
This is to verify the Flights results page	1 m 30.862 s	1	0	1	0	4	2	1	1

Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Depart	1	0	1	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Booking a Trip	1	0	1	0	51.986 s
2	This is to verify the Flights results page	1	0	1	0	1 m 30.862 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking a Trip	Booking a trip with valid details	6	4	1	1	51.977 s
2	This is to verify the Flights results page	Choosing Flight	4	2	1	1	1 m 30.862 s

DETAILED SECTION -- 6 --

## **Booking a Trip**

FAILED	DURATION - 51.986 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:59:35.487 PM //	1:00:27.473 PM /	Pass - 0	1	Pass - 4	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## **Booking a trip with valid details**




#	Step / Hook Details	Status	Duration
1	Given Launch the Url of the page	PASSED	14.130 s
2	And Choose round trip	PASSED	0.003 s
3	When Entering source and destination of the trip	PASSED	5.488 s
4	And Choosing the date of the trip	PASSED	0.871 s
5	And Choose number of the passangers	FAILED	31.430 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[EdgeDriver: msedge on WINDOWS (3b6fce210ebf871b13875a08607ba976)] -> xpath: (//button[@type='button'])[2]] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CKTOF2J', ip: '192.168.1.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 110.0.1587.69, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65007}, msedge: {msedgedriverVersion: 110.0.1587.69 (f970cc122bfe, userDataDir: C:\Users\AK\AppData\Local\T}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3b6fce210ebf871b13875a08607ba976 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.basepackage.BaseClass.elementClickable(BaseClass.java:89)		

	# Step / Hook Details	Status	Duration
	at com.cheapsnippets.First_Search_Flights.choose_number_of_the_passangers(First_Search_Flights.java:64) at ?.Choose number of the passangers(file:///C:/Users/AK/eclipse-workspace/Cheap_Air/src/test/java/com/feature/Search_Flights.feature * Not displayable characters are replaced by '?'.	11)	
6	Then Click Search Flights	SKIPPED	0.002 s

## This is to verify the Flights results page

Scenarios		Steps	
Total - 1		Total - 4	
Pass - 0	1	Pass - 2	I <u> </u>
Fail - 1		Fail - 1	🚺 ' 🍠
Skip - 0		Skip - 1	
	Total - 1  Pass - 0  Fail - 1	Total - 1  Pass - 0  Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 4 Pass - 2 Fail - 1

## **Choosing Flight**



#	Step / Hook Details	Status	Duration
1	Given Check the title of the page to verify it is on Results Page	PASSED	0.057 s
2	When Sort the ticket price low to high	PASSED	1 m 0.362 s
3	Then Choose the lowest price flight for Departure	FAILED	30.433 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=110.0.1587.69) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CKTOF2J', ip: '192.168.1.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 110.0.1587.69, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65007}, msedge: {msedgedriverVersion: 110.0.1587.69 (f970cc122bfe, userDataDir: C:\Users\AK\AppData\Local\T}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3b6fce210ebf871b13875a08607ba976 *** Element info: {Using=xpath,		

#	Step / Hook Details	Status	Duration
	value=(//div[@class='srcBox-sc-1sbtrzs-0 srcFlex-sc-1sbtrzs-1 jzOBHw hzdsvF']/child::div)[1]}		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy33.toString(Unknown Source)		
	at java.base/java.lang.String.valueOf(String.java:4213)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:683)		
	at java.base/java.lang.String.valueOf(String.java:4213)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268)		
	at com.basepackage.BaseClass.elementClickable(BaseClass.java:89)		
	at com.cheapsnippets.FlightResults.choose_the_lowest_price_flight_for_departure(FlightResults.java:35)		
	at ?.Choose the lowest price flight for Departure(file:///C:/Users/AK/eclipse-workspace/Cheap_Air/src/test/java/com/feature/Search_Results.		
	feature:9)		
	* Not displayable characters are replaced by '?'.		
4	And Choose the Return Flight	SKIPPED	0.001 s