file:///Users/jaiprasad/Desktop/Assignment%203/index.html
https://careereducation.smartinternz.com
Google
Document

Cloud Object Storage

file:///Users/jaiprasad/Desktop/Assignment%203/index.html

https://careereducation.smartinternz.com | Google | Document

Cloud Object Storage



file:///Users/jaiprasad/Desktop/Assignment%203/index.html

https://careereducation.smartinternz.com | Google | Document

Cloud Object Storage

Watson Assistant

transfer money

transfer money

Enter the amount to be transfer:

5000

Enter the pin number:

5643

Enter the account number or mobile number.

11872635618

money has sended.

?

Type something...

Built with **IBM Watson®**

index.html

Users > jaiprasad > Desktop > Assignment 3 > index.html > html > head > meta

```html
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="./index.css">
    <link rel="stylesheet" href="./index.js">
    <script src="./index.js"></script>
    <title>Document</title>
</head>
<body>
    <h1>Cloud Object Storage</h1>
    <img src="https://expensetrackerbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/Safeimagekit-resized-imgpng.png" alt="img1">
    <img src="https://expensetrackerbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/Unknown" alt="img2">
    <img src="https://expensetrackerbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/Unknown-2" alt="img3">
    <img src="https://expensetrackerbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/Unknown-3" alt="img4">
    <img src="https://expensetrackerbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/Unknown-4" alt="img5">
    <script>
        window.watsonAssistantChatOptions = {
            integrationID: "e2c9f815-0d77-4c6d-bda0-5835e92a8edf", // The ID of this integration.
            region: "au-syd", // The region your integration is hosted in.
            serviceInstanceID: "022ab310-8d5f-431b-b6d8-f0a6b91577a9", // The ID of your service instance.
            onLoad: function (instance) { instance.render(); }
        };
        setTimeout(function () {
            const t = document.createElement('script');
            t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
            document.head.appendChild(t);
        });
```

Ln 5, Col 73 Spaces: 4 UTF-8 LF HTML Go Live Prettier


index.css
Users > jaiprasad > Desktop > Assignment 3 > index.css > body
1 body{
2 text-align: center;
3 background-color: aquamarine;
4
5 }
6 img{
7
8
9
10
11
12 width: 300px;
13 }
Specifies the width of the content area, padding area or border area (depending on 'box-sizing') of certain boxes.
Syntax: <viewport-length>{1,2}
MDN Reference


index.js
Users > jaiprasad > Desktop > Assignment 3 > index.js
1 <script>
2 window.watsonAssistantChatOptions = {
3 integrationID: "e2c9f815-0d77-4c6d-bda0-5835e92a8edf", // The ID of this integration.
4 region: "au-syd", // The region your integration is hosted in.
5 serviceInstanceID: "022ab310-8d5f-431b-b6d8-f0a6b91577a9", // The ID of your service instance.
6 onLoad: function(instance) { instance.render(); }
7 };
8 setTimeout(function(){
9 const t=document.createElement('script');
10 t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.
watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
11 document.head.appendChild(t);
12 });
13 </script>
Ln 1, Col 1
Spaces: 2
UTF-8
LF
JavaScript
Go Live
Prettier