- **Create the Database**
  create database data_analytics;

- **Select the Database**

```
use data_analytics;
```

- **Create the E-Commerce Table**

```
CREATE TABLE e_commerse (
   order_id VARCHAR(30),
   order_date DATE,
   ship_date DATE,
   ship_mode VARCHAR(50),
   customer_name VARCHAR(150),
   segment VARCHAR(50),
   state VARCHAR(100),
   country VARCHAR(100),
   market VARCHAR(50),
   region VARCHAR(100),
   product_id VARCHAR(50),
   category VARCHAR(50),
   sub_category VARCHAR(100),
   product_name VARCHAR(255),
   sales DECIMAL(10,2),
   quantity INT,
   discount DECIMAL(5,2),
   profit DECIMAL(10,2),
   shipping_cost DECIMAL(10,2),
   order_priority VARCHAR(30),
   year INT
);
```

- **Import CSV Dataset into MySQL**

```
LOAD DATA LOCAL INFILE 'D:/E-Commerce Data Analytics Internship Project/Dataset.csv'
INTO TABLE e_commerse
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\r\n'
IGNORE 1 ROWS
(
order_id,
order_date,
ship_date,
ship_mode,
customer_name,
segment,
state,
country,
market,
region,
product_id,
category,
sub_category,
product_name,
sales,
quantity,
discount,
profit,
shipping_cost,
order_priority,
year
);
```

- **Validate the Imported Data**

```
SELECT COUNT(*) AS total_data
FROM e_commerse;
```

- **Preview the Dataset**

```
SELECT *
FROM e_commerse
LIMIT 10;
```

```
-- • Top 10 profitable products
select
   product_name,
   sum(profit) as total_profit
from e_commerse
group by product_name
order by total_profit desc
limit 10;
```

```
-- • Top 10 customers by sales
select
        customer_name , sum(sales) as total_sales
from e_commerse
group by customer_name
order by total_sales desc
limit 10;
```

```
-- • Region-wise total sales
select region , sum(sales) as resion_wise_total_sales
from e_commerse
group by region
order by resion_wise_total_sales;
```

```
-- • Category-wise average profit
select
        category , avg(profit) as average_profit
from e_commerse
group by category;

-- • Highest discount category
select
        category , sum(discount) as total_dicount
from e_commerse
group by category
order by total_dicount desc;

-- • Orders with negative profit
SELECT
   order_id,
   customer_name,
   product_name,
   profit
FROM e_commerse
WHERE profit < 0
ORDER BY profit;

-- • Monthly sales trend
SELECT
   YEAR(order_date) AS year,
   MONTH(order_date) AS month,
   SUM(sales)AS total_sales
FROM e_commerse
GROUP BY YEAR(order_date), MONTH(order_date)
```

```
ORDER BY year, month;

-- • Market-wise revenue analysis
SELECT
   market,
   SUM(sales) AS total_revenue
FROM e_commerse
GROUP BY market
ORDER BY total_revenue DESC;

-- • Top-performing sub-categories
SELECT
   sub_category,
   SUM(sales) AS total_sales
FROM e_commerse
GROUP BY sub_category
ORDER BY total_sales DESC;

-- • Ship mode usage analysis
SELECT
   ship_mode,
   COUNT(*) AS total_orders,
   SUM(sales) AS total_sales,
   ROUND(SUM(profit), 2) AS total_profit,
   ROUND(AVG(discount), 2) AS avg_discount,
   ROUND(AVG(shipping_cost), 2) AS avg_shipping_cost
FROM e_commerse
GROUP BY ship_mode
ORDER BY total_sales DESC;
```