Longest Line of Consecutive One in Matrix

Given a 01 matrix \mathbf{M} , find the longest line of consecutive one in the matrix. The line could be horizontal, vertical, diagonal or anti-diagonal.

Example:

Input:

[[0,1,1,0], [0,1,1,0], [0,0,0,1]] Output: 3

Hint: The number of elements in the given matrix will not exceed 10,000.

Solution 1

```
public int longestLine(int[][] M) {
    int n = M.length, max = 0;
    if (n == 0) return max;
    int m = M[0].length;
    int[][][] dp = new int[n][m][4];
    for (int i=0;i<n;i++)</pre>
        for (int j=0;j<m;j++) {</pre>
            if (M[i][j] == 0) continue;
            for (int k=0; k<4; k++) dp[i][j][k] = 1;</pre>
            if (j > 0) dp[i][j][0] += dp[i][j-1][0]; // horizontal line
            if (j > 0 \& i > 0) dp[i][j][1] += dp[i-1][j-1][1]; // anti-diagonal li
ne
            if (i > 0) dp[i][j][2] += dp[i-1][j][2]; // vertical line
            if (j < m-1 \&\& i > 0) dp[i][j][3] += dp[i-1][j+1][3]; // diagonal line
            max = Math.max(max, Math.max(dp[i][j][0], dp[i][j][1]));
            max = Math.max(max, Math.max(dp[i][j][2], dp[i][j][3]));
    return max;
}
```

Note that each cell of the DP table only depends on the current row or previous row so you can easily optimize the above algorithm to use only O(m) space.

written by compton_scatter original link here

Solution 2

For each unvisited direction of each 1, we search length of adjacent 1 s and mark those 1 s as visited in that direction. And we only need to search 4 directions: right, down, down-right, down-left. We only access each cell at max 4 times, so time complexity is O(mn). m = number of rows, n = number of columns.

```
public class Solution {
    public int longestLine(int[][] M) {
        int m = M.length;
        if (m <= 0) return 0;</pre>
        int n = M[0].length;
        if (n <= 0) return 0;
        Set<String> horizontal = new HashSet<>();
        Set<String> vertical = new HashSet<>();
        Set<String> diagonal = new HashSet<>();
        Set<String> antidiagonal = new HashSet<>();
        int max = 0;
        for (int i = 0; i < m; i++) {
            for (int j = 0; j < n; j++) {
                if (M[i][j] == 0) continue;
                String pos = i + "," + j;
                if (!horizontal.contains(pos)) {
                     int count = 0;
                    for (int k = j; k < n; k++) {
                         if (M[i][k] == 1) {
                             count++;
                             horizontal.add(i + "," + k);
                         else break;
                     }
                    max = Math.max(max, count);
                if (!vertical.contains(pos)) {
                     int count = 0;
                     for (int k = i; k < m; k++) {
                         if (M[k][j] == 1) {
                             count++;
                             vertical.add(k + ", " + j);
                         }
                         else break;
                     }
                    max = Math.max(max, count);
                }
                if (!diagonal.contains(pos)) {
                     int count = 0;
                     for (int k = i, l = j; k < m && l < n; k++, l++) {</pre>
                         if (M[k][l] == 1) {
                             count++;
                             diagonal.add(k + ", " + l);
                         else break;
```

```
max = Math.max(max, count);
}
if (!antidiagonal.contains(pos)) {
    int count = 0;
    for (int k = i, l = j; k < m && l >= 0; k++, l--) {
        if (M[k][l] == 1) {
            count++;
            antidiagonal.add(k + "," + l);
        }
        else break;
    }
    max = Math.max(max, count);
}
return max;
}
```

A more concise version.

```
public class Solution {
    public int longestLine(int[][] M) {
        int m = M.length;
        if (m <= 0) return 0;
        int n = M[0].length;
        if (n <= 0) return 0;
        int max = 0;
        int[][] dirs = {{0, 1}, {1, 0}, {1, 1}, {1, -1}};
        List<Set<String>> memo = new ArrayList<>();
        for (int i = 0; i < 4; i++) {
            memo.add(new HashSet<String>());
        }
        for (int i = 0; i < m; i++) {
            for (int j = 0; j < n; j++) {
                if (M[i][j] == 0) continue;
                String pos = i + "," + j;
                for (int k = 0; k < 4; k++) {
                    if (!memo.get(k).contains(pos)) {
                         int count = 0;
                         for (int r = i, c = j; r < m \&\& r >= 0 \&\& c < n \&\& c >= 0;
r += dirs[k][0], c += dirs[k][1]) {
                             if (M[r][c] == 1) {
                                 count++;
                                 memo.get(k).add(r + ", " + c);
                             else break;
                        max = Math.max(max, count);
                }
            }
        }
        return max;
    }
}
```

written by shawngao original link here

Solution 3

}

```
public int longestLine(int[][] M) {
    if (M.length == 0 || M[0].length == 0) {
        return 0;
    }
    int max = 0;
    int[] col = new int[M[0].length];
    int[] diag = new int[M.length + M[0].length];
    int[] antiD = new int[M.length + M[0].length];
    for (int i = 0; i < M.length; i++) {
        int row = 0;
        for (int j = 0; j < M[0].length; j++) {</pre>
            if (M[i][j] == 1) {
                row++;
                col[j]++;
                diag[j + i]++;
                antiD[j - i + M.length]++;
                max = Math.max(max, row);
                max = Math.max(max, col[j]);
                max = Math.max(max, diag[j + i]);
                max = Math.max(max, antiD[j - i + M.length]);
            } else {
                row = 0;
                col[j] = 0;
                diag[j + i] = 0;
                antiD[j - i + M.length] = 0;
            }
        }
    return max;
```

written by ihaveayaya original link here

From Leetcoder.