JAN/SAN[™] II

HERBICIDE BY Monsanto

Keep out of reach of children.

CAUTION!

Read the entire label before using this product. Use only according to label Instructions. Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using, if terms are not acceptable, return at once unopened, REFORMULATION OR REPACKAGING IS PROHIBITED.

ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt	
INERI INGREDIENTS	99.0496
	100 00%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION! If swallowed, may cause gastrointestinal tract britation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not confaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, Aberglass, plactic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce two open pas which may form a highly compusttible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, Spark, welder's torch, lighted cigarette, or other ignition source.

This product is protected by U.S. Palent 4.405.531. Other patents pending. No license is pranted under any non-US patent(s)

"Trademark of Monsanto Company

EPA Est. 524 LA 1 EPA Reg. No 521-330

MONSANTO COMPANY AGRICULTURAL PRODUCTS ST LOUIS, MISSOURI 63167 U.S.A. ACCEP

OCT 29 1997

VET Under the Federal Insected as amended, for the porticide registered under EPA Rise. Wa. 5

DIRECTIONS FOR USE

y to use this product in any manner inconsistent with its labeling

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: Store this product in its original container and in a secured storage area.

DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local

Complete container retains vapor and product residue. Observe all labeled safeguards until container is destroyed Do not reuse container. Triple riose container. Then puncture and dispose of In a saultary landful or by lucineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke,

this product is a nonselective grass and weed killer which, when absorbed by contacted follage. Is carried throughout the stems and roots to give complete kill of lough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby venetation. It is formulated for "snot" application to kill Individual weeds around trees, shrubs, fences, walks and in flower gardens and lawns. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray, Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Plagweed, Craligrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass. Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison by, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge,

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. AVOID SPRVY CONTACT ON DESIGNABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid moving, cutting or otherwise disturbing freated vegetation for at least 7 days.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WAR-DANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with destrable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions tions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetalism.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HAND-LING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORK OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY, IN NO EVENT SHALL. THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSCOUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.





Grass & Weed Killer

- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESTRABLE YEGETATION
- NILLS LABELED WEEDS AND GPASS RGGIS AND ALL
- DOES NOT HAVE SOIL ACTIVITY
 SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SIRUBS, FENCES, WALKS AND SPOT TREAF MENT IN LAWNS

Read the entire label before using this product, Use only according to label instructions.

hCTICE. Buyer assumes all responsi-bility for safety and use not in accor-dance with directions. If these terms are not acceptable, return aborde un-

Keep out of reach of children.

CAUTION!

See back panel for Precautionary Statements and Directions for Use.

EPA Reg. No. 524-330

MONSANTO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOUR! 63167 U.S.A.

AUTIVE INGREDIENT:
"Glypnosate, N-phosphonomethyl) glypine, in the torm of its isopropy's

100.00%

This product is protected by U.S. Patents No. 3,799,758. No. 4,405,531 and No. 4,840,650, Other patents pending. No license granted under any non-U.S. patent(s).

Trademark of Monsacto Compacy @MONSANTO COMPANY 1990

NET 24 fl. oz. (I pt. 8 oz.)

897.09-060.26-1

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

Keep cut of reach of condition

CAUTION! If swallowed, may cause gastroin/estimal tract unitabon. Wash incroughly with soop and water after handling. Reep children and pots off treated area until spray is thoughly dig. In case of an emergency involving this product, Carl Collect, day or night. (314) 694-4900.

ENVIRONMENTAL INZARDS

Do not apply directly to water or wetland (swamps, logs, marshes or pol-holes). So not contaminate water when disposing of equipment washwaters. DIRECTIONS FOR USE

It is a violation of Federal faw to use this product in a manner inconsistent

DIRECTIONS FOR DS:

It is a violation of Federal few to use this product in a manner inconsistent with its labeling.

Roundup® LAG Ready To-Use betholde is a mossibilities fabried grass and week life in which when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of fabried rough annual and perennal grasses and transderal exods. This moderat has no herbitral activity in the soil and kill not wash or leach to affect nearby vegetation. It is formulated to "spot" application to kill included woods and not be son, the constitution to a kill included woods and to the spot spot spot spot in spot and with a complete kill in 2 to 4 weeks. For best results, apply to actively growing places it warm sering weather.

"OW IC LSF Adout the notate is a coarse spray. Position sprayer up approximately 1.2 feet from the weed and apply to completely sover the weed, stooping just defend the spray begins to only or run off. One application will control mast 1 stem weeks to come or run and it. One application will control mast 1 stem weeks to come a hard-to-control weeks are not completely hired within a weeks recease application. Treated areas in lawns can be respected 7 or more days after a politication. Treated areas in lawns can be respected 7 or more days after a collisioned. Flood Spriders, Springer in Springer, Flood Spriders, Springer, Springer in Note Clover and Yellow Nutratege.

VPLRIANT This product is a nonselective weed in the which our injuse or full all rege-

Cities 1, Stepher Spirate, Smooth Brown Egyption of the which can injuse or full all rege-tation confected. A PORD SPRAY DEMONDED ON DESIGNABLE PLANTS, APPLY ONLY WHEN THE ARRIS CALM If Surry or drift applications or contest deviated expected, was not immediately with water. Be not apply when rawfall is expected with a 24 bours. Avoid moving, cutting or otherwise disturbing treated regetation for at least 7 days.

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

3:000 ME AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

3:000 ME AND STORE THIS PRODUCT CALLY IN ITS ORIGINAL CONTAINER. Store product fire a secure storage area. Protect product firm freezing.

Disposal, To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPEL or EAK, seak up with paper towels and discard in trash.


EPA Est. 56100-1A-001 897.09-000.26-2



ACCEPTED

ULT 53 1002

Under the Federal Insecticide. Fungicide, and Rodenticide Act. cm animaded, for the posticide regimeral wider the Rog. No. 524-330



OCT 29 1997

Under the Federal Insecticide.
Functicide, and Redenticide Act.
or crucialed, for the posticide
entiries and material.



READY-TO-USE



by Monsanto

Grass & Weed Killer

- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESIRABLE VEGETATION
- KILLS LABELED WEEDS AND GRASS, ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND SPOT TREATMENT IN LAWNS

Read the entire label before using this product.
Use only according to label instructions.
NOTICE: Buser assumes all assumptibility for exclusive.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, raturn at once unopened.

Keep out of reach of children.

CAUTION! See back panel for Procautionary
Statements and Directions for live.

This product is protected by U.S. Parents No. 3,799,758, No. 4,405,531 and No. 4,840,640 (New parents are proving. No literare granded water any near U.S. pater (s)

ACTIVE INGREDIENTS:

Trademark of Monsanto Company

OMONSANIO COMPANY 1990 MONSANIO COMPANY ACRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 U.S.A.

NET 1 GAL

LPA Reg. No. 574-330

847 09 C/0 78 T

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! If swalkowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roundup® L&G Ready-To-Use herbicide is a nonselective grass and weed killer which, when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of labeled tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect near by vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, patios, walks and in flower gardens and lawns. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

100V 10 USC: Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded-7 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison by, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge.

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. AYOID SPRAY CONTACT ON DESTRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

For more product information, call toll-free 1-800-225-2883.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER, Store product in a secure storage area. Protect product from freezing.

DISPOSAL To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

Do not rouse container. Rinse thoroughly before discarding in trash,

© O

EPA Est. 56100 LA-001; 524-LA-1 Supercords to the fire

Superscript corresponds to the first letter of the lot number printed on bottom.

MONTSANO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 U.S.A. 897.09-000.28-2X2











Grass & Weed Killer

- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESTRABLE VEGETATION
- KILLS LABELED WEEDS AND GRASS, ROOTS AND ALL
- . DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND SPOT TREATMENT IN LAWNS

Read the entire label before using this product. Use only according to label instructions. NOTICE: Buyer assumes all responsibility for salety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

Keep out of reach of children.

CAUTION! See back panel for Procautionary
Statements and Directions for live

NET 64 fl. oz. (2 qts.)

isopropylamine salt 0.96%

Trade mark of Monsanto Company

EPA Rec. No. 524 130

ACTIVE INGREDIENTS:

*Glyphosate, M-(phaso:tonomethyl)

INERT INGREDIENTS

glycine, in the ferm of its

897.09 000.27-1

59.01%

100 00%

ACCEPT

OCT 29 1997

Under the Pederal Insecticide. Fundicide, and Redenticide Act. on canouded, for the poeticide registered under LIM Roy. Na

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! If swallowed, may cause gastrointestinal tract unitation. Wash thoroughly with soap and water after bandling. Keep children and pols off treated area until spray is thoroughly dry. In case of an energoncy involving this product, Call Collect, day or night. (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Roundup® 1.8G Ready-To-Use herbicide is a nonselective grass and weed killer which, when absorbed by contacted feliage, is carried throughout the sterms and roots to give complete kill of lough labeled annual and perennial grasses and broadled weeds. This product has no herbified activity in the soil and will not wash or leach to affect nearby vagetation. It is formulated for "soot" application to kill individual weeds around trees, shrebs, fences, paties, walks and in flower gardens and lawns. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse scray. Position sprayer (ip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed woods. If cortain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackbarries, Canada Thistle, Chickweed, Common Resweed, Craberesses, Dandelion, Fescues, Field Bindweed, Field Sandour, Foxtail, Johnsongress, Kentucky Biograss, Lambsquseter, Orchandgrass, Perennial Ryegrass, Poison by, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge.

IMPORTANT: This product is a nonselective weed Killer which can injure or kill all vagetation contacted. AVOID SPRAY CONTACT ON DESTRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable regetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, culting or otherwise disturbing treated vegetation for at least 7 days.

For more product information, call toll free 1-800-225-2883.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER, Slove product in a secure slorage area. Protect product from freezing.

DISPOSAL: To dispose of unused product, securally wrap original container in several layers of newspaper and discard in trash. In case of SPIEL or LEAK, sook up with paper towals and discard in trash.

Do not reuse container. Rinse thoroughly before discarding in trash,

©MONSANTO COMPANY 1990

This product is protected by U.S. Patents No. 3,799,758, No. 4,405,531, and No. 4,840,650. Other patients are pending. No licence granted under any non U.S. patient(s). MONSARITO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MO 63167 U.S.A.

897-09-000-27-2X2 A

EPA Est. 56100-LA-001: 574-LA-1 Superscript corresponds to the first letter of the lot number printed

