# Sentiment Classification and Analysis of Movie Reviews Using NLP Techniques

ABID AL MAMUN, 19301066 BRACU

MD. AJMAIN AOSAF ANAN, 20101388 BRACU

ABDULLAH RAHAT, 20301134 BRACU

NUSAIBAH RAHAT, 20301136 BRACU

SHUVO KARMOKAR, 20301441 BRACU

In today's world movie reviews play an important role in letting people know how the movie is. By understanding the sentiment of the review we can know how a person feels about the movie. Now reading movie reviews manually is a lengthy process. There is already some research on analyzing the review sentiments using machine learning and other methods. We took a different approach to analyze the sentiments of the reviews by using Logistic regression, Linear SVM, Multinomial Naive Bayes, and RNN model. We tested it on a dataset containing thousands of reviews. The results were superior to most other research done till date. Our goal is to improve the understanding of the reviews and help the industry use these reviews and make movies for everyone to enjoy.

Additional Key Words and Phrases: Sentiment Analysis, Logistic Regression, Multinomial Naive Bayes, Support Vector Machine, Bag-of-Words (BoW), Term Frequency-Inverse Document Frequency (TF-IDF), Performance Evaluation, Recurrent Neural Network

#### **ACM Reference Format:**

## 1 INTRODUCTION

Understanding a language is more than just knowing words. It is more like knowing the meaning and connecting the words. Traditional methods of wording do not do well in understanding a language. On the other hand, Deep learning methods excel in understanding words used in different scenarios. methods have been used already in many scenarios from properly understanding words to retrieving large documents.

In this paper, we shall focus on sentiment analysis. Or, in other words, try to understand the human expression through text specifically on movie reviews. Analyzing the sentiments of movie reviews not only shows how people feel about a movie, it provides valuable insights to filmmakers and advertisers.

We have already reviewed some papers from 2006, 2016 and 2018. They tell us about different ways to understand feelings from basic ideas to newer computer programs.

Our plan is to find the proper meaning of the words in different scenarios and the meaning they carry. Traditional methods are good at understanding the meaning but the miss the feeling behind them. So, we came up with newer

Authors' addresses: Abid Al Mamun19301066, BRACU; Md. Ajmain Aosaf Anan20101388, BRACU; Abdullah Rahat20301134, BRACU; Nusaibah Rahat20301136, BRACU; Shuvo karmokar20301441, BRACU.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2024 Association for Computing Machinery.

Manuscript submitted to ACM

Manuscript submitted to ACM

models that learn both the meaning and the underlying sentiments of the words. We tested the models using a dataset containing 50,000 movie reviews, where people expressed their feeling openly.

After testing our models, we can see that our models are pretty good at figuring out feelings from the reviews with RNN having the highest accuracy of 84

Our aim is to let the reviews of audiences reach the industry more easily so that they can make better decisions in making movies knowing what audiences like and what not.

#### 2 BACKGROUND

Knowing people's thoughts about movies is very important especially when there are so many reviews online. Some notable studies have paved the way for understanding people's feelings using computers. The first time getting the Nobel Prize in 2006 highlighted the requirement to to find out opinions from written reviews. Then researchers like Dey, El-Din and Ahuja tried to find different ways to do this. Using upgraded techniques like Naïve Bayes and Support Vector Machines.

The incorporation of deep learning methodologies have revolutionized sentiment analysis, which has been done by enabling the development of complex neural network architectures which are capable of capturing nuanced emotions and contextual cues from movie reviews. (Can et al. 2018 and Wang et al. 2016)Deeper understanding of audience preferences, sentiments and engagement levels have been facilitated by these advancements. As a result, stakeholders will be empowered to tailor their content strategies and marketing efforts.

So now, appreciating all the works, we have powerful tools to understand the audience's reaction to movies. It helps filmmakers and others in the industry to know the audience's demand. This helps to predict the result and make smarter decisions. Also,- the researchers are working to make the tools better.

## 3 LITERTURE REVIEW

Obsa Gelchu Horsa (2023) proposed an Aspect-Based Sentiment Analysis for Afaan Oromoo Movie Reviews Using Machine Learning Techniques. Aspect-based sentiment analysis (ABSA) research covers different languages and topics, showcasing its grip on its importance and understanding detailed opinions. This study aims to create algorithms and techniques for ABSA using machine learning and natural language processing (NLP). research in languages like Afaan Oromoo highlights the need for stemmers and lemmatization for betterment of sentiment analysis. For example, Debela's stemmers had been used to find different word forms and their base form, and that greatly improved sentiment analysis accuracy percentage. Bag of words and TF-IDF are majorly used for feature extraction, also capturing minor sentiment differences. Aspect term extraction (ATE) is very important in ABSA. Helping to identify the specific parts that were mentioned in the reviews. Using Inter-Annotator Agreement (IAA) metrics like Cohen's coefficient makes sure that the labeled datasets are reliable. The model's performance can be improved by using tuning hyperparameters. This could cause better results in accuracy and precision. ABSA is important in many other languages and shows advanced techniques to grab opinions more effectively.

In order to better understand audience sentiments, sentiment analysis for movies is a crucial topic that this study (Xu, 2024, 31-37) delves into. The advent of deep learning, especially ConvLSTM models, holds promise in capturing delicate feelings, yet older techniques like SVM and Naive Bayes are inadequate in this regard. In experiments, ConvLSTM outperforms both LSTM and LSTM with attention layers in capturing sequential dependencies in movie reviews. This is because it was introduced in this work. These developments have the ability to completely transform the film industry by improving market research and movie recommendation systems in addition to helping filmmakers make Manuscript submitted to ACM

105

111

# 112 113

114

120

121

133 134 135

136

132

137 138 139

146 147 148

149

150

144

145

155 156 decisions. Nevertheless, despite ConvLSTM's potential, it is important to recognize its limitations. The study uses data from IMDb, which may not accurately reflect the varied opinions of audiences on different platforms and in different languages. Even when preprocessing procedures are extensive, biases could still exist. Further investigation into model comparisons and comprehension of performance-influencing elements may also prove advantageous. The study's applicability and impact might be increased by taking into account demographic changes and real-world circumstances.

#### 4 METHOD

The methodology for sentiment classification and analysis of movie reviews using natural language processing (NLP) techniques draws inspiration from seminal research conducted by Dey et al. (2016), El-Din (2016), Ahuja et al. (2019), and Can et al. (2018). This section outlines a comprehensive approach encompassing data collection, preprocessing, feature extraction, model selection, and evaluation.

The author (Xu, 2024, 31-37) used IMDb's dataset of labeled movie reviews, cleaned it up, and then trained a ConvLSTM model to understand sentiments. This model is pretty good—it combines convolutional and LSTM layers to grasp both short-term and long-term patterns in text, making it great for sentiment analysis. The authors trained it to minimize loss using binary cross-entropy and fine-tuned it using Python, Keras, and the Adam optimizer for optimal performance. In this project, the aim is to perform sentiment analysis on the IMDB movie review dataset. IMDB dataset having 50K movie reviews for natural language processing or Text analytics. This is a dataset for binary sentiment classification containing substantially more data than previous benchmark datasets. They provide a set of 25,000 highly polar movie reviews for training and 25,000 for testing. So, we will predict the number of positive and negative reviews using either classification or deep learning algorithms.

Dataset: Andrew L. Maas, Raymond E. Daly, Peter T. Pham, Dan Huang, Andrew Y. Ng, and Christopher Potts. (2011). Learning Word Vectors for Sentiment Analysis. The 49th Annual Meeting of the Association for Computational Linguistics (ACL 2011 The methodology can be divided into several key steps including Exploratory Data Analysis (EDA), Data Preprocessing, and Feature Extraction.

## 4.1 Exploratory Data Analysis (EDA)

EDA is crucial to gain insights into the dataset before diving into modeling. This involves understanding the structure of the data, identifying any patterns or trends, and visualizing key characteristics.

In the provided code, EDA is performed through the following steps: Checking the dimensions of the dataset using df.shape to understand the number of rows and columns.

Displaying the First Few Rows: Using df . head() to get a glimpse of the first few rows of the dataset, providing an overview of the data. Employing df.describe() to get statistical information about the numerical features. Using df['sentiment'].value\_counts() to check the distribution of sentiment classes, which is essential for understanding class balance.

## 4.2 Data Preprocessing

Data preprocessing involves cleaning and transforming the raw data into a format suitable for analysis and modeling. This step ensures that the data is consistent, relevant, and free from noise.

we cann see there are 25000 negative and 25000 positive review. So, the dataset is balanced and we used an 80:20 split for training and test from the dataset.

Using BeautifulSoup library to remove HTML tags from the text data. Eliminating text within square brackets as it may contain irrelevant information. Utilizing regular expressions to remove special characters, leaving only alphanumeric characters and whitespaces. Normalizing the text by converting all characters to lowercase. Applying stemming using the Porter Stemmer to reduce words to their root form.

Removing Stopwords: Eliminating common English stopwords to focus on more meaningful words.

#### 4.3 Feature Extraction

Feature extraction involves converting text data into numerical features that can be used as input for machine learning models. This step is essential as most machine learning algorithms require numerical input.

The feature extraction process includes: Tokenization: Splitting the text into individual words or tokens.

Vectorization: Converting tokens into numerical vectors. This can be achieved using techniques like Bag-of-Words (BoW), TF-IDF (Term Frequency-Inverse Document Frequency), or Word Embeddings. By following these steps, the data is prepared for building sentiment analysis models, enabling the extraction of insights from textual data to classify movie reviews as positive or negative In this project, we experimented with several machine learning and deep learning models for sentiment analysis on the IMDB movie review dataset. Here's a summary of our findings and the process of model selection and evaluation:

#### 4.4 Model Selection

Among the traditional machine learning models, Logistic Regression and Multinomial Naive Bayes performed the best, with consistent performance across both BoW and TF-IDF feature representations.

Support Vector Machine showed inferior performance compared to LR and MNB, especially with TF-IDF features.

The RNN model was also implemented for sequence modeling, which is well-suited for analyzing textual data. However, its performance needs to be evaluated in comparison to traditional ML models.

## 4.5 Model Evaluation

In evaluating the performance of various machine learning classifiers on sentiment analysis tasks using movie review data, Logistic Regression (LR) with Bag-of-Words (BoW) representation achieved an accuracy of 75.12%, demonstrating balanced precision, recall, and F1-scores for both positive and negative sentiments. Similarly, Multinomial Naive Bayes (MNB) with TF-IDF features yielded an accuracy of 75.09%, showcasing consistent precision and recall for both sentiment classes. However, Support Vector Machine (SVM) with BoW features exhibited imbalanced performance, particularly with low recall for positive sentiments, resulting in an accuracy of 58.29%. SVM with TF-IDF features demonstrated even lower accuracy at 51.12%, indicating challenges in effectively classifying positive sentiments. Overall, LR and MNB models showcased robust performance, highlighting their suitability for sentiment analysis tasks, while SVM exhibited limitations, emphasizing the importance of feature representation in achieving accurate classifications.

#### REFERENCES

202

203 204

205

(1) Dey, S., Chakraborty, S., Saha, S., & Chakraborty, A. (2016). Sentiment analysis of movie reviews using machine learning techniques. In 2016 International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT) (pp. 581-586). IEEE.

- (2) El-Din, S. S. A. (2016). Sentiment analysis in movie reviews based on machine learning techniques. In 2016 7th Cairo International Biomedical Engineering Conference (CIBEC) (pp. 106-109). IEEE.
- (3) Ahuja, S., Sahu, T. P., & Singh, A. (2019). Sentiment analysis of movie reviews: A study on feature selection & classification algorithm. In 2019 2nd International Conference on Computing, Mathematics and Communication Technologies (ICMCT) (pp. 1-4). IEEE.
- (4) Can, A., Koc, A. B., Sen, B., & Kucuktunc, O. (2018). Sentiment classification of Turkish movie reviews using machine learning techniques. In 2018 6th International Istanbul Smart Grids and Cities Congress and Fair (ICSG Istanbul) (pp. 1-5). IEEE.
- (5) Can, F., & Sarıyar, M. (2018). Turkish Movie Reviews Sentiment Analysis. *Journal of Engineering Research and Applied Science*, 5(2), 785-792.
- (6) Horsa, O. G., & Tune, K. K. (2023). Aspect-Based sentiment analysis for AFAAN Oromoo movie reviews using machine learning techniques. *Applied Computational Intelligence and Soft Computing*, 2023, 1–12. https://doi.org/10.1155/2023/3462691
- (7) Xu, J. (2024, February). Decoding sentiment: A sentiment analysis model for movie reviews. *Applied and Computational Engineering*, 37(1), 31-37. https://doi.org/10.54254/2755-2721/37/20230466