```
public class Jobsearch
{
    2 references
    public Jobsearch()
    {
        selectjob = new List<jobList>();
        insertse = new jobList();
    }
    10 references
    public jobList insertse { set; get; }
    4 references
    public List<jobList> selectjob { set; get; }
}
6 references
public class jobList
{
    3 references
    public int Job_id { get; set; }
    4 references
    public int Company_id { get; set; }
    public int Company_id { get; set; }
    3 references
    public string Job_Tittle { get; set; }
    3 references
    public string Job_description { get; set; }
    6 references
    public string Job_Experience { get; set; }
    6 references
    public string Job_Skills { get; set; }
    3 references
    public string Job_Salary { get; set; }
    3 references
    public System.DateTime Job_enddate { get; set; }
    6 references
    public string Job_Location { get; set; }
    0 references
    public string Job_Status { get; set; }
    0 references
    public int jobype_Id { get; set; }
    2 references
    public string jobtype_name { get; set; }
}
}
```

```
ALTER procedure [dbo].[sp_jobsearches]
 @qry nvarchar(max)=null
as
begin

DECLARE @SQL NVARCHAR(MAX)
SET @SQL = N'SELECT * FROM JOB WHERE 1=1' + @qry
   EXEC sp_executesql @SQL
end
```

Search Controller

```
        public ActionResult searchjob_click(Jobsearch clsobj)
        {
            string qry = "";
            if (!string.IsNullOrWhiteSpace(clsobj.insertse.Job_Experience))
            {
                qry += " and Job_Experience like '%" + clsobj.insertse.Job_Experience+ "%'";
            }
            if (!string.IsNullOrWhiteSpace(clsobj.insertse.Job_Skills))
            {
                qry += " and Job_Skills like '%" + clsobj.insertse.Job_Skills + "%'";
            }
            if (!string.IsNullOrWhiteSpace(clsobj.insertse.Job_Location))
            {
                qry += " and Job_Location like '%" + clsobj.insertse.Job_Location + "%'";
            }
            return View("jobview_pageload", getdata(clsobj, qry));

        }
```

```
private Jobsearch getdata(Jobsearch clsobj, string qry)
{
    using (var con = new SqlConnection(
        ConfigurationManager.ConnectionStrings["importdataconnection"].ConnectionString))
    {
        SqlCommand cmd = new SqlCommand("SP_Jobsearches", con);
        cmd.CommandType = CommandType.StoredProcedure;
        cmd.Parameters.AddWithValue("@qry", qry);
        con.Open();
        SqlDataReader dr = cmd.ExecuteReader();
        var joblist = new Jobsearch();
        while (dr.Read())
        {
            var jobcls = new jobList();
            jobcls.Job_id = Convert.ToInt32(dr["Job_id"].ToString());
            jobcls.Company_id=Convert.ToInt32(dr["Company_id"].ToString());
            jobcls.Job_Tittle = dr["Job_Tittle"].ToString();
            jobcls.Job_description = dr["Job_description"].ToString();
            jobcls.jobtype_name = dr["Job_Type"].ToString();
            jobcls.Job_Experience = dr["Job_Experience"].ToString();
            jobcls.Job_Skills = dr["Job_Skills"].ToString();
            jobcls.Job_Salary = dr["Job_Salary"].ToString();
            jobcls.Job_enddate =Convert.ToDateTime(dr["Job_enddate"].ToString());
            jobcls.Job_Location = dr["Job_Location"].ToString();

            joblist.selectjob.Add(jobcls);
        }
        con.Close();
        return joblist;
    }
}
```

Search View

```
@model JobPortalWebsiteMVC.Models.Jobsearch
@{
    ViewBag.Title = "jobview_pageload";
    Layout = "~/Views/Shared/_Layout.cshtml";
}
<h2>Explore Oppertunities : Find Your Dream Job</h2>
<br />
@using (Html.BeginForm("searchjob_click","JobView", FormMethod.Post))
{
    <table style="width: 100%; border: 1px solid lightgray; background-color: LightGray; ">
        <tr>
            <td style="width: 25%; padding-right: 10px;">
                @Html.TextBoxFor(m => m.insertse.Job_Skills,
              new { @style = "width: 100%;", placeholder = "Skills" })
            </td>
            <td style="width: 25%; padding-right: 10px;">
                @Html.TextBoxFor(m => m.insertse.Job_Experience,
              new { @style = "width: 100%;", placeholder = "Experience" })
             </td>
```

```
            <td style="width: 25%; padding-right: 10px;">
                @Html.TextBoxFor(m => m.insertse.Job_Location,
                new { @style = "width: 100%;", placeholder = "Location" })
            </td>
            <td style="width: 25%; text-align: right;">
                <input type="submit" value="Search"
                class="buttons" style="background-color: navy; color: white; padding: 5px 10px;" />
            </td>
        </tr>
    </table>
}
<br />
<table class="table w3-container">
    <tr>
        <th>
            <label>Company</label>
        </th>
        <th>
            <label>Job</label>
        </th>
        <th>
            <label>Description</label>
        </th>
        <th>
            <label>Experience</label>
        </th>
        <th>
            <label>Skills</label>
        </th>
        <th>
            <label>Salary</label>
        </th>
        <th>
            <label>End Date</label>
        </th>
```

```
            <th>
                <label>Location</label>
            </th>
            <th></th>
        </tr>
        @foreach (var item in Model.selectjob)
        {
            <tr>
                <td>
                    @Html.DisplayFor(modelItem => item.Company_id)
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_Tittle)
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_description)
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_Experience)
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_Skills)
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_Salary)
                </td>
                <td>
                    @*@Html.DisplayFor(modelItem => item.Job_enddate)*@
                    @item.Job_enddate.ToString("MM/dd/yyyy")
                </td>
                <td>
                    @Html.DisplayFor(modelItem => item.Job_Location)
                </td>
                <td>
                    @Html.ActionLink("ApplyNow", "Apllication_load",
                   "AddApplication", new { jid = item.Job_id,cid=item.Company_id},
                   new { @class = "button" })
                </td>
            </tr>
        }
    </table>
```

Application SPs

```
ALTER PROCEDURE [dbo].[SP_CountUserAppliedJobWithID]
@userid int,
@Jobid  int,
@status int output
AS
BEGIN
    IF EXISTS (SELECT 1 FROM [dbo].[JP_ApplicationTB] WHERE [User_id] = @userid AND [Job_Id] = @Jobid)
        begin
            set @status=1
        end
    else
        begin
            set @status=0
        end
END
```

```
ALTER PROCEDURE [dbo].[SP_GetJobDatawithID]
@jobid int
AS
BEGIN
    select *from [dbo].[JP_JobpostTB] where [Job_id]=@jobid
END
```

```
ALTER PROCEDURE [dbo].[SP_PostApplication]
@User_id        int,
@Company_id     int,
@Job_Id         int,
@Resume         nvarchar(MAX),
@App_Date       date,
@App_Status     nvarchar(30)
AS
BEGIN
    insert into [dbo].[JP_ApplicationTB] values(    @User_id,
    @Company_id,
    @Job_Id,
    @Resume,
    @App_Date,
    @App_Status )
END
```

Application Controller

```
public ActionResult Apllication_load(int jid,int cid)
{
    TempData["cid"] = cid;
    Session["Jid"] = jid;
    TempData["jid"] = jid;
    ObjectParameter op = new ObjectParameter("status", typeof(int));
    int userid = Convert.ToInt32(Session["uid"]);
    int jobids = Convert.ToInt32(Session["Jid"]);
    dbobj.SP_CountUserAppliedJobWithID(userid, jobids, op);
    int countapply = Convert.ToInt32(op.Value);
    if (countapply ==1)
    {
        ViewBag.isapplied = countapply;
    }
     return View(getdata());
}
```

```
public ActionResult Application_click(HttpPostedFileBase file,Applicationcls clsobj
{
    if (ModelState.IsValid)
    {
            if (file.ContentLength > 0)
            {
                string fname = Path.GetFileName(file.FileName);
                var s = Server.MapPath("~/ApplicationResume");
                string pa = Path.Combine(s, fname);
                file.SaveAs(pa);
                var fullpath = Path.Combine("~/ApplicationResume", fname);
                clsobj.Resume = fullpath;
            }
            DateTime currentDate = DateTime.Today;
            clsobj.App_Date = currentDate;
            clsobj.User_id = Convert.ToInt32(Session["uid"]);
```

```
            clsobj.User_id = Convert.ToInt32(Session["uid"]);
            clsobj.Company_id = Convert.ToInt32(TempData["cid"]);
            int jobid = Convert.ToInt32(Session["Jid"]);
            dbobj.SP_PostApplication(clsobj.User_id, clsobj.Company_id,
                jobid, clsobj.Resume, clsobj.App_Date, "apply");

            return RedirectToAction("jobview_pageload", "JobView");
        }
        else
        {
            return View("Apllication_load",clsobj);
        }
    }
    1 reference
    private Applicationcls getdata()
    {
        using (var con = new SqlConnection(ConfigurationManager.ConnectionStrings
            ["importdataconnection"].ConnectionString))
        {
            SqlCommand cmd = new SqlCommand("SP_GetJobDatawithID", con);
            cmd.CommandType = CommandType.StoredProcedure;
            cmd.Parameters.AddWithValue("@jobid", TempData["jid"]);
            con.Open();
            SqlDataReader dr = cmd.ExecuteReader();
            var joblist = new Applicationcls();
            while (dr.Read())
            {
                var jobcls = new jobdetails();
                jobcls.Company_idFK = Convert.ToInt32(dr["Company_id"].ToString());
                jobcls.Job_Tittle = dr["Job_Tittle"].ToString();
                jobcls.Job_description = dr["Job_description"].ToString();
                jobcls.jobtype_name = dr["Job_Type"].ToString();
                jobcls.Job_Experience = dr["Job_Experience"].ToString();
                jobcls.Job_Skills = dr["Job_Skills"].ToString();
                jobcls.Job_Salary = dr["Job_Salary"].ToString();

                jobcls.Job_Salary = dr["Job_Salary"].ToString();
                jobcls.Job_enddate = Convert.ToDateTime(dr["Job_enddate"].ToString());
                jobcls.Job_Location = dr["Job_Location"].ToString();

                joblist.selectjobdetails.Add(jobcls);
            }
            con.Close();
            return joblist;
        }
    }
```