## 1

## Assignment 1 Probability And Random Processes

## Rajeev Kumar **EE22BTECH11042**




Fig. 0. plot of corcumcirclr O and points A, B and C.

## I. Question 1.4.6

Verify that

$$\angle BOC = 2\angle BAC$$

Solution: Given,

$$\mathbf{A} = \begin{pmatrix} 1 \\ -1 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} -4 \\ 6 \end{pmatrix}, \mathbf{C} = \begin{pmatrix} -3 \\ -5 \end{pmatrix}$$

Also, we have a point  $\mathbf{O} = \begin{pmatrix} \frac{-3.5}{12} \\ \frac{5}{12} \end{pmatrix}$  which is intersection point of the perpendicular bisectors of AB and AC and is circumcentre of the triangle made by points A,B and C.

1) To find the value of  $\angle BOC$ :

$$\mathbf{B} - \mathbf{O} = \begin{pmatrix} \frac{5}{12} \\ \frac{67}{12} \end{pmatrix} \tag{1}$$

$$\mathbf{C} - \mathbf{O} = \begin{pmatrix} \frac{17}{12} \\ -\frac{65}{12} \end{pmatrix} \tag{2}$$

calculating the norm of B - O and C - O, we get:

$$\|\mathbf{B} - \mathbf{O}\| = \frac{\sqrt{4514}}{12} \tag{3}$$

$$\|\mathbf{C} - \mathbf{O}\| = \frac{\sqrt{4514}}{12} \tag{4}$$

by doing matrix multiplication, we get:

$$(\mathbf{B} - \mathbf{O})^{\mathsf{T}} (\mathbf{C} - \mathbf{O}) = \frac{-4270}{144}$$
 (5)

to calcuate the  $\angle BOC$ :

$$\cos BOC = \frac{(\mathbf{B} - \mathbf{O})^{\top} (\mathbf{C} - \mathbf{O})}{\|\mathbf{B} - \mathbf{O}\| \|\mathbf{C} - \mathbf{O}\|}$$
(6)

$$||\mathbf{B} - \mathbf{O}|| ||\mathbf{C} - \mathbf{O}||$$

$$= \frac{\frac{-4270}{144}}{\frac{\sqrt{4514}}{12} \times \frac{\sqrt{4514}}{12}}$$

$$= \frac{-4270}{4514}$$
(8)

$$=\frac{-4270}{4514} \tag{8}$$

$$\implies \angle BOC = \cos^{-1}\left(\frac{-4270}{4514}\right) \tag{9}$$

$$= 161.07536^{\circ}$$
 (10)

Taking the reflex of above angle, we get:

$$\angle BOC = 360^{\circ} - 161.07536^{\circ}$$
 (11)

$$= 198.92464^{\circ}$$
 (12)

2) To find the value of  $\angle BAC$ :

$$\mathbf{B} - \mathbf{A} = \begin{pmatrix} -5\\7 \end{pmatrix} \tag{13}$$

$$\mathbf{C} - \mathbf{A} = \begin{pmatrix} -4 \\ -4 \end{pmatrix} \tag{14}$$

calculating the norm of  $\mathbf{B} - \mathbf{A}$  and  $\mathbf{C} - \mathbf{A}$ , we get:

$$||\mathbf{B} - \mathbf{A}|| = \sqrt{74} \tag{15}$$

$$\|\mathbf{C} - \mathbf{A}\| = 4\sqrt{2} \tag{16}$$

by doing matrix multiplication, we get:

$$(\mathbf{B} - \mathbf{A})^{\mathsf{T}} (\mathbf{C} - \mathbf{A}) = -8 \tag{17}$$

to calcuate the  $\angle BAC$ :

$$\cos BAC = \frac{(\mathbf{B} - \mathbf{A})^{\top} (\mathbf{C} - \mathbf{A})}{\|\mathbf{B} - \mathbf{A}\| \|\mathbf{C} - \mathbf{A}\|}$$
(18)

$$=\frac{-8}{\sqrt{74}\times4\sqrt{2}}\tag{19}$$

$$=\frac{-8}{4\sqrt{148}}\tag{20}$$

$$\implies \angle BAC = \cos^{-1}\left(\frac{-8}{4\sqrt{148}}\right) \tag{21}$$

$$= 99.46232^{\circ}$$
 (22)

from equation (22):

$$2 \times \angle BAC = 198.92464^{\circ}$$
 (23)

On comparing equation (12) and equation (23):

$$\angle BOC = 2 \times \angle BAC \tag{24}$$

Hence, verified.