APK evaluation Evidence report

Twelve actual public APK uploads. Measured static results, source-backed classifications and live Arkiv verification.

Recorded API run: 11 October 2026, 20:02 IST
Arkiv verification: 11 October 2026, 22:06 IST

12 APKs

5 upstream releases
5 historical malware
2 training controls

12 signatures

All cryptographically verified.
This does not establish safety.

19 entities

12 artifact passports
7 reviewed advisories
Arkiv Tiramisu testnet

What this establishes

The deployed parser and signature verifier processed all twelve samples. The recorded run checked private report authorization and deletion for every upload. Accepted Arkiv records matched the evaluated artifact identities and the expected advisory counts.

What it does not establish

This is an integration evaluation of selected samples, not a detection-accuracy benchmark. Malware labels come from cited research and exact IOC matches. It does not establish official publisher verification, current Indian campaign coverage, runtime behavior or superiority over Google Play Protect.

Open the public results | Open the source repository

01 / Measured results

All twelve applications

Permissions are declarations, not observed grants or behavior. 'Sensitive' uses this scanner's classification. A finding is a review signal, not a malware detection.

Application / release	Class	Total	Sensitive	Findings	Advisories
KeePassDX 4.5.5 libre	Upstream release	9	0	0	0
Aegis 3.4.3	Upstream release	6	1	1	0
NewPipe 0.29.1	Upstream release	11	2	1	0
Fossify Calculator 1.4.0	Upstream release	1	0	0	0
Fossify File Manager 1.6.2	Upstream release	6	3	1	0
Exodus spyware 2019 research specimen	Historical malware	13	10	2	1
Fake MetaMask clipper 2019 research specimen	Historical malware	3	1	2	1
Fake BtcTurk phishing 2019 research specimen	Historical malware	6	0	1	1
Fake BtcTurk beta 2019 research specimen	Historical malware	8	1	1	1
Fake Koineks phishing 2019 research specimen	Historical malware	8	1	1	1
InsecureBankv2 repository commit 3c8cc3a	Training control	12	7	3	1
PIVAA repository commit 7fde895	Training control	12	8	3	1

The useful counterexample

The historical Fake BtcTurk phishing specimen has a valid signature and zero permissions classified as sensitive. Its warning is justified by an exact match to primary-research evidence, not by the permission count. Conversely, legitimate upstream releases can declare sensitive capabilities for their purpose.

The five malware samples cover three historical research campaigns. The two training applications are deliberately vulnerable educational controls, not confirmed scams. All twelve artifact passports matched; a malicious artifact can also have an exact passport match.

Evidence 01-02

KeePassDX / Upstream release

Package: com.kunzisoft.keepass.libre
Release: 4.5.5 libre

APK SHA-256

```
99dccd0c350be4a97dc7b90ccd3c83df
a41f8179f5db1a7c071c17cc0278cc3a
```

Signer certificate SHA-256 (1)

```
7d55b8af210381aabf960f07e17cf785
7b6d2a642ca2da6bf0bdf1b200362f04
```

Signature: verified (v1, v2). Findings: No static findings.

Recorded API processing: 6.20s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 0.

Sources: [1] Source record

Aegis / Upstream release

Package: com.beemdevelopment.aegis
Release: 3.4.3

APK SHA-256

```
fa091c91912c0d56ec3553394fac4158
f9a9d178e93bcbb35419601d788cb528
```

Signer certificate SHA-256 (1)

```
c6db80a8e14e5230c1de8415ef820d13
dc901d8fe33cf3acb57b6862d858a823
```

Signature: verified (v1, v2). Findings: Sensitive capabilities requested.

Recorded API processing: 1.69s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 0.

Sources: [1] Source record

Evidence 03-04

NewPipe / Upstream release

Package: org.schabi.newpipe
Release: 0.29.1

APK SHA-256

```
18447bfb1e06d113edc88df93f471827
280de06f6f3d4dc42f56f28b9c1bab79
```

Signer certificate SHA-256 (1)

```
cb84069bd68116bafae5ee4ee5b08a56
7aa6d898404e7cb12f9e756df5cf5cab
```

Signature: verified (v1, v2, v3). Findings: Sensitive capabilities requested.

Recorded API processing: 2.86s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 0.

Sources: [1] Source record

Fossify Calculator / Upstream release

Package: org.fossify.math
Release: 1.4.0

APK SHA-256

```
7c5443c22d6d62c67dfe80df33ea9161
ff0fa440f92590bcb45d7008b57613ed
```

Signer certificate SHA-256 (1)

```
affdb124d3f4720c2f98dbca9eacba05
14fba4306e20a2786c861c3c0d6ff292
```

Signature: verified (v2). Findings: No static findings.

Recorded API processing: 2.31s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 0.

Sources: [1] Source record

Evidence 05-06

Fossify File Manager / Upstream release

Package: org.fossify.filemanager
Release: 1.6.2

APK SHA-256

```
c2993c75ea7287e7ede354b061d9c877
2aa9b4b050e7660ec1ebc3592dc3d051
```

Signer certificate SHA-256 (1)

```
affdb124d3f4720c2f98dbca9eacba05
14fba4306e20a2786c861c3c0d6ff292
```

Signature: verified (v2). Findings: Sensitive capabilities requested.

Recorded API processing: 2.33s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 0.

Sources: [1] Source record

Exodus spyware / Historical malware

Package: operatore.italia
Release: 2019 historical research specimen

APK SHA-256

```
0f5f1409b1ebbee4aa837d20479732e1
1399d37f05b47b5359dc53a4001314e5
```

Signer certificate SHA-256 (1)

```
40c43d4b2f541c59dd87270cee63f4e3
62b16f41e83f3bd320033a39460614c0
```

Signature: verified (v1, v2). Findings: Sensitive capabilities requested; Older Android protections targeted.

Recorded API processing: 3.77s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record | [2] Source record

```
Research IOC (SHA256): 0f5f1409b1ebbee4aa837d20479732e11399d37f05b47b5359dc53a4001314e5
```

Evidence 07-08

Fake MetaMask clipper / Historical malware

Package: com.lemon.metamask
Release: 2019 historical research specimen

APK SHA-256

```
86507924e47908aded888026991cd039
59d1c1b171f32c8cc3ce62c4c45374ef
```

Signer certificate SHA-256 (1)

```
b76ac83b57702383cbdf616179e7d78e
37590e3d7a9b3de86ab1320cf744c30d
```

Signature: verified (v1, v2, v3). Findings: Sensitive capabilities requested; Older Android protections targeted.

Recorded API processing: 1.44s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record | [2] Primary research

```
Research IOC (MD5): 24d7783aaf34884677a601d487473f88
```

Fake BtcTurk phishing / Historical malware

Package: com.app.elipticsoft.app
Release: 2019 historical research specimen

APK SHA-256

```
3d955b203921ccb24888ccbdda536bba
778694ab05cdf9fad088bd0f60bf8fc0
```

Signer certificate SHA-256 (1)

```
4cff69baf03311560ee8d4bcb2cadc75
7487ee5e8029db35952a0eb3ba60bca8
```

Signature: verified (v1, v2). Findings: Older Android protections targeted.

Recorded API processing: 1.53s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record | [2] Primary research

```
Research IOC (MD5): 336ce9cdf788228a71a3757558faa012
```

Evidence 09-10

Fake BtcTurk beta / Historical malware

Package: btcturk.pro.beta
Release: 2019 historical research specimen

APK SHA-256

```
126547985987c3ecb1321a3a565d8565
b64d437fd28418a6ba4bbc3220f684d2
```

Signer certificate SHA-256 (1)

```
37dcac2d78454d039b2824fdfbb00e3d
27a575e9a8bfe3c30cf98f68af4ffb37
```

Signature: verified (v1, v2, v3). Findings: Sensitive capabilities requested.

Recorded API processing: 1.47s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record | [2] Primary research

```
Research IOC (MD5): 8c93cf8859e3ed350b7c8722e4a8f9a3
```

Fake Koineks phishing / Historical malware

Package: com.koinks.mobilpro
Release: 2019 historical research specimen

APK SHA-256

```
dbfab6e6fe3c2af3c8e23476b507eebe
d3cbe05633ab98fcb421ed156aa34236
```

Signer certificate SHA-256 (1)

```
0a8a74284bbf521351d5cc9cb02704f2
e8ed0d7866de81fa5f3e44e03c28b3df
```

Signature: verified (v1, v2, v3). Findings: Sensitive capabilities requested.

Recorded API processing: 1.58s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record | [2] Primary research

```
Research IOC (MD5): 4c0b9a665a5a1f5dccb67cc7ec18da54
```

Evidence 11-12

InsecureBankv2 / Training control

Package: com.android.insecurebankv2
Release: repository commit 3c8cc3a

APK SHA-256

```
b18af2a0e44d7634bbcdf93664d9c78a
2695e050393fcfbb5e8b91f902d194a4
```

Signer certificate SHA-256 (1)

```
8092db81ae717486631a1534977def46
5ee112903e1553d38d41df8abd57a375
```

Signature: verified (v1). Findings: Sensitive capabilities requested; Debugging is enabled; Older Android protections targeted.

Recorded API processing: 1.55s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record

PIVAA / Training control

Package: com.htbridge.pivaa
Release: repository commit 7fde895

APK SHA-256

```
57887e1d1e119939eec0e929801b049f
8037cf90d2accab479a48f0d4dd2c19a
```

Signer certificate SHA-256 (1)

```
918b23e3bf7c966db1906bd25d0deaeb
42ed8ef76ad609a79c90c7f59ac8dcfd
```

Signature: verified (v1, v2). Findings: Sensitive capabilities requested; Debugging is enabled; Older Android protections targeted.

Recorded API processing: 1.59s. Private authorization and deletion: checked. Artifact match: exact_match. Accepted advisories: 1.

Sources: [1] Source record

Verification and limits

Static inspection

Androguard 4.1.4 static manifest parsing + Android Build Tools 35.0.0 apksigner signature verification. APKs were not installed or executed. All twelve APKs were uploaded to the deployed Linux API and their private reports deleted after verification. Malicious inputs stayed in original password-protected research archives locally and were decrypted in memory for static upload only.

The report is built from recorded results rather than a new malware execution. The parser uses a deployed Linux service; input APKs are never installed or executed. Raw APKs are deleted after processing, and private reports have a 30-minute retention window. The service accepts standalone APK files up to 50 MB.

Arkiv verification

Chain: Arkiv Tiramisu, ID 7738577. Checked at block 443426. 19 of 19 expected records were accepted. Every sample matched its exact reviewed-artifact reference; the five malware and two training samples each had one source-backed advisory.

Accepted reviewer creator: 0xd153C0cC313884DA0065615BB411Dfb8b873fE54

This creator is a project-controlled evaluation reviewer, not an official APK publisher, bank, government body or independent reviewer community. The client checks protocol creator metadata, readonly creation flags, schema/index binding and expiry. It trusts RPC metadata and does not independently verify state proofs.

The expiry boundary

A passport match establishes an exact reviewed artifact, not safety. Expired records leave the live query surface; expiry does not mean a threat was resolved, and historical copies may remain. Same-author corrections and retractions are interpreted by the client. A lookup outage is reported as unavailable rather than an empty clean result.

Excluded measurements

No APK execution, runtime telemetry, deep DEX behavior analysis, signing-key rotation lineage, official publisher binding, sensitivity/specificity measurement or same-sample Play Protect comparison was performed. The recorded processing times are single observations, not latency guarantees.

Check the evidence

1. Inspect the public results

scamsignal.ajnasnb.com/#evaluation: open a measured report and check current Arkiv evidence. The examples are visibly labelled precomputed static reports; selecting one does not re-upload an APK. A separate file upload creates a fresh private analysis.

2. Read the recorded dataset

The CSV contains measured counts, identities, source URLs and entity keys. The JSON additionally contains research IOCs, classification basis and source-file digests. The repository retains the full sanitized manifest reports and original recorded API verification.

3. Re-run the public Arkiv check

Clone the public repository, install dependencies with npm ci, then run npm run arkiv:verify. This reads the published entities and checks accepted authors, artifact binding, classifications, readonly flags, source references and expected warning counts. The default public read gateway requires no consumer wallet. Another operator may configure their own RPC provider with SCAMSIGNAL_READ_RPC_URL. Records must still be live; later expiry can change results.

4. Reproduce a fresh upstream upload

Use an exact upstream release linked in the evidence pages, calculate its SHA-256, and upload it through the live app. Compare package, complete signer set, permissions and findings. Different releases or distribution channels can produce different hashes and signatures. The public app does not redistribute research malware APKs.

Dataset and implementation links

Full measured reports

Recorded deployed-API test

Arkiv verification snapshot

Published entity keys and transactions

Schema and reviewer policy

Reproducible Arkiv friction report

Interpretation

Prefer the organization's official store listing and keep Play Protect enabled. An APK is a package format, not a verdict. This report adds traceable artifact evidence; it never authorizes installation or treats an absent warning as a safety certificate.