

Contest Duration: 2023-11-11(Sat) 09:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20231111T2100&p1=248>) - 2023-11-11(Sat) 10:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20231111T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](/home)

[🏠 Top \(/contests/abc328\)](/contests/abc328)

[☰ Tasks \(/contests/abc328/tasks\)](/contests/abc328/tasks)

[❓ Clarifications \(/contests/abc328/clarifications\)](/contests/abc328/clarifications)

[🚀 Submit \(/contests/abc328/submit?taskScreenName=abc328_d\)](/contests/abc328/submit?taskScreenName=abc328_d)

[☰ Results ▼](#)

[🏆 Standings \(/contests/abc328/standings\)](/contests/abc328/standings)

[🏆 Virtual Standings \(/contests/abc328/standings/virtual\)](/contests/abc328/standings/virtual)

[🔑 Custom Test \(/contests/abc328/custom_test\)](/contests/abc328/custom_test)

[📖 Editorial \(/contests/abc328/editorial\)](/contests/abc328/editorial)



D - Take ABC

[Editorial \(/contests/abc328/tasks/abc328_d/editorial\)](/contests/abc328/tasks/abc328_d/editorial)

[🇯🇵 / 🇬🇧](#)

Time Limit: 2 sec / Memory Limit: 1024 MiB

Score : 425 points

Problem Statement

You are given a string S consisting of three different characters: A , B , and C .

As long as S contains the string `ABC` as a consecutive substring, repeat the following operation:

Remove the leftmost occurrence of the substring `ABC` from S .

Print the final string S after performing the above procedure.

Constraints

- S is a string of length between 1 and 2×10^5 , inclusive, consisting of the characters A , B , and C .

Input

The input is given from Standard Input in the following format:

2026-05-01 (Fri)
13:08:34 -03:00

S

Output

Print the answer.

Sample Input 1

[Copy](#)

BAABCBCCABCAC

[Copy](#)

Sample Output 1

[Copy](#)

BCAC

[Copy](#)

For the given string $S = \text{BAABCBCCABCAC}$, the operations are performed as follows.

- In the first operation, the `ABC` from the 3-rd to the 5-th character in $S = \text{BAABCBCCABCAC}$ is removed, resulting in $S = \text{BABCCABCAC}$.
- In the second operation, the `ABC` from the 2-nd to the 4-th character in $S = \text{BABCCABCAC}$ is removed, resulting in $S = \text{BCABCAC}$.
- In the third operation, the `ABC` from the 3-rd to the 5-th character in $S = \text{BCABCAC}$ is removed, resulting in $S = \text{BCAC}$.

Therefore, the final S is `BCAC`.

Sample Input 2

[Copy](#)

ABCABC

[Copy](#)

Sample Output 2

[Copy](#)[Copy](#)

In this example, the final S is an empty string.

Sample Input 3

[Copy](#)

AAABCABCABCAABCABCBBBAABCBCCCAAABCBCBCC

2026-05-01 (Fri)
13:08:34 -03:00[Copy](#)

Sample Output 3

[Copy](#)

AAABBBCCC

[Copy](#)

Language

C++23 (Clang 21.1.0) ▼

Source Code

[Open File](#)[Customize](#)[Toggle Editor](#)[Auto Height](#)

1 |

* at most 512 KiB



Verificando...

[Submit](#)

#telegram)

[url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc328%2Ftasks%2Fabc328_d%3Fclang%3Den&title=D%20-](https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc328%2Ftasks%2Fabc328_d%3Fclang%3Den&title=D%20-)2026-05-01 (Fri)
13:08:34 -03:00

[Rule \(/contests/abc328/rules\)](/contests/abc328/rules) [Glossary \(/contests/abc328/glossary\)](/contests/abc328/glossary)

[Terms of service \(/tos\)](/tos) [Privacy Policy \(/privacy\)](/privacy) [Information Protection Policy \(/personal\)](/personal) [Company \(/company\)](/company)

[FAQ \(/faq\)](/faq) [Contact \(/contact\)](/contact)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.