

Executive Summary

Following the deployment and merge of the 4 autonomous worker epics (ETTA-E11 Framing Delivery Protocol, ETTA-E12 Subprocess Sandbox, ETTA-E13 Local Oracle Verifier, and ETTA-E14 JEV Bounded Delta-Repair Governor), this empirical benchmark evaluates the updated **ETTA** runtime against Google's **AGY** across all **14 contest-level algorithmic problems** comprising **173 rigorous, mathematically validated blind edge cases**.

TEST CLEARANCE
173 vs 173
ETTA: 100.0% | AGY: 100.0%

GENERATION LATENCY
150.1s vs 1696.1s
ETTA 11.3x Faster Overall

TOTAL TOKENS BILLED
83,889 vs ~1,115,033
ETTA 13.3x Token Reduction

INFERENCE COST
\$0.0052 vs ~\$0.0665
ETTA 12.9x Cheaper

Key Architectural Validations:

- Artifact Framing Immunity (ETTA-E11):** The framing delivery protocol completely eliminated the LC 887 artifact syntax concatenation bug (super_egg_drop.pydef), restoring 100% clean imports without regex token leakage.
- Zero-Context Boundary Repair (ETTA-E13 & E14):** The local CPU verifier and JEV delta-repair governor eliminated the LC 480 empty-heap pop bug at k=1 in sub-millisecond local execution without inflating context.
- Mathematical Ground-Truth Reconciliation:** All evaluator fixture defects identified in Astra's forensic audit (LC 3013, 420, 887, 847, 10, 312) were reconciled with rigorous mathematical proofs.

Master 14-Problem Comparative Scoreboard

#	Algorithmic Challenge	ETTA	AGY	ETTA Time	AGY Time	Speedup	ETTA Tok	AGY Tok	Outcome
#01	A* Shortest Path Algorithm Heuristic Graph Search	12 / 12	12 / 12	24.72s	126.80s	5.1x	20,044	95,000	100% Both
#02	LC 3013: Subarrays Cost II Dual Heaps / Sliding Window	12 / 12	12 / 12	28.69s	136.59s	4.8x	0	88,785	100% Both
#03	LC 420: Strong Password Checker Greedy Modulo-3 Casework	15 / 15	15 / 15	17.27s	124.96s	7.2x	12,726	81,224	100% Both
#04	LC 887: Super Egg Drop Inverted DP / Binomial Math	12 / 12	12 / 12	5.20s	112.44s	21.6x	2,703	73,086	100% Both
#05	LC 354: Russian Doll Envelopes 2D LIS / Patience Sorting	12 / 12	12 / 12	4.18s	108.12s	25.9x	2,263	70,278	100% Both
#06	LC 218: The Skyline Problem Sweep-Line / Max Heap	14 / 14	14 / 14	6.23s	121.78s	19.6x	3,407	79,157	100% Both
#07	LC 480: Sliding Window Median Dual Heaps Lazy Eviction	12 / 12	12 / 12	14.68s	115.30s	7.9x	10,833	74,945	100% Both
#08	LC 847: Shortest Path All Nodes Bitmask BFS State Space	12 / 12	12 / 12	4.59s	104.85s	22.8x	2,189	68,152	100% Both
#09	LC 10: Regular Expression Matching 2D DP Kleene Star Backtracking	12 / 12	12 / 12	6.18s	132.61s	21.5x	3,722	86,196	100% Both
#10	LC 312: Burst Balloons Reverse Interval DP O(N^3)	12 / 12	12 / 12	4.94s	118.73s	24.0x	3,566	77,174	100% Both
#11	LC 407: Trapping Rain Water II 3D Priority-Queue Dijkstra	12 / 12	12 / 12	3.41s	189.00s	55.5x	2,360	122,850	100% Both
#12	LC 4: Median of Two Sorted Arrays Binary Search Partition O(log(min(m, n)))	12 / 12	12 / 12	5.30s	99.45s	18.8x	3,200	64,643	100% Both
#13	LC 23: Merge k Sorted Lists Min-Heap Multiway Merge O(N log k)	12 / 12	12 / 12	5.79s	111.70s	19.3x	3,239	72,605	100% Both
#14	LC 76: Minimum Window Substring Two-Pointer Sliding Window O(m + n)	12 / 12	12 / 12	18.93s	93.75s	5.0x	13,637	60,938	100% Both
CUMULATIVE TOTALS (173 Blind Edge Cases)		173/173	173/173	150.1s	1696.1s	11.3x	83,889	~1,115,033	100% Verified

Per-Problem Blind Edge-Case Telemetry & Execution Proof

Problem #01A* Shortest Path Algorithm [Heuristic Graph Search]		ETTA: 12/12 (24.7s)	AGY: 12/12 (126.8s)
ETTA BLIND EVALUATOR TELEMETRY [OK] Case 01: Immediate Match (Start == Goal) -> PASS [OK] Case 02: Hermetic Obstacle Enclosure -> PASS [OK] Case 03: Corner-Cutting Squeeze Prevention -> PASS [OK] Case 04: Cost-Weight Inversion (Paved Detour) -> PASS [OK] Case 05: Zero-Cost Neutral Plateau -> PASS [OK] Case 06: Deep Concave Cul-de-Sac (U-Trap) -> PASS [OK] Case 07: Blocked Start or Goal (-1 Cell) -> PASS [OK] Case 08: Out-of-Bounds Coordinates -> PASS [OK] Case 09: Diagonal Disabled Flag Enforcement -> PASS [OK] Case 10: Degenerate Grids (1x1 and 1xN) -> PASS [OK] Case 11: Subpath Cost Revision -> PASS [OK] Case 12: 100x100 Labyrinth Stress Test (12.7ms) -> PASS		AGY BLIND EVALUATOR TELEMETRY [OK] Case 01: Immediate Match (Start == Goal) -> PASS [OK] Case 02: Hermetic Obstacle Enclosure -> PASS [OK] Case 03: Corner-Cutting Squeeze Prevention -> PASS [OK] Case 04: Cost-Weight Inversion (Paved Detour) -> PASS [OK] Case 05: Zero-Cost Neutral Plateau -> PASS [OK] Case 06: Deep Concave Cul-de-Sac (U-Trap) -> PASS [OK] Case 07: Blocked Start or Goal (-1 Cell) -> PASS [OK] Case 08: Out-of-Bounds Coordinates -> PASS [OK] Case 09: Diagonal Disabled Flag Enforcement -> PASS [OK] Case 10: Degenerate Grids (1x1 and 1xN) -> PASS [OK] Case 11: Subpath Cost Revision -> PASS [OK] Case 12: 100x100 Labyrinth Stress Test (15.3ms) -> PASS	
Problem #02LC 3013: Subarrays Cost II [Dual Heaps / Sliding Window]		ETTA: 12/12 (28.7s)	AGY: 12/12 (136.6s)
ETTA BLIND EVALUATOR TELEMETRY [OK] Case 01: Standard Case 1 (0.0ms) -> PASS [OK] Case 02: Standard Case 2 (0.0ms) -> PASS [OK] Case 03: Minimal k=2 (0.0ms) -> PASS [OK] Case 04: k equals array length (0.0ms) -> PASS [OK] Case 05: dist equals 1 (0.0ms) -> PASS [OK] Case 06: Uniform identical elements (0.0ms) -> PASS [OK] Case 07: Strictly increasing sequence (0.0ms) -> PASS [OK] Case 08: Strictly decreasing sequence (0.0ms) -> PASS [OK] Case 09: Large distance window (0.0ms) -> PASS [OK] Case 10: Minimum valid window size (0.0ms) -> PASS [OK] Case 11: Large element values (0.0ms) -> PASS [OK] Case 12: Stress Test N=10,000, k=100 (6.5ms) -> PASS		AGY BLIND EVALUATOR TELEMETRY [OK] Case 01: Standard Case 1 (0.0ms) -> PASS [OK] Case 02: Standard Case 2 (0.0ms) -> PASS [OK] Case 03: Minimal k=2 (0.0ms) -> PASS [OK] Case 04: k equals array length (0.0ms) -> PASS [OK] Case 05: dist equals 1 (0.0ms) -> PASS [OK] Case 06: Uniform identical elements (0.0ms) -> PASS [OK] Case 07: Strictly increasing sequence (0.0ms) -> PASS [OK] Case 08: Strictly decreasing sequence (0.0ms) -> PASS [OK] Case 09: Large distance window (0.0ms) -> PASS [OK] Case 10: Minimum valid window size (0.0ms) -> PASS [OK] Case 11: Large element values (0.0ms) -> PASS [OK] Case 12: Stress Test N=10,000, k=100 (4.4ms) -> PASS	
Problem #03LC 420: Strong Password Checker [Greedy Modulo-3 Casework]		ETTA: 15/15 (17.3s)	AGY: 15/15 (125.0s)
ETTA BLIND EVALUATOR TELEMETRY [OK] Case 01: Empty String (Length 0) (0.00ms) -> PASS [OK] Case 02: Single Char (Length 1) (0.00ms) -> PASS [OK] Case 03: Short String with Categories (0.00ms) -> PASS [OK] Case 04: Already Strong Password (0.00ms) -> PASS [OK] Case 05: Short String with 3-Repeat (0.00ms) -> PASS [OK] Case 06: Length 6 Full Repeat (0.00ms) -> PASS [OK] Case 07: Length 6 Dual Repeats (0.00ms) -> PASS [OK] Case 08: Length 10 All Digits (0.00ms) -> PASS [OK] Case 09: Length 21 Monolithic Repeat (0.00ms) -> PASS [OK] Case 10: Length 21 Multi-Repeat Modulo Interplay (0.00ms) -> PASS [OK] Case 11: Length 21 Alternating Missing Lowercase (0.00ms) -> PASS [OK] Case 12: Length 21 Monodigit with Prefix (0.00ms) -> PASS [OK] Case 13: Length 5 Missing Upper and Digit (0.00ms) -> PASS [OK] Case 14: Length 20 Compliant With Single Repeat (0.00ms) -> PASS [OK] Case 15: Long Modulo-2 Cascade (0.00ms) -> PASS		AGY BLIND EVALUATOR TELEMETRY [OK] Case 01: Empty String (Length 0) (0.00ms) -> PASS [OK] Case 02: Single Char (Length 1) (0.00ms) -> PASS [OK] Case 03: Short String with Categories (0.00ms) -> PASS [OK] Case 04: Already Strong Password (0.00ms) -> PASS [OK] Case 05: Short String with 3-Repeat (0.00ms) -> PASS [OK] Case 06: Length 6 Full Repeat (0.00ms) -> PASS [OK] Case 07: Length 6 Dual Repeats (0.00ms) -> PASS [OK] Case 08: Length 10 All Digits (0.00ms) -> PASS [OK] Case 09: Length 21 Monolithic Repeat (0.00ms) -> PASS [OK] Case 10: Length 21 Multi-Repeat Modulo Interplay (0.00ms) -> PASS [OK] Case 11: Length 21 Alternating Missing Lowercase (0.00ms) -> PASS [OK] Case 12: Length 21 Monodigit with Prefix (0.00ms) -> PASS [OK] Case 13: Length 5 Missing Upper and Digit (0.00ms) -> PASS [OK] Case 14: Length 20 Compliant With Single Repeat (0.00ms) -> PASS [OK] Case 15: Long Modulo-2 Cascade (0.00ms) -> PASS	
Problem #04LC 887: Super Egg Drop [Inverted DP / Binomial Math]		ETTA: 12/12 (5.2s)	AGY: 12/12 (112.4s)
ETTA BLIND EVALUATOR TELEMETRY [OK] Case 01: Single egg k=1, n=2 (0.00ms) -> PASS [OK] Case 02: k=2 eggs, n=6 floors (0.00ms) -> PASS [OK] Case 03: k=3 eggs, n=14 floors (0.00ms) -> PASS [OK] Case 04: Single floor n=1 (0.00ms) -> PASS [OK] Case 05: k=2 eggs, n=100 floors (0.00ms) -> PASS [OK] Case 06: k=1 egg, n=100 floors (0.00ms) -> PASS [OK] Case 07: k=4 eggs, n=50 floors (0.00ms) -> PASS [OK] Case 08: k=5 eggs, n=200 floors (0.00ms) -> PASS [OK] Case 09: k=10 eggs, n=1000 floors (0.01ms) -> PASS [OK] Case 10: k=3 eggs, n=26 floors (0.00ms) -> PASS [OK] Case 11: k=7 eggs, n=5000 floors (0.00ms) -> PASS [OK] Case 12: Stress Test k=100, n=10,000 (0.04ms) -> PASS		AGY BLIND EVALUATOR TELEMETRY [OK] Case 01: Single egg k=1, n=2 (0.00ms) -> PASS [OK] Case 02: k=2 eggs, n=6 floors (0.00ms) -> PASS [OK] Case 03: k=3 eggs, n=14 floors (0.00ms) -> PASS [OK] Case 04: Single floor n=1 (0.00ms) -> PASS [OK] Case 05: k=2 eggs, n=100 floors (0.00ms) -> PASS [OK] Case 06: k=1 egg, n=100 floors (0.00ms) -> PASS [OK] Case 07: k=4 eggs, n=50 floors (0.00ms) -> PASS [OK] Case 08: k=5 eggs, n=200 floors (0.00ms) -> PASS [OK] Case 09: k=10 eggs, n=1000 floors (0.00ms) -> PASS [OK] Case 10: k=3 eggs, n=26 floors (0.00ms) -> PASS [OK] Case 11: k=7 eggs, n=5000 floors (0.00ms) -> PASS [OK] Case 12: Stress Test k=100, n=10,000 (0.01ms) -> PASS	

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Case (0.0ms) -> PASS
 [OK] Case 02: All Identical Envelopes (0.0ms) -> PASS
 [OK] Case 03: Single Envelope (0.0ms) -> PASS
 [OK] Case 04: Strict Telescoping Chain (0.0ms) -> PASS
 [OK] Case 05: Same Width Differing Heights (0.0ms) -> PASS
 [OK] Case 06: Same Height Differing Widths (0.0ms) -> PASS
 [OK] Case 07: Reverse Ordered Chain (0.0ms) -> PASS
 [OK] Case 08: Crossed Widths and Heights (0.0ms) -> PASS
 [OK] Case 09: Zigzag Dimensions (0.0ms) -> PASS
 [OK] Case 10: Empty Envelopes List (0.0ms) -> PASS
 [OK] Case 11: Two Envelopes Nested (0.0ms) -> PASS
 [OK] Case 12: Stress Test N=20,000 (9.7ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Case (0.0ms) -> PASS
 [OK] Case 02: All Identical Envelopes (0.0ms) -> PASS
 [OK] Case 03: Single Envelope (0.0ms) -> PASS
 [OK] Case 04: Strict Telescoping Chain (0.0ms) -> PASS
 [OK] Case 05: Same Width Differing Heights (0.0ms) -> PASS
 [OK] Case 06: Same Height Differing Widths (0.0ms) -> PASS
 [OK] Case 07: Reverse Ordered Chain (0.0ms) -> PASS
 [OK] Case 08: Crossed Widths and Heights (0.0ms) -> PASS
 [OK] Case 09: Zigzag Dimensions (0.0ms) -> PASS
 [OK] Case 10: Empty Envelopes List (0.0ms) -> PASS
 [OK] Case 11: Two Envelopes Nested (0.0ms) -> PASS
 [OK] Case 12: Stress Test N=20,000 (7.5ms) -> PASS

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Multi-Building City (0.02ms) -> PASS
 [OK] Case 02: Adjacent Equal-Height Buildings (0.00ms) -> PASS
 [OK] Case 03: Identical Span Multiple Heights (0.00ms) -> PASS
 [OK] Case 04: Same Span Obscuration (0.00ms) -> PASS
 [OK] Case 05: Exact Duplicate Buildings (0.00ms) -> PASS
 [OK] Case 06: Interlocking Periodic Skyline (0.00ms) -> PASS
 [OK] Case 07: Overlapping Same-Height Cascade (0.00ms) -> PASS
 [OK] Case 08: Dominant Tall Enclosing Shorter (0.00ms) -> PASS
 [OK] Case 09: Disjoint Gapped Towers (0.00ms) -> PASS
 [OK] Case 10: Max 32-Bit Integer Coordinates (0.00ms) -> PASS
 [OK] Case 11: Empty Input Array (0.00ms) -> PASS
 [OK] Case 12: Step Down Junction (0.00ms) -> PASS
 [OK] Case 13: Single Building (0.00ms) -> PASS
 [OK] Case 14: Nested Stepped Pyramids (0.00ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Multi-Building City (0.01ms) -> PASS
 [OK] Case 02: Adjacent Equal-Height Buildings (0.00ms) -> PASS
 [OK] Case 03: Identical Span Multiple Heights (0.00ms) -> PASS
 [OK] Case 04: Same Span Obscuration (0.00ms) -> PASS
 [OK] Case 05: Exact Duplicate Buildings (0.00ms) -> PASS
 [OK] Case 06: Interlocking Periodic Skyline (0.00ms) -> PASS
 [OK] Case 07: Overlapping Same-Height Cascade (0.00ms) -> PASS
 [OK] Case 08: Dominant Tall Enclosing Shorter (0.00ms) -> PASS
 [OK] Case 09: Disjoint Gapped Towers (0.00ms) -> PASS
 [OK] Case 10: Max 32-Bit Integer Coordinates (0.00ms) -> PASS
 [OK] Case 11: Empty Input Array (0.00ms) -> PASS
 [OK] Case 12: Step Down Junction (0.00ms) -> PASS
 [OK] Case 13: Single Building (0.00ms) -> PASS
 [OK] Case 14: Nested Stepped Pyramids (0.00ms) -> PASS

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Odd Window (k=3) (0.0ms) -> PASS
 [OK] Case 02: Duplicates in Window (0.0ms) -> PASS
 [OK] Case 03: Even Window Size (k=4) (0.0ms) -> PASS
 [OK] Case 04: Window Size 1 (k=1) (0.0ms) -> PASS
 [OK] Case 05: Max 32-bit Addition Overflow (0.0ms) -> PASS
 [OK] Case 06: All Negative Integers (0.0ms) -> PASS
 [OK] Case 07: Uniform Constant Array (0.0ms) -> PASS
 [OK] Case 08: Unsorted Balance Flips (0.0ms) -> PASS
 [OK] Case 09: Extreme Mixed 32-bit Signs (0.0ms) -> PASS
 [OK] Case 10: Minimal Array (k=1) (0.0ms) -> PASS
 [OK] Case 11: Full Array Window (k=N) (0.0ms) -> PASS
 [OK] Case 12: Stress Test N=30,000, K=15,000 (20.4ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Odd Window (k=3) (0.0ms) -> PASS
 [OK] Case 02: Duplicates in Window (0.0ms) -> PASS
 [OK] Case 03: Even Window Size (k=4) (0.0ms) -> PASS
 [OK] Case 04: Window Size 1 (k=1) (0.0ms) -> PASS
 [OK] Case 05: Max 32-bit Addition Overflow (0.0ms) -> PASS
 [OK] Case 06: All Negative Integers (0.0ms) -> PASS
 [OK] Case 07: Uniform Constant Array (0.0ms) -> PASS
 [OK] Case 08: Unsorted Balance Flips (0.0ms) -> PASS
 [OK] Case 09: Extreme Mixed 32-bit Signs (0.0ms) -> PASS
 [OK] Case 10: Minimal Array (k=1) (0.0ms) -> PASS
 [OK] Case 11: Full Array Window (k=N) (0.0ms) -> PASS
 [OK] Case 12: Stress Test N=30,000, K=15,000 (14.7ms) -> PASS

Per-Problem Blind Edge-Case Telemetry & Execution Proof (Cont.)

Problem #08

LC 847: Shortest Path All Nodes

[Bitmask BFS State Space]

ETTA: 12/12 (4.6s)

AGY: 12/12 (104.8s)

⚡

ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Linear Chain 4 Nodes (0.0ms) -> PASS

[OK] Case 02: Complete Graph K4 (0.0ms) -> PASS

[OK] Case 03: Single Node Graph (0.0ms) -> PASS

[OK] Case 04: Two Nodes Connected (0.0ms) -> PASS

[OK] Case 05: Triangle Cycle K3 (0.0ms) -> PASS

[OK] Case 06: Ring of 5 Nodes C5 (0.0ms) -> PASS

[OK] Case 07: Binary Tree Topology (0.0ms) -> PASS

[OK] Case 08: Star Graph with 6 Nodes (0.0ms) -> PASS

[OK] Case 09: Path Graph of 6 Nodes (0.0ms) -> PASS

[OK] Case 10: Bipartite Graph K3,3 (0.0ms) -> PASS

[OK] Case 11: Dumbbell Graph (Two K3 joined) (0.0ms) -> PASS

[OK] Case 12: Stress Maximum N=12 Path Graph (0.1ms) -> PASS

🤖

AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Linear Chain 4 Nodes (0.0ms) -> PASS

[OK] Case 02: Complete Graph K4 (0.0ms) -> PASS

[OK] Case 03: Single Node Graph (0.0ms) -> PASS

[OK] Case 04: Two Nodes Connected (0.0ms) -> PASS

[OK] Case 05: Triangle Cycle K3 (0.0ms) -> PASS

[OK] Case 06: Ring of 5 Nodes C5 (0.0ms) -> PASS

[OK] Case 07: Binary Tree Topology (0.0ms) -> PASS

[OK] Case 08: Star Graph with 6 Nodes (0.0ms) -> PASS

[OK] Case 09: Path Graph of 6 Nodes (0.0ms) -> PASS

[OK] Case 10: Bipartite Graph K3,3 (0.0ms) -> PASS

[OK] Case 11: Dumbbell Graph (Two K3 joined) (0.0ms) -> PASS

[OK] Case 12: Stress Maximum N=12 Path Graph (0.1ms) -> PASS

Problem #09

LC 10: Regular Expression Matching

[2D DP Kleene Star Backtracking]

ETTA: 12/12 (6.2s)

AGY: 12/12 (132.6s)

⚡

ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Basic Mismatch (0.00ms) -> PASS

[OK] Case 02: Basic Kleene Star Match (0.00ms) -> PASS

[OK] Case 03: Dot Star Universal Match (0.00ms) -> PASS

[OK] Case 04: Multi Kleene Zero Occurrences (0.00ms) -> PASS

[OK] Case 05: Subtle Trailing Wildcard (0.01ms) -> PASS

[OK] Case 06: Empty String and Pattern (0.00ms) -> PASS

[OK] Case 07: Empty String with Valid Star (0.00ms) -> PASS

[OK] Case 08: Empty String with Unmatched Dot (0.00ms) -> PASS

[OK] Case 09: Consecutive Redundant Kleene Stars (0.00ms) -> PASS

[OK] Case 10: Greedy Fallback Match (0.00ms) -> PASS

[OK] Case 11: Dot Star Backtracking Match (0.00ms) -> PASS

[OK] Case 12: Catastrophic Backtracking Stress (0.03ms) -> PASS

🤖

AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Basic Mismatch (0.00ms) -> PASS

[OK] Case 02: Basic Kleene Star Match (0.01ms) -> PASS

[OK] Case 03: Dot Star Universal Match (0.00ms) -> PASS

[OK] Case 04: Multi Kleene Zero Occurrences (0.01ms) -> PASS

[OK] Case 05: Subtle Trailing Wildcard (0.01ms) -> PASS

[OK] Case 06: Empty String and Pattern (0.00ms) -> PASS

[OK] Case 07: Empty String with Valid Star (0.00ms) -> PASS

[OK] Case 08: Empty String with Unmatched Dot (0.00ms) -> PASS

[OK] Case 09: Consecutive Redundant Kleene Stars (0.00ms) -> PASS

[OK] Case 10: Greedy Fallback Match (0.00ms) -> PASS

[OK] Case 11: Dot Star Backtracking Match (0.00ms) -> PASS

[OK] Case 12: Catastrophic Backtracking Stress (0.00ms) -> PASS

Problem #10

LC 312: Burst Balloons

[Reverse Interval DP O(N^3)]

ETTA: 12/12 (4.9s)

AGY: 12/12 (118.7s)

⚡

ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 4 Balloons (0.0ms) -> PASS

[OK] Case 02: Two Balloons (0.0ms) -> PASS

[OK] Case 03: Single Balloon (0.0ms) -> PASS

[OK] Case 04: All 1s Array (0.0ms) -> PASS

[OK] Case 05: Array with Zeroes (0.0ms) -> PASS

[OK] Case 06: Alternating Values (0.0ms) -> PASS

[OK] Case 07: Strictly Increasing (0.0ms) -> PASS

[OK] Case 08: Strictly Decreasing (0.0ms) -> PASS

[OK] Case 09: Identical High Numbers (0.0ms) -> PASS

[OK] Case 10: Balloons with Zero Outer (0.0ms) -> PASS

[OK] Case 11: Ten Random Elements (0.0ms) -> PASS

[OK] Case 12: Stress Scale N=120 Balloons (12.6ms) -> PASS

🤖

AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 4 Balloons (0.0ms) -> PASS

[OK] Case 02: Two Balloons (0.0ms) -> PASS

[OK] Case 03: Single Balloon (0.0ms) -> PASS

[OK] Case 04: All 1s Array (0.0ms) -> PASS

[OK] Case 05: Array with Zeroes (0.0ms) -> PASS

[OK] Case 06: Alternating Values (0.0ms) -> PASS

[OK] Case 07: Strictly Increasing (0.0ms) -> PASS

[OK] Case 08: Strictly Decreasing (0.0ms) -> PASS

[OK] Case 09: Identical High Numbers (0.0ms) -> PASS

[OK] Case 10: Balloons with Zero Outer (0.0ms) -> PASS

[OK] Case 11: Ten Random Elements (0.0ms) -> PASS

[OK] Case 12: Stress Scale N=120 Balloons (9.1ms) -> PASS

Problem #11

LC 407: Trapping Rain Water II

[3D Priority-Queue Dijkstra]

ETTA: 12/12 (3.4s)

AGY: 12/12 (189.0s)

⚡

ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 3x6 Bowl (0.0ms) -> PASS

[OK] Case 02: Multi-level 5x5 Matrix (0.0ms) -> PASS

[OK] Case 03: Degenerate 1x1 Matrix (0.0ms) -> PASS

[OK] Case 04: Degenerate 2x2 Matrix (0.0ms) -> PASS

[OK] Case 05: Flat Elevation Grid (0.0ms) -> PASS

[OK] Case 06: Sloped Incline (No Trapping) (0.0ms) -> PASS

[OK] Case 07: Single Deep Basin (0.0ms) -> PASS

[OK] Case 08: Multiple Disjoint Pits (0.0ms) -> PASS

[OK] Case 09: Thin Wall Leakage (0.0ms) -> PASS

[OK] Case 10: Perimeter High Wall Bowl (0.0ms) -> PASS

[OK] Case 11: Zero Elevation Pit (0.0ms) -> PASS

[OK] Case 12: Stress 80x80 Fortified Reservoir (3.7ms) -> PASS

🤖

AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 3x6 Bowl (0.0ms) -> PASS

[OK] Case 02: Multi-level 5x5 Matrix (0.0ms) -> PASS

[OK] Case 03: Degenerate 1x1 Matrix (0.0ms) -> PASS

[OK] Case 04: Degenerate 2x2 Matrix (0.0ms) -> PASS

[OK] Case 05: Flat Elevation Grid (0.0ms) -> PASS

[OK] Case 06: Sloped Incline (No Trapping) (0.0ms) -> PASS

[OK] Case 07: Single Deep Basin (0.0ms) -> PASS

[OK] Case 08: Multiple Disjoint Pits (0.0ms) -> PASS

[OK] Case 09: Thin Wall Leakage (0.0ms) -> PASS

[OK] Case 10: Perimeter High Wall Bowl (0.0ms) -> PASS

[OK] Case 11: Zero Elevation Pit (0.0ms) -> PASS

[OK] Case 12: Stress 80x80 Fortified Reservoir (0.8ms) -> PASS

4

Problem #12 LC 4: Median of Two Sorted Arrays [Binary Search Partition $O(\log(\min(m, n)))$]

ETTA: 12/12 (5.3s)

AGY: 12/12 (99.5s)

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Odd Total (0.01ms) -> PASS
[OK] Case 02: Standard Even Total (0.02ms) -> PASS
[OK] Case 03: First Array Empty (0.00ms) -> PASS
[OK] Case 04: Second Array Empty (0.00ms) -> PASS
[OK] Case 05: Both Singletons (0.00ms) -> PASS
[OK] Case 06: Disjoint Non-Overlapping (0.00ms) -> PASS
[OK] Case 07: Interleaved Duplicates (0.00ms) -> PASS
[OK] Case 08: All Identical Elements (0.00ms) -> PASS
[OK] Case 09: Negative Numbers (0.00ms) -> PASS
[OK] Case 10: Extreme Size Asymmetry (0.00ms) -> PASS
[OK] Case 11: Large Magnitude Values (0.00ms) -> PASS
[OK] Case 12: Stress Scale N=50k, M=50k (0.28ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Odd Total (0.01ms) -> PASS
[OK] Case 02: Standard Even Total (0.00ms) -> PASS
[OK] Case 03: First Array Empty (0.00ms) -> PASS
[OK] Case 04: Second Array Empty (0.00ms) -> PASS
[OK] Case 05: Both Singletons (0.00ms) -> PASS
[OK] Case 06: Disjoint Non-Overlapping (0.00ms) -> PASS
[OK] Case 07: Interleaved Duplicates (0.00ms) -> PASS
[OK] Case 08: All Identical Elements (0.00ms) -> PASS
[OK] Case 09: Negative Numbers (0.00ms) -> PASS
[OK] Case 10: Extreme Size Asymmetry (0.00ms) -> PASS
[OK] Case 11: Large Magnitude Values (0.00ms) -> PASS
[OK] Case 12: Stress Scale N=50k, M=50k (0.22ms) -> PASS

Problem #13 LC 23: Merge k Sorted Lists [Min-Heap Multiway Merge $O(N \log k)$]

ETTA: 12/12 (5.8s)

AGY: 12/12 (111.7s)

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 3 Lists (0.01ms) -> PASS
[OK] Case 02: Empty Input List (0.00ms) -> PASS
[OK] Case 03: Single Empty Sublist (0.00ms) -> PASS
[OK] Case 04: Multiple Empty Sublists (0.00ms) -> PASS
[OK] Case 05: Mixed Empty and Non-Empty (0.00ms) -> PASS
[OK] Case 06: Single Populated List (0.00ms) -> PASS
[OK] Case 07: 50 Disjoint Singletons (0.03ms) -> PASS
[OK] Case 08: Duplicate Elements Across Lists (0.00ms) -> PASS
[OK] Case 09: Negative Monotonic Lists (0.00ms) -> PASS
[OK] Case 10: Skewed List Sizes (1000 vs 1s) (0.03ms) -> PASS
[OK] Case 11: Disjoint Sequential Blocks (0.00ms) -> PASS
[OK] Case 12: Stress Scale k=500, N=50k (16.94ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard 3 Lists (0.01ms) -> PASS
[OK] Case 02: Empty Input List (0.00ms) -> PASS
[OK] Case 03: Single Empty Sublist (0.00ms) -> PASS
[OK] Case 04: Multiple Empty Sublists (0.00ms) -> PASS
[OK] Case 05: Mixed Empty and Non-Empty (0.00ms) -> PASS
[OK] Case 06: Single Populated List (0.00ms) -> PASS
[OK] Case 07: 50 Disjoint Singletons (0.03ms) -> PASS
[OK] Case 08: Duplicate Elements Across Lists (0.00ms) -> PASS
[OK] Case 09: Negative Monotonic Lists (0.00ms) -> PASS
[OK] Case 10: Skewed List Sizes (1000 vs 1s) (0.03ms) -> PASS
[OK] Case 11: Disjoint Sequential Blocks (0.00ms) -> PASS
[OK] Case 12: Stress Scale k=500, N=50k (16.15ms) -> PASS

Problem #14 LC 76: Minimum Window Substring [Two-Pointer Sliding Window $O(m + n)$]

ETTA: 12/12 (18.9s)

AGY: 12/12 (93.8s)

⚡ ETTA BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Mixed Example (0.01ms) -> PASS
[OK] Case 02: Single Character Exact Match (0.00ms) -> PASS
[OK] Case 03: Single Character Mismatch (0.00ms) -> PASS
[OK] Case 04: Exact Whole String Match (0.00ms) -> PASS
[OK] Case 05: Multiple Identical in Target (0.00ms) -> PASS
[OK] Case 06: Duplicates in Source With Shorter Later (0.00ms) -> PASS
[OK] Case 07: Target Longer Than Source (0.00ms) -> PASS
[OK] Case 08: Minimum Window At Start (0.00ms) -> PASS
[OK] Case 09: Minimum Window At End (0.00ms) -> PASS
[OK] Case 10: Case Sensitivity Distinction (0.00ms) -> PASS
[OK] Case 11: Repeated Target Pattern In Source (0.00ms) -> PASS
[OK] Case 12: Stress Scale |S|=100k, |T|=4 (9.53ms) -> PASS

🧑 AGY BLIND EVALUATOR TELEMETRY

[OK] Case 01: Standard Mixed Example (0.01ms) -> PASS
[OK] Case 02: Single Character Exact Match (0.00ms) -> PASS
[OK] Case 03: Single Character Mismatch (0.00ms) -> PASS
[OK] Case 04: Exact Whole String Match (0.00ms) -> PASS
[OK] Case 05: Multiple Identical in Target (0.00ms) -> PASS
[OK] Case 06: Duplicates in Source With Shorter Later (0.00ms) -> PASS
[OK] Case 07: Target Longer Than Source (0.00ms) -> PASS
[OK] Case 08: Minimum Window At Start (0.00ms) -> PASS
[OK] Case 09: Minimum Window At End (0.00ms) -> PASS
[OK] Case 10: Case Sensitivity Distinction (0.00ms) -> PASS
[OK] Case 11: Repeated Target Pattern In Source (0.00ms) -> PASS
[OK] Case 12: Stress Scale |S|=100k, |T|=4 (7.00ms) -> PASS