



## Report 8D

Generated By: Doug Matthews Generated On: 29 Sep 2011

## I. COMPLAINT INFORMATION

Origination Date	29 Sep 2011				
Sales Name	Scapa Interco	Sales Office			
Telephone		Fax Number			
Email					
Customer Complaint Ref					
Customer Name	Scapa UK Ltd				
SAP Customer Number	102021	Customer Order N°			
Customer Part Number					
1) Invoices And Items	s On Complaint				
(a) SAP Invoice Number	9700040799	Invoice Date	11 Jul 2011		
- Material	70545	Batch			
	Material Description				
	47.25 BioFlex 235-02 (easy release)				
2) Problem Description					
Contamination by insects and particle contaminants found during dissection analysis of roll 3 of the material supplied against					
Dunstable PO 4500256845 , received in Dunstable 28.7.11.  Adrian Mancell has already issued a full report of the analysis , report					
ITR 001-11.					
Actions Requested From The Customer					
3) Containment Actions					

## II. EVALUATION AND ACTION Sample/photo Received No Date Process Owner Doug Matthews Team Leader Is Complaint Valid? No Return The Goods Dispose The Goods Comments 1) Analysis -Contamination by insects and particle contaminants were found during dissection analysis of roll 3 of the material supplied against Dunstable PO 4500256845 , received in Dunstable 28.7.11. -Adrian Mancell has issued a full report of the analysis , report ITR 001-11.

against Dunstable PO 4500256845 , received in Dunstable 28.7.11.				
-Adrian Mancell has issued ITR 001-11.	d a full report of the analysis , report			
Author	Doug Matthews	Date	29 Sep 2011	
2) Root Causes				
Author		Date		
3) Possible Solutions				
Author		Date		
4) Implemented Perm Corrective Actions				
Author		Date		
Estimated Date		Implementation Date		
Validation Date				
5) Corrective Actions Validation				

Author	Date	

## 6) Preventive Actions

Author		Date		
Estimated Date		Implementation Date		
Validation Date				
Validation Date				
7) Review Of Docum	entation			
•				
(a) MSR				
	No			
Reviewed?	No			
Reference		Date		
receive		Bate		
(b) Flow chart, control plan	n, work inspection instructions			
Reviewed?	No			
Reference		Date		
Releielice		Date		
(c) FMEA				
Reviewed?	No			
Reference		Date		
(4) O colonia a su a l'Estitua				
(d) Customer specification				
Reviewed?	No			
Reference		Date		

8) Congratulate The Team