



IJF Number: 12597

Initiator: Jenny Comerford

Created Date: 04/09/2009

Summary of Completed IJF - Initiation (1/2)

Customer Details

Existing Customer Yes Customer SAP No 124306

Customer Name Tyco Healthcare Deutschland Manuf.

Customer Country

Contact Details

Contact Name Daniel Eng

Contact Position Contact Telephone

Sales Representative Daniel Eng

Material Group MED22 Business Unit

Reason For IJF order

Product Owner Jenny Comerford

Description Slit roll of ME1101A 1mm x 132mm x 200mJumbo to be supplied by ROR - jumbo number 61222

Barcelona Mannheim View Requested

Word Quote Requested No



IJF Number: 12597

Initiator: Jenny Comerford

Created Date: 04/09/2009

Summary of Completed IJF - Initiation (2/2)

Site Specifics Dunstable

Bobbin	no	Core Size	N/A
--------	----	-----------	-----

Site Specific Information

Width	132 mm	Length	200 metres
-------	--------	--------	------------

Thickness	1 mm	Colour	
-----------	------	--------	--

Liner	
-------	--

Double Sided	no
--------------	----

Tolerances	Slitting tolerances on rolls +/- 0.5mm Maximum dimension of roll 600mm (should be less when making to 200lm) Core 76mm
------------	--

Format Comments	Packing and labelling spec will come through on a seperate e-mail.
-----------------	--

Comments	This material will be slit in Dunstable until ROR have installed a new rewind slitting for foam. Issues such as welded edges, corona holes at the beginning of the rolls has led to rejected material at Tyco and has put the business at risk. The rolls have been previously slit by a contract slitter.
----------	---

Core	Standard	Selling UOM	Metre
------	----------	-------------	-------

Potential Business

Annual Quantity In Selling UOM	144000
--------------------------------	--------

1st Order Quantity In Sellung UOM	12000
-----------------------------------	-------

Target Price	2.51
--------------	------

Comments	This material will be slit in Dunstable until ROR have installed a new rewind slitting for foam. Issues such as welded edges, corona holes at the beginning of the rolls has led to rejected material at Tyco and has put the business at risk. The rolls have been previously slit by a contract slitter.
----------	---