



IJF Number: 17209

Initiator: Ingrid Schneider

Created Date: 25/01/2012

Summary of Completed IJF - Initiation (1/2)

Customer Details

Existing Customer Yes Customer SAP No 111365

Customer Name NEUNER Klebetechnik GmbH

Customer Country Germany

Contact Details

Contact Name Gerd Lehner

Contact Position Contact Telephone

Sales Representative Thomas Oechsle

Material Group 5469 Business Unit

Reason For IJF order

Product Owner

Description

Barcelona Mannheim View Requested yes

Word Quote Requested No



IJF Number: 17209

Initiator: Ingrid Schneider

Created Date: 25/01/2012

Summary of Completed IJF - Initiation (2/2)

Site Specifics Dunstable

Bobbin	no	Core Size	standard
--------	----	-----------	----------

Site Specific Information

Width	1200 mm	Length	60 metres
-------	---------	--------	-----------

Thickness	mm	Colour	Schwarz
-----------	----	--------	---------

Liner	paper
-------	-------

Double Sided	yes	Double Sided Options	special
--------------	-----	----------------------	---------

Special Details	
-----------------	--

Tolerances	
------------	--

Format Comments	<ul style="list-style-type: none"><input type="checkbox"/> The logs are to be supplied without splices.<input type="checkbox"/> The logs are to be supplied with both edges trimmed.<input type="checkbox"/> The log width is 1,200mm with width tolerance +/-2mm<input type="checkbox"/> The logs will be reasonably free from external damage, creases, folds, missed adhesive areas and other visual defects.<input type="checkbox"/> The logs are to be packaged in individual log cartons.<input type="checkbox"/> The MOQ is 18 logs and multiples of 6 logs<input type="checkbox"/> The logs are to be trimmed on the Dunstable Workcentre "Duffy rewind".<input type="checkbox"/> Reference UK Finance Team costing dated 1.12.11
-----------------	--

Comments	<ul style="list-style-type: none"><input type="checkbox"/> The logs are to be supplied without splices.<input type="checkbox"/> The logs are to be supplied with both edges trimmed.<input type="checkbox"/> The log width is 1,200mm with width tolerance +/-2mm<input type="checkbox"/> The logs will be reasonably free from external damage, creases, folds, missed adhesive areas and other visual defects.<input type="checkbox"/> The logs are to be packaged in individual log cartons.<input type="checkbox"/> The MOQ is 18 logs and multiples of 6 logs<input type="checkbox"/> The logs are to be trimmed on the Dunstable Workcentre "Duffy rewind".<input type="checkbox"/> Reference UK Finance Team costing dated 1.12.11
----------	--

Core	Standard	Selling UOM	Log
------	----------	-------------	-----

Potential Business

Annual Quantity In Selling UOM	
--------------------------------	--

1st Order Quantity In Selling UOM	18
-----------------------------------	----

Target Price

525.00

Comments

- ☐ The logs are to be supplied without splices.
- ☐ The logs are to be supplied with both edges trimmed.
- ☐ The log width is 1,200mm with width tolerance +/-2mm
- ☐ The logs will be reasonably free from external damage, creases, folds, missed adhesive areas and other visual defects.
- ☐ The logs are to be packaged in individual log cartons.
- ☐ The MOQ is 18 logs and multiples of 6 logs
- ☐ The logs are to be trimmed on the Dunstable Workcentre "Duffy rewind".
- ☐ Reference UK Finance Team costing dated 1.12.11