



IJF Number: 12541

Initiator: Christine Hulme

Created Date: 26/08/2009

Summary of Completed IJF - Initiation (1/2)

Customer Details

Existing Customer Yes Customer SAP No 124306

Customer Name Tyco Healthcare Deutschland Manuf.

Customer Country Germany

Contact Details

Contact Name Lars Perkampus

Contact Position Contact Telephone 0049 (0) 3941 697728

Sales Representative Daniel Eng

Material Group MED22 Business Unit

Reason For IJF order

Product Owner Jenny Comerford

Description ME1101AT Blue 119mm x 200m Tyco in bags
Article number 1310041/B1

Barcelona Mannheim View Requested no

Word Quote Requested No



IJF Number: 12541

Initiator: Christine Hulme

Created Date: 26/08/2009

Summary of Completed IJF - Initiation (2/2)

Site Specifics Dunstable

Bobbin	no	Core Size	N/A
--------	----	-----------	-----

Site Specific Information

Width	119 mm	Length	200 metres
-------	--------	--------	------------

Thickness	1 mm	Colour	Blue
-----------	------	--------	------

Liner	paper
-------	-------

Double Sided	no
--------------	----

Tolerances	slit width +/- 0.5mm maximum dimension of roll 600m (should be less when making to 200lm) Core 76mm
------------	---

Format Comments	Packing and labelling spec will come through on a separate e-mail.
-----------------	--

Comments	This material will be slit in Dunstable until ROR have installed a new rewind slitter for foam. issues such as welded edges and corona holes at the beginning of the rolls has led to the rejection of material at Tyco and the business being put at risk. The rolls have been previously slit by a contract slitter.
----------	---

Core	Standard	Selling UOM	Metre
------	----------	-------------	-------

Potential Business

Annual Quantity In Selling UOM	850000
--------------------------------	--------

1st Order Quantity In Selling UOM	170000
-----------------------------------	--------

Target Price	2.63
--------------	------

Comments	This material will be slit in Dunstable until ROR have installed a new rewind slitter for foam. issues such as welded edges and corona holes at the beginning of the rolls has led to the rejection of material at Tyco and the business being put at risk. The rolls have been previously slit by a contract slitter.
----------	---