

SimbaApp – User Journey

From first onboarding screen to clicking a plan and being redirected to the provider's website. Covers all 4 onboarding A/B/C/D variants.

Onboarding variants	4 (A/B/C/D) – random assignment, persisted in localStorage, ?ob=A B C D override
Total visible steps	varies by variant – see matrix below
Phases	Onboarding → Discovery → Plan Detail → Provider Redirect
Critical conversion event	get_plan_clicked (sent via Beacon API before redirect)
Redirect mechanism	Direct browser navigation – no backend tracking proxy. or window.open(. . .)
Source field	plan.url – served from backend/src/data/plans.ts via GET /api/plans/cards

Onboarding A/B/C/D variant matrix

Two orthogonal axes. **Kind** swaps the onboarding component shown on first visit. **autoGuide** changes what happens when the user lands on /advisor afterwards.

Variant	Kind	autoGuide	Onboarding component	/advisor behaviour after
A	classic	false	Onboarding.tsx	Shows 'Guide me / I know what I want' choice
B	classic	true	Onboarding.tsx	Skips choice, auto-launches Guide-Me wizard
C	chat	false	OnboardingChat.tsx	Shows 'Guide me / I know what I want' choice
D	chat	true	OnboardingChat.tsx	Skips choice, auto-launches Guide-Me wizard

Variant assignment: App.tsx · lines 30–93. Mixpanel super-properties onboarding_variant, onboarding_kind, onboarding_auto_guide are registered at module load so every event carries them. Override per session with ?ob=A|B|C|D.

Phase 1 – Onboarding (first-time visitor)

Two delivery modes. Variants A & B use the **classic** full-screen card flow. Variants C & D use the **chat** bubble flow. Both collect the same answers (language, absher, status) and reach the same exits.

1.1 Variants A & B – Classic flow

Triggered when localStorage.getItem('simba-onboarded') is missing. Renders as a fullscreen overlay on the HomePage. Component: frontend/src/components/Onboarding.tsx.

1

Language Selection

Route: / (over lay)

User sees	English / ■■■■■■ picker (chat variant exposes 6 languages: en, ar, ur, hi, bn, tl)
Action	Tap a language card
State updated	<code>LanguageContext.setLang()</code>
Analytics	<code>onboarding_started</code> , <code>onboarding_answered(language)</code>
File	Onboarding.tsx · lines 649–695
Exit	Auto-advance to Step 2

2

Intro Slides

Route: / (overlay)

User sees	Two animated value-prop slides: 'All carriers in one place', 'Matched in seconds'
Action	Tap Next arrow
Analytics	<code>onboarding_step_reached</code> on each slide
File	Onboarding.tsx · lines 698–760
Exit	Continue to Absher question

3

Absher Check (intent qualifier)

Route: / (overlay)

User sees	Two large cards: 'Yes, I have Absher' vs 'No, not yet'
Action	Tap one
State updated	Stored to <code>localStorage 'simba-onboarding-answers'</code> ; <code>AuthContext.markOnboarded()</code> when complete
Analytics	<code>onboarding_answered(absher, has_absher=YES NO)</code>
File	Onboarding.tsx · lines 835–857
Exit	YES → finish onboarding & route to <code>/advisor</code> . NO → Step 4 (status question)

4

Residence Status

Route: / (overlay)

User sees	'Moving to live here' vs 'Just visiting'
Action	Tap one
Analytics	<code>onboarding_answered(residence_intent, moving visiting)</code>
File	Onboarding.tsx · lines 860–881
Exit	MOVING → Step 5a explainer · VISITING → Step 5b visitor plans

5a

Moving Info (long-term path)

Route: / (over lay)

User sees	4-step explainer: Get Iqama → Visit store → Create Absher → Buy online; CTA 'Get temporary plan'
Action	Tap CTA to jump to visitor plans
Analytics	onboarding_answered(get_temp_plan=true)
File	Onboarding.tsx · lines 884–931
Exit	Falls through to Step 5b

5b

Visitor Plans (first redirect path!)

Route: / (over lay)

User sees	Horizontal carousel of short-stay carrier plans (Salam Mobile, Mobily, Zain) with price & specs
Action	Tap 'How to Buy' → opens provider URL in new tab. OR tap 'Go to home page' → finish onboarding
Redirect call	window.open(url, '_blank', 'noopener,noreferrer')
Analytics fired first	get_plan_clicked (useBeacon: true) + onboarding_carrier_opened
File	Onboarding.tsx · lines 934–1155 (open call line 1018)
Exit	Provider site (new tab) OR HomePage with onboarding marked complete

1.2 Variants C & D – Chat flow

Same questions, conversational delivery. Bot bubbles + quick-reply chips, 350–900 ms typing delays. Skips the two intro slides – greeting and Absher question are merged into one bubble. Component: `frontend/src/components/OnboardingChat.tsx`.

C1

Welcome + Language picker (chat)

Route: / (over lay)

User sees	'Welcome to Simba ■' bubble + 6 language chips: English, ■■■■■■■■, ■■■■, ■■■■■■■■, ■■■■■■■■, Filipino
Difference vs classic	Classic exposes only English & Arabic on its first screen; chat exposes 6 languages
Analytics	<code>onboarding_step_reached(language, kind=chat)</code> , <code>onboarding_answered(language)</code>
File	<code>OnboardingChat.tsx</code> · lines 168–182, 262, 344
Exit	Auto-advance to greeting + Absher bubble

C2

Greeting + Absher question (merged bubble)

Route: / (over lay)

User sees	Combined bubble: 'I'm Simba... do you have a valid Saudi ID or Iqama?' + chips 'Yes' / 'No'
Difference vs classic	Classic shows two intro slides between language & Absher; chat skips them entirely
Analytics	<code>onboarding_answered(has_absher, kind=chat)</code>
File	<code>OnboardingChat.tsx</code> · lines 82–89, 265, 276
Exit	YES → finish, navigate to /advisor (autoGuide flag set if variant D). NO → status question

C3

Status question (chat)

Route: / (over lay)

User sees	Bot bubble + chips 'Moving' / 'Visiting'
Analytics	<code>onboarding_answered(residence_intent, kind=chat)</code>
File	<code>OnboardingChat.tsx</code> · lines 281, 292
Exit	MOVING → C4a · VISITING → C4b

C4a

Moving explainer (single rich bubble)

Route: / (over lay)

User sees	One scrollable bubble: title + subtitle + 4 numbered steps (Iqama → Absher → buy → keep) + chips 'Get a temporary plan' / 'Go home'
-----------	---

Difference vs classic	Classic uses a dedicated card screen; chat compresses it into one markdown bubble
Analytics	onboarding_answered(get_temp_plan=true) if user asks for temp plan
File	OnboardingChat.tsx · lines 210–223
Exit	'Get temporary plan' → C4b · 'Go home' → mark complete + route to /

C4b

Visitor plans carousel (chat – second redirect path)

Route: / (over lay)

User sees	Bot bubble 'Here are short-stay plans' + horizontal carousel of 14 plans : Salam Mobile (3) · Mobily (6) · Zain (5). Each card shows price, validity, data, mins, SMS
Action	Tap 'Get' on a plan card
Redirect call	window.open(url, '_blank', 'noopener,noreferrer') · line 321
Analytics fired first	get_plan_clicked (useBeacon: true) at line 304 + onboarding_carrier_opened(kind=chat) at line 316
Difference vs classic	Chat carousel exposes the full short-stay catalog (14 plans). Classic onboarding exposes a smaller curated subset on the same screen
File	OnboardingChat.tsx · PlansCarousel lines 471–596
Exit	Provider site in new tab OR 'Go home' chip → / with onboarding complete

1.3 Variants B & D – autoGuide effect on /advisor

When onboarding completes (Absher YES path), the user is routed to /advisor with `navigate('/advisor', { state: { fromOnboarding: true, autoGuide } })`. `autoGuide` is computed as `variant === 'B' || variant === 'D'` (Onboarding.tsx line 612 · OnboardingChat.tsx line 143).

Variants A & C (autoGuide = false)	AdvisorPage shows two large quick-action cards: 'Guide me' vs 'I know what I want'. User must pick. File: AdvisorPage.tsx line 654
Variants B & D (autoGuide = true)	Quick-action cards are not rendered (!autoGuide guard at line 654). A <code>useEffect</code> at lines 542–548 fires once on mount, calling <code>handleQuickAction('guide')</code> – the 5-step guided questionnaire (Internet → Local calls → Intl calls → Social → Budget) starts immediately
Scope	<code>autoGuide</code> only affects the /advisor mount UX. It does NOT change how plans are recommended or how the redirect happens

Phase 2 – Plan Discovery (returning user)

Three concurrent paths. After onboarding, returning users land on HomePage. Each path eventually surfaces a plan card the user can click.

6

HomePage – Trending & Hero CTAs

Route: /

User sees	Hero section, two CTAs (Smart Advisor, Browse Plans), trending plan carousel, plan finder banner
Trending source	getRecommendations(isLoggedIn, 8) from services/recommendations.service.ts
Analytics	homepage_cta_clicked { cta: finder browse_plans finder_banner }
File	frontend/src/pages/HomePage.tsx · lines 31–236
Exit	/advisor (AI), /plans (categories), or click trending card → /plan/:id

7a

ExplorePage – Category Discovery

Route: /plans

User sees	7 category tabs: Students, Budget, Balanced, Gamers, Expats, Unlimited, Data-Only
Sub-filters	Carrier (multi-select), price slider 0–1000 SAR, intl-calls toggle, social-data toggle, keyword search
Backend	GET /api/plans/cards (lightweight payload)
Analytics	explore_category_clicked { category }, plan_card_clicked
File	frontend/src/pages/ExplorePage.tsx
Exit	Click plan card → /plan/:id

7b

AdvisorPage – AI Discovery

Route: /advisor

User sees	Mode picker: 'Guide me' (5-step wizard) or 'I know what I want' (freeform chat)
Guide steps	Internet usage → Local calls → Intl calls → Social media → Budget
Backend	POST /api/advisor/message – OpenAI GPT-4 mini, full plan catalog passed in system prompt
Output	Assistant messages contain a planIds[] array → ConnectedPlanCard rendered inline
Analytics	advisor_started { mode }, advisor_guide_step_answered, advisor_guide_completed, advisor_plan_card_clicked
File	frontend/src/pages/AdvisorPage.tsx · lines 417–789
Exit	Click recommended plan card → /plan/:id

Phase 3 – Plan Detail

8

Plan Card

Route: (any list view)

User sees	Carrier logo + colored accent, plan name, type badge, price, 3–4 metric boxes (data / mins / SMS / social), engagement counts, action buttons
Action	Click card body or 'View Details'
File	frontend/src/components/PlanCard.tsx
Exit	React Router Link → /plan/:id

9

Plan Detail Page

Route: /plan/:id

Data flow	id from URL params → plans.find(p => p.id === planId) against PlansContext
User sees	Header (carrier, name, price, type, bookmark) · spec table (data, mins, SMS, intl, roaming, contract, features) · Get This Plan CTA · Compare button · Like/Dislike · Comments thread
Backend	Reactions/comments via /api/plan-interactions/* (60s in-memory cache for engagement)
Analytics on view	plan_detail_viewed { plan_id, plan_name, provider, price, source }
File	frontend/src/pages/PlanDetailPage.tsx · lines 48–400+
Exit	Click 'Get This Plan' → Phase 4

Phase 4 – Provider Redirect (conversion moment)

10

Get This Plan – outbound click

Route: /plan/:id → provider site

Markup	
URL field	plan.url – string defined per plan in backend/src/data/plans.ts
Pre-redirect event	get_plan_clicked with { plan_id, plan_name, provider, url, source }, sent useBeacon: true so it survives navigation
Tracking proxy?	None. Browser navigates straight to the carrier URL – no backend click-through endpoint, so click attribution lives entirely in GA4 + Mixpanel
Files	PlanDetailPage.tsx lines 234–243 · Onboarding.tsx line 1018 (visitor-plan variant)
Exit	New tab opens on the carrier's subscription page

Appendix A – Flow at a glance

Variant	Phase	Step	Trigger	Outcome
A/B	Onboarding	Language (en/ar)	First visit	Set lang
A/B	Onboarding	Intro slides ×2	Auto	Reach Absher Q
A/B	Onboarding	Absher YES	Tap card	→ /advisor
A/B	Onboarding	Absher NO	Tap card	Status Q
A/B	Onboarding	Status Moving	Tap card	Show explainer 5a
A/B	Onboarding	Status Visiting	Tap card	Visitor plans 5b
A/B	Onboarding	Visitor plan click	Tap 'How to Buy'	REDIRECT (new tab)
C/D	Onboarding	Welcome + 6-lang chips	First visit	Set lang
C/D	Onboarding	Greeting + Absher	Auto bubble	Yes/No chips
C/D	Onboarding	Absher YES	Chip	→ /advisor
C/D	Onboarding	Absher NO	Chip	Status Q
C/D	Onboarding	Moving explainer	Chip	Get-temp / Go-home
C/D	Onboarding	Visitor carousel (14 plans)	Chip	REDIRECT (new tab)
A/C	/advisor	Choice cards shown	Lands on /advisor	Pick Guide-Me or freeform
B/D	/advisor	AUTO Guide-Me launch	Mount effect	Step 1 of wizard immediately
all	Discovery	HomePage trending	Returning user	Pick path
all	Discovery	Explore /plans	Tap 'Browse Plans'	Filter, click card
all	Discovery	Advisor /advisor	Tap 'Smart Advisor'	AI suggests cards
all	Detail	/plan/:id	Click any card	Show full specs
all	Redirect	Get This Plan	Tap CTA	REDIRECT (new tab)

Appendix B – Backend endpoints touched

Endpoint	Method	Auth	Used in
/api/plans/cards	GET	No	Explore, Home trending, Card grids
/api/plans	GET	No	Detail page (full payload)
/api/plans/:id	GET	No	Detail page (single)
/api/advisor/message	POST	No	Advisor chat (OpenAI)
/api/plan-interactions/engagement	GET	No	Card grids (likes / comment counts)
/api/plan-interactions/:id/reactions/like	POST	Yes	Detail page like button
/api/plan-interactions/:id/reactions/dislike	POST	Yes	Detail page dislike button
/api/plan-interactions/:id/comments	GET	No	Detail page comments
/api/plan-interactions/:id/comments	POST	Yes	Post a comment

Appendix C – Analytics events fired along the journey

Phase	Event	Provider
Onboarding	onboarding_started	GA4 + Mixpanel
Onboarding	onboarding_step_reached	GA4 + Mixpanel
Onboarding	onboarding_answered	GA4 + Mixpanel
Onboarding	onboarding_carrier_opened	GA4 + Mixpanel
Onboarding	onboarding_completed / abandoned	GA4 + Mixpanel
Discovery	homepage_cta_clicked	GA4 + Mixpanel
Discovery	explore_category_clicked	GA4 + Mixpanel
Discovery	advisor_started / guide_step_answered / guide_completed	GA4 + Mixpanel
Discovery	advisor_message_sent	GA4 + Mixpanel
Discovery	plan_card_clicked / advisor_plan_card_clicked	GA4 + Mixpanel
Detail	plan_detail_viewed	GA4 + Mixpanel
Redirect	get_plan_clicked (CRITICAL conversion)	GA4 + Mixpanel (Beacon API)

Microsoft Clarity also runs throughout (session recording + heatmaps), loaded lazily via `requestIdleCallback`.