

PRACTICAL 3

Q} Display an HTML webpage with the following tags. The file should contain a brief description about all the tags:

**(a) Bold (b) *Italic* (c) <u>Underline</u> (d) Alignment (e) Paragraph (f) Heading (g) <hr> tag (h) BgColor (i) Text Color (j)
 tag & <nobr> tag (k) <pre> tag (l) symbol**

Ans}

➤ **CODE :-**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Practical 3</title>
</head>
<body>
  <h3>(a) Bold Tag</h3>
  <b>This is bold tag.</b>
  <p>This tag is used to bold the text.</p>
  <h3>(b) Italic Tag</h3>
  <i>This is Italic tag.</i>
  <p>This tag is used to write text in italic format.</p>
  <h3>(c) Underline Tag</h3>
  <u>This is Underline Tag.</u>
  <p>This tag is used for underline the text.</p>
  <h3>(d) Alignment Tag</h3>
  <p align="center">This is Center aligned text.</p>
  <p>This tag is used to set the alignment of the text.</p>
  <h3>(e) Paragraph Tag</h3>
  <p>This is a Paragraph Tag.</p>
  <p>This tag is used to define a paragraph of text.</p>
  <h3>(f) Heading Tag</h3>
  <h1>This is a Heading Tag.</h1>
  <p>This tag is used to define a heading for a section of text.</p>
  <h3>(g) &lt;hr&gt; Tag</h3>
  <hr />
  <p>This tag is used to create a horizontal line.</p>
  <h3>(h) bgcolor Tag</h3>
  <table>
    <tr>
      <td bgcolor="green">Hello</td>
```

PRACTICAL 3

```
</tr>
</table>
<h3>(i) Text Color</h3>
<p style="color: brown">This is my Practical 3.</p>
<p>This tag is used to giving color in text.</p>
<h3>(j) &lt;br&gt; tag and &lt;nobr&gt;</h3>
<h4>(1) &lt;br&gt; tag</h4>
<p>My name <br />is Aman</p>
<p>This is break tag used to break the line and move the text to next line.</p>
<h4>(2) &lt;nobr&gt; tag</h4>
<nobr>This is nobr tag. </nobr>
<p>This tag does not break any line.</p>
<h3>(k) &lt;pre&gt; tag</h3>
<pre>
This is
    the paragraph
    tag
</pre>
<p>This is pre-formatted text. Spaces and line breaks are shown exactly</p>
<h3>(l) nbsp;</h3>
<p>This&nbsp;tag&nbsp;used&nbsp;to&nbsp;give&nbsp;space</p>
</body>
</html>
```

❖ OUTPUT :-

(a) Bold Tag

This is bold tag.

This tag is used to bold the text.

(b) Italic Tag

This is Italic tag.

This tag is used to write text in italic format.

(c) Underline Tag

This is Underline Tag.

This tag is used for underline the text.

PRACTICAL 3

(d) Alignment Tag

This is alignment tag.

This tag is used to set the alignment of the text.

(e) Paragraph Tag

This is a Paragraph Tag.

This tag is used to define a paragraph of text.

(f) Heading Tag

This is a Heading Tag.

This tag is used to define a heading for a section of text.

(g) <hr> Tag

This tag is used to create a horizontal line.

(h) bgcolor Tag

Hello

(i) Text Color

This is my Practical 3.

This tag is used to giving color in text.

(j)
 tag and <nobr>

(1)
 tag

My name
is Aman

This is break tag used to break the line and move the text to next line.

(2) <nobr> tag

This is nobr tag.

This tag does not break any line.

(k) <pre> tag

```
This is
    the paragraph
    tag
```

This is pre-formatted text. Spaces and line breaks are shown exactly

(l) nbsp;

This tag used to give space