

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

VIVEKANANDHA COLLEGE OF TECHNOLOGY FOR WOMEN [6130]

AKALYA S (613023104004)	TEAM LEADER	akalyasenthilkumar06@gmail.com
AKSHAYA S (613023104006)	TEAM MEMBER	itsmeakshaya2006@gmail.com
HARINI S (613023104032)	TEAM MEMBER	harini2730@gmail.com
KAVYA SRI K S (613023104053)	TEAM MEMBER	srik47579@gmail.com

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

User Story:

The EventForce Management System is developed as a centralized Salesforce-based platform to streamline event planning and management activities, including client bookings, event scheduling, venue reservations, vendor coordination, cancellation approvals, reminders, and feedback management. The system allows event teams to efficiently manage Events, Clients, Vendors, Venues, and Feedback through a well-structured Salesforce data model with suitable relationships. Automated Flows are used to manage event reminders and process updates, while an Approval Process handles event cancellation requests in a controlled manner. Apex Classes and Triggers provide advanced business functionality, including venue availability management and prevention of duplicate bookings. A Lightning App, along with Reports and Dashboards, offers real-time insights into event schedules, vendor activities, and overall operational performance. This solution enhances event management efficiency, booking coordination, data accuracy, communication, operational visibility, and the overall customer experience.

1. INTRODUCTION

1.1 Project Overview :

The EventForce Management System is a Salesforce-based CRM application designed to organize and simplify event planning and management activities. The platform brings client, event, venue, vendor, feedback, and cancellation information together in a single Salesforce environment. The application makes use of Salesforce features such as custom objects, relationships, validation rules, Flows, Approval Processes, Apex Triggers, Apex Classes, Reports, and Dashboards to automate important business operations. The system provides facilities for monitoring venue availability, avoiding duplicate venue reservations, sending automatic event reminders, processing cancellation requests through approvals, collecting client feedback, and analyzing event-related information through reports and dashboards. The primary goal of the project is to minimize manual work, increase data accuracy, simplify booking coordination, improve communication among stakeholders, and provide centralized visibility into event operations.

1.2 Purpose :

The EventForce Management System is intended to offer a unified Salesforce environment for controlling and automating event-related activities. The system is designed to:

- Maintain client, event, venue, vendor, and feedback details in one location.
- Simplify event booking and venue reservation activities.
- Avoid multiple bookings for the same venue using automated Apex logic.
- Send event reminders automatically and manage cancellation approvals.
- Improve collaboration among clients, event coordinators, vendors, and venue managers.
- Generate reports and dashboards to support operational monitoring.
- Minimize repetitive manual activities and improve information accuracy.
- Enhance the overall experience of clients and event management teams.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Event Operations Manager	Handle event planning activities effectively	Client, event, venue, and vendor information is scattered	Event operations require coordination across different areas	Frustrated and concerned
PS-2	Event Coordinator	Create and maintain event bookings efficiently	Event, client, and venue information requires several manual steps	There is no single system covering the complete event lifecycle	Overwhelmed and frustrated

PS-3	Venue Manager	Maintain accurate venue availability	The same venue can accidentally be allocated to multiple events	Booking schedules require availability tracking and conflict prevention	Concerned and uncertain
PS-4	Vendor Manager	Organize vendors for various events	Vendor information and event assignments are maintained separately	An event may require several vendors and services	Overwhelmed and concerned
PS-5	Event Coordinator	Send event information and reminders at the right time	Reminders are managed manually	Clients need timely notifications before their events	Stressed and concerned
PS-6	Event Administrator	Handle cancellation requests in an organized manner	Cancellation requests require manual approval and status tracking	Cancellation decisions need a structured approval mechanism	Frustrated and uncertain
PS-7	Event Coordinator	Gather and maintain customer feedback	Feedback information must be connected with event and client details	Feedback is associated with both events and clients	Concerned about customer satisfaction

PS-8	Event Operations Manager	Track event performance and operations	Operational information is not available in a single view	Event information needs to be presented through reports and dashboards	Concerned and less confident in decision-making
------	--------------------------	--	---	--	---



2.2 Empathy Map Canvas


User Persona: Event Coordinator

Role: Event Coordinator

Primary Responsibility: Manage bookings, venues, vendors, reminders, and event status

- **Think & Feel:** Wants smooth events with fewer errors and conflicts.
- **Hear:** Client requirements, vendor updates, and admin instructions.
- **See:** Event details, venue availability, vendor assignments, and event status.
- **Say & Do:** Coordinates stakeholders, updates records, and tracks event progress.
- **Pain:** Manual work, scattered information, booking conflicts, and multiple tasks.

- **Gain:** Centralized platform, automation, accurate availability, better coordination, and clear reports.



2.3 Brainstorming & Idea Prioritization

Ideas Considered

Idea	Approach	Key Limitation
Manual Registers	Record event, client, venue, and vendor information manually	Requires significant time and is difficult to maintain
Spreadsheet Tracking	Maintain bookings and event details using spreadsheets	Provides limited automation and coordination
Standalone Portal	Build a separate application specifically for event management	Requires greater development and maintenance effort

Salesforce CRM	Manage event operations through a centralized Salesforce application	Requires suitable Salesforce configuration and implementation
----------------	--	---

Final Selection

Salesforce CRM was chosen for the EventForce Management System because of the following key advantages:

- **Automation:** Simplifies reminders, approval workflows, status changes, and routine business activities.
- **Scalability:** Can accommodate the growth of events, users, records, and changing business needs.
- **Real-Time Visibility:** Keeps information centralized and provides reports and dashboards for effective monitoring.

Decision: Salesforce CRM is well suited for developing a centralized, automated, scalable, and efficient EventForce Management System.



3.REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map


Stage	Customer Journey Stage	Activities
1	Event Enquiry & Client Registration	Client requirements and contact information are entered into Salesforce.
2	Event Planning & Booking	Event type, date, budget, status, and other planning information are created and maintained.
3	Venue Selection & Reservation	Appropriate venues are identified, availability is verified, and reservations are recorded while avoiding duplicate bookings.
4	Vendor Coordination	Required vendors and services are connected to events, and their availability is monitored.
5	Event Confirmation & Communication	Once an event is confirmed, automated communication and reminders are provided to clients.
6	Event Execution & Monitoring	Event progress and operational details are tracked using Salesforce records, reports, and dashboards.
7	Cancellation & Approval	Cancellation requests are submitted for approval, followed by suitable status changes and notifications.
8	Feedback & Closure	Client feedback is recorded after the event and completed events are maintained for future analysis.



Event Management System - Customer Journey Map

From Enquiry to Everlasting Memories

Great Events
Happen Together



Happy Clients. Successful Events. A Brighter Tomorrow.

People Places Possibilities

3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Manage events
FR-2	Maintain client information
FR-3	Manage venues
FR-4	Maintain vendor information
FR-5	Assign vendors to events
FR-6	Track venue availability and avoid double bookings
FR-7	Generate automatic event reminders
FR-8	Process event cancellation approvals
FR-9	Record and manage feedback

FR-10	Generate reports and dashboards
FR-11	Automate event status changes
FR-12	Import data through Data Import Wizard

Non-Functional Requirements

NFR	Description
Usability	Provides a Lightning App that makes event management and navigation easier.
Security	Uses profiles, roles, permission sets, and related security controls to restrict access.
Reliability	Maintains accurate automation, approval processes, and venue booking validation.
Performance	Processes event and operational information efficiently.
Availability	Processes event and operational information efficiently.
Scalability	Can accommodate an increasing number of events, clients, vendors, venues, and users.
Maintainability	Flows, Apex components, validation rules, and security settings can be maintained and modified when required.
Data Integrity	Uses validation and controlled data migration techniques to maintain reliable records.

3.2 Data Flow Diagram

Flow:

Client / Event Team



Enter Client and Event Information
↓
EventForce Salesforce System
↓
Validate and Store Information
↓
Event, Client, Venue & Vendor Records
↓
Verify Venue Availability
↓
Allocate Venue and Vendors
↓
Confirm Event
↓
Send Automated 3-Day Reminder
↓
Execute Event and Update Status
↓
Collect Feedback
↓
Generate Reports and Dashboards

Supporting Processes

Cancellation Request

Event Coordinator
↓
Cancellation Request
↓
Approval Process
↓
Approved / Rejected
↓
Event Status Update
↓
Notifications

Venue Booking Validation


Event
↓
Apex Trigger
↓
VenueStatusHelper
↓
Check Existing Venue and Event Date
↓
Prevent Duplicate Booking / Update Venue Availability

Event Completion

Event Date Passed
↓
Scheduled Apex
↓
Batch Apex
↓
Event Status = Completed

Simplified System Representation

Clients / Event Coordinators / Vendor Managers / Venue Managers
↓
Salesforce CRM – EventForce
↓
Custom Objects: Event | Client | Vendor | Venue | Feedback | EventVendor
↓
Automation & Business Logic: Flows | Approval Process | Apex
↓
Operational Data & Status Updates
↓
Reports & Dashboards
↓
Event Operations and Decision-Making



3.4 Technology Stack

Layer	Technology
Platform	Salesforce CRM / Developer Edition
UI	Salesforce Lightning App
Database	Salesforce Custom Objects
Business Logic	Salesforce Flows, Formula Fields, Validation Rules
Approval	Salesforce Approval Process
Automation	Record-Triggered Flows, Apex Triggers
Processing	Batch Apex, Scheduled Apex
Security	Profiles, Roles, Permission Sets, Sharing Rules, OWD
Reporting	Salesforce Reports & Dashboards


4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

The EventForce Management System connects the identified event-management challenges with Salesforce capabilities. By combining custom objects, automation, Apex programming, approval workflows, security configurations, and reporting tools, the application addresses important operational requirements.

Problem	EventForce Salesforce Solution	Benefit
Client, event, venue, and vendor information is spread across different places	Custom objects for Event, Client, Venue, Vendor, Feedback, and EventVendor	Creates a centralized and organized data structure
Event booking involves many manual activities	Event booking involves many manual activities	Minimizes repetitive work and improves efficiency
Venues may be booked more than once	Apex Trigger and VenueStatusHelper	Checks booking conflicts and prevents duplicate reservations
Vendor coordination is difficult to monitor	EventVendor junction object and Vendor records	EventVendor junction object and Vendor records
Clients may miss important event reminders	3-Day Reminder Flow	Clients may miss important event reminders
Cancellation requests need controlled handling	Event_Cancellation_Process Approval Process	Provides a formal approval workflow and status control
Feedback needs to be associated with clients and events	Feedback needs to be associated with clients and events	Keeps feedback information organized

Keeps feedback information organized	Reports and EventForce Operations Dashboard	Provides centralized operational visibility
--------------------------------------	---	---



4.2 Proposed Solution

Functional Requirements


Parameter	Description
Problem	Event management is manual and information is distributed across different areas
Solution	Salesforce CRM
Innovation	Automated reminders, venue conflict validation, and cancellation approval workflows
Impact	Quicker event coordination and improved visibility into operations

Business Model	Centralized event planning and management
Scalability	Capable of supporting increasing numbers of events, clients, vendors, venues, and users

4.3 Solution Architecture

Components:

- Event Object
- Client Object
- Vendor Object
- Venue Object
- EventVendor Junction Object
- Feedback Object
- Rules
- Formula Fields
- Flows
- Approval Process
- Apex Triggers
- Apex Classes
- Batch Apex
- Scheduled Apex
- Profiles & Roles
- Permission Sets & Sharing Rules
- Data Import Wizard
- Lightning App
- Reports
- Dashboards



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

The project follows an Agile development approach. Work is organized into manageable sprints to support incremental development and testing.

The planning approach includes:

- Defining Epics and User Stories.
- Assigning Story Points to individual tasks.
- Organizing development into sprints.
- Estimating work based on team capacity.
- Using velocity to measure sprint progress.
- Reviewing completed work at the end of each sprint.

Sprint	Functional Requirement (Epic)	User Story	User Story / Task	Story Points	Priority	Team Member
Sprint-1	Event Management	US-01	As an Event Coordinator, I want to create events with type, date, and status so that event information remains standardized.	3	High	Member1
Sprint-1	Client & Venue Management	US-02	As an Event Coordinator, I want to connect a client and venue to an event so that all coordination details are maintained together.	5	High	Member2
Sprint-2	Vendor Management	US-03	As a Vendor Manager, I want to assign multiple vendors to an event so that services can be coordinated.	5	High	Member3
Sprint-2	Notifications & Automation	US-04	As a Client, I want to receive event reminders on time so that I am aware of my upcoming event. .	3	High	Member4
Sprint-3	Approval Management	US-05	As an Event Coordinator, I want cancellation requests to pass through an approval workflow so that cancellations are properly controlled.	5	High	Member1
Sprint-3	Venue Management & Apex	US-06	As a Venue Manager, I want the system to stop duplicate bookings so that venue schedules remain accurate.	8	High	Member2
Sprint-4	Security & Access Control	US-07	As an Event Administrator, I want role-based access so that users can access only the information appropriate to their responsibilities.	5	Medium	Member3
Sprint-4	Reports & Dashboards	US-08	As Management, I want reports and dashboards so that event operations can be reviewed effectively.	5	Medium	Member4

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	4 Days	28-09-2026	28-09-2026	20	01-10-2026
Sprint-2	20	4 Days	29-09-2026	29-09-2026		
Sprint-3	20	4 Days	30-09-2026	30-09-2026		
Sprint-4	20	4 Days	01-10-2026	01-10-2026		

6. Project Development Phase:

Phase 1: Requirement Analysis & Planning

The EventForce Management System is developed on Salesforce to assist event management teams in handling client bookings, vendor coordination, venue reservations, and feedback activities through a single CRM platform.

The application automates important operations such as event scheduling, cancellation processing, client reminders, and event status management. Reports and dashboards provide centralized visibility into ongoing and completed event activities.

Functional Scope :

- Custom objects such as Event, Client, Vendor, Venue, Feedback, and Event Vendor.
- Relationship configuration using Lookup, Master-Detail, and Many-to-Many relationships.
- Salesforce Flows for reminders, feedback-related notifications, and automated process updates.
- Validation Rules and Formula Fields for maintaining accurate information and calculating event budgets.
- Approval Processes for handling event cancellation requests and sending appropriate notifications.
- Profiles, Roles, and Permission Sets for controlling access to application data.
- Reports and Dashboards for analyzing events, vendor performance, and upcoming activities.

Stakeholder Mapping :

- Clients: Submit event requirements, receive event-related updates, and provide feedback after the event.
- Event Coordinators: Handle event scheduling, client communication, bookings, and approval-related activities.
- Vendors: Provide services such as catering, decoration, photography, logistics, and other event requirements.
- Venue Managers: Monitor venue availability and manage venue reservations.
- Event Administrators: Supervise the overall Salesforce application, security configuration, and data management.

Execution Roadmap :

The development process is divided into the following activities:

1. **Object and Field Configuration** – Create the Event, Client, Vendor, Venue, Feedback, and Event Vendor objects.

2. **Automation Flows** – Configure record-triggered and scheduled automation for reminders and other business processes.
3. **Validation Rules and Formula Fields** – Establish rules for data correctness and automated budget calculations.
4. **Profiles, Roles, and Permission Sets** – Define user permissions and record-level visibility.
5. **Approval Process** – Configure the cancellation request and approval workflow.
6. **Apex Classes and Triggers** – Implement advanced venue availability and booking-conflict logic.
7. **Reports and Dashboards** – Develop analytical views for event monitoring and performance tracking.

Phase 2 : Backend Development & Configurations

The Backend Development and Configuration phase establishes the main functional foundation of the EventForce Management System. Salesforce declarative features such as Record-Triggered Flows, Validation Rules, Formula Fields, and Approval Processes are used to automate activities including event confirmation, client reminders, and cancellation processing. For more advanced requirements, Apex Classes and Apex Triggers are implemented to manage venue availability and identify duplicate venue bookings. Security configurations including Profiles, Roles, Permission Sets, Sharing Rules, and OWD are used to control access to records and maintain information security. This phase converts the basic Salesforce structure into an automated and secure event-management solution capable of supporting practical event planning activities

Milestone 1 : Salesforce Account

What Is Salesforce ?

Salesforce is a cloud-based CRM platform that helps organizations manage customer relationships, business operations, sales, service, marketing, analytics, and collaboration. It provides tools for storing organizational information securely in the cloud and allows authorized users to access business data from different locations. For this project, Salesforce Developer Edition is used as the platform for creating and testing the EventForce Management System.

Activity 1: Creating Developer Account

A Salesforce Developer Org is created to develop and configure the EventForce application.

Procedure

1. Open the Salesforce Developer signup page.
2. Enter the required registration information:
 - First Name

- Last Name
 - Email
 - Role – Developer
 - Company – College Name
 - Country – India
 - Postal Code – PIN Code
3. Create a suitable username using your name and organization.
 4. The username does not necessarily need to be an actual email address. It can follow a format such as username@organization.com.
 5. Select **Sign Me Up** after entering all the required information

Sign up for your Developer Edition.

The entire Salesforce platform - exposed as APIs, MCP tools, and CLI commands. Build apps, ship agents, and let coding agents do the heavy lifting with Salesforce Headless 360.

- ✓ Build AI agents with Agentforce, grounded in your data with Data 360
- ✓ Connect Claude Code, Cursor, or Codex to your org with hosted MCP
- ✓ Build in the browser with the Agentforce Vibes IDE - no setup required
- ✓ Drag-and-drop when you want it, Apex when you need it
- ✓ 60+ MCP tools and 30+ coding skills, ready out of the box

Agentforce

Steps
1 Select Type
Customer Support

A free Salesforce Platform environment with Agentforce and Data 360

First name: Akalya ✓ Last name: S ✓

Job title: Developer ✓ Company: VIVEKANANDHA COLLEGE... ✓

Country/region: India ✓ Work email: akalyasenthikumar06@g... ✓

☒ I agree to the [Main Services Agreement - Developer Services, Salesforce Program Agreement](#), and [API Terms of Service](#)

Your free trial may be provisioned on or migrated to Hyperforce, Salesforce's public cloud infrastructure.

I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features; and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).

Sign me up

Activity 2: Account Activation

After completing the registration process:

1. Open the email account used during Salesforce registration.
2. Locate the Salesforce verification email.
3. Select **Verify Account**.
4. Enter a password when prompted.
5. Select and answer the security question.
6. Click **Change Password**.
7. After successful activation, Salesforce redirects the user to the Salesforce environment.

Data Architecture :

Created Custom objects:

The EventForce application contains the following custom objects:

1. Event__c
(Fields: Event Name, Event Date, Event Type, Event Status, Event Budget)
2. Client__c
(Fields: Client Name, Email, Phone, Address, Country, City)

3. Vendor__c
(Fields: Vendor Name, Email, Phone, Service Type, Status)
4. Venue__c
(Fields: Venue Name, Address, Location (URL), Capacity, Availability Status)
5. Feedback__c
(Fields: Feedback ID (Auto Number), Rating, Comments)
6. EventVendor__c (Junction Object)
(Links Event ↔ Vendor for Many-to-Many relationship)

Relationships:

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement :

Milestone 2- Object:

What is an object?

Salesforce objects function similarly to tables in a relational database. They are used to store information relevant to an organization. An object contains fields, which represent columns, and records, which represent individual rows of information.

The EventForce application uses the following custom objects:

1. Event
2. Client
3. Vendor
4. Venue
5. Feedback

6. Event Vendor

Activity 1: Create Event Object

Follow these steps to configure the Event custom object:

1. Open Setup.
2. Navigate to Object Manager.
3. Select Create and choose Custom Object.
4. Enter Event as the Label.
5. Enter Events as the Plural Label.
6. Set the Record Name to Event Name.
7. Select Text as the data type

Setup Home Object Manager

SETUP New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Setup Home Object Manager

SETUP New Custom Object

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☒ Allow In Chatter Groups

☐ Enable Licensing [?](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

8. Under Optional Features, enable:

- a Allow Reports
- b Allow Activities
- c Track Field History

9. Under Deployment Status, select Deployed.
10. Under Search Status, enable Allow Search.
11. Under Object Creation Options, select Add Notes and Attachments related list to default page layout.
12. Keep the remaining settings unchanged.
13. Click Save.

Activity 2: Create Client Object

1. Select the **Gear icon** and open **Setup**.
2. Navigate to **Object Manager**.
3. Select **Create → Custom Object**.
4. Configure the object with the following values:
 - Label: **Client**
 - Plural Label: **Clients**
 - Record Name: **Client Name**
 - Data Type: **Text**
5. Enable **Allow Reports**.
6. Enable **Allow Search**.
7. Select **Add Notes and Attachments related list to default page layout**.
8. Click **Save**.

Activity 3: Create Vendor Object

1. Open **Setup → Object Manager**.
2. Select **Create → Custom Object**.
3. Enter the following details:
 - Label: **Vendor**
 - Plural Label: **Vendors**
 - Record Name: **Vendor Name**
 - Data Type: **Text**
4. Enable **Allow Reports**.
5. Enable **Allow Search**.
6. Enable **Add Notes and Attachments related list to default page layout**.
7. Click **Save**.

Activity 4: Create Venue Object

1. Open **Setup → Object Manager**.
2. Choose **Create → Custom Object**.
3. Enter:
 - Label: **Venue**
 - Plural Label: **Venues**

- Record Name: **Venue Name**
 - Data Type: **Text**
4. Enable **Allow Reports**.
 5. Enable **Allow Search**.
 6. Select **Add Notes and Attachments related list to default page layout**.
 7. Save the object.

Activity 5: Create Feedback Object

1. Navigate to **Setup → Object Manager**.
2. Select **Create → Custom Object**.
3. Configure the object as follows:
 - Label: **Feedback**
 - Plural Label: **Feedbacks**
 - Record Name: **Feedback**
 - Data Type: **Auto Number**
4. Enter the display format as **F-{0000}**.
5. Set the starting number to **0**.
6. Enable **Allow Reports**.
7. Enable **Allow Search**.
8. Select **Add Notes and Attachments related list to default page layout**.
9. Click **Save**.

Milestone 3 - Tabs Tab:

Salesforce tabs provide users with an easy way to access and view records belonging to different objects. They serve as navigation points within the Salesforce application.

Standard Object Tabs:

Standard tabs provide access to Salesforce's predefined standard objects


Custom Object Tabs:

Custom tabs are created for custom objects and provide a similar navigation experience to standard Salesforce tabs.

Activity 1: Creating the Event Tab

Now create a custom tab.

1. Open the **Home** tab.



2. Search for **Tabs** using Quick Find.

3. Select **Tabs**.



4. Under **Custom Object Tabs**, click **New**.

5. Select **Event** as the Object.

6. Choose a suitable **Tab Style**.

7. Click **Next**.

8. Set the required tab visibility and profile permissions.

9. Click **Next** and then **Save**.

Activity 2: Creating the Client Tab

1. Open **Setup** → **Tabs**.

2. Under Custom Object Tabs, click **New**.

3. Select **Client** as the Object.

4. Choose a suitable Tab Style.

5. Click **Next**, **Next**, and **Save**.

Activity 3: Creating the Vendor Tab

1. Navigate to **Setup** → **Tabs**.

2. Click **New** under Custom Object Tabs.

3. Select **Vendor**.

4. Choose a Tab Style.
5. Click **Next**, **Next**, and **Save**.

Activity 4: Creating the Venue Tab

1. Open **Setup** → **Tabs**.
2. Select **New** under Custom Object Tabs.
3. Choose **Venue**.
4. Select a suitable Tab Style.
5. Click **Next**, **Next**, and **Save**.

Activity 5: Creating the Feedback Tab

1. Go to **Setup** → **Tabs**.
2. Select **New** under Custom Object Tabs.
3. Select **Feedback** as the Object.
4. Choose a Tab Style.
5. Click **Next**, **Next**, and **Save**.

Milestone 4 – Fields and Relationship:

What are fields ?

Fields are used to store individual pieces of information within Salesforce records. Similar to columns in a relational database, fields define the type of information that can be stored for an object.

Salesforce fields can broadly be categorized as:

Standard Fields

Standard fields are automatically available with Salesforce objects. Examples include:

- Created By
- Last Modified By
- Owner
- Record Name

These system-defined fields generally cannot be removed or modified like custom fields.


Custom Fields

Custom fields are created by administrators or developers according to the requirements of the organization. Depending on the business requirement, these fields may be mandatory or optional.


Activity 1: Creating Fields for Event

Event Type

1. Open **Setup** → **Object Manager** → **Event**.
2. Select **Fields & Relationships**.
3. Click **New**.



4. Select **Picklist** as the Data Type.
5. Enter **Event Type** as the Field Label.



6. Select **Enter values, with each value separated by a new line**.
7. Add:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other

The screenshot shows the Salesforce Setup interface in Developer Edition. The breadcrumb trail is **SETUP > OBJECT MANAGER**. The main heading is **Event**. On the left sidebar, under **Details**, the **Fields & Relationships** section is selected. The main content area is titled **Step 2. Enter the details** and shows the configuration for a new field. The **Field Label** is **Event Type**. Under **Values**, the option **Enter values, with each value separated by a new line** is selected. A text area contains the following values: Wedding, Corporate, Birthday, Anniversary, Festival, Concert, and Other. Below this, the checkbox **Restrict picklist to the values defined in the value set** is checked. The **Field Name** is **Event_Type**. The **Description** and **Help Text** fields are empty. At the bottom right, there are **Previous**, **Next**, and **Cancel** buttons. The Einstein logo is visible in the bottom right corner.

8. Click **Next** → **Next** → **Save**.


Event Date

1. Create another field.
2. Select **Date** as the Data Type.
3. Enter **Event Date** as the Field Label.
4. Click **Next** → **Next** → **Save & New**.

Creating the Event Budget Formula Field:


The Event Budget field automatically determines the expected budget based on the selected event type.

1. Click **New** under Fields & Relationships.
2. Select **Formula** as the Data Type.



3. Enter **Event Budget** as the Field Label.


4. Select **Currency** as the Formula Return Type.



5. Enter the following formula:

```
CASE(
TEXT(Event_Type__c),
"Wedding", 50000,
"Corporate", 30000,
"Birthday", 10000,
"Anniversary", 20000,
"Festival", 60000,
"Concert", 40000,
"Other", 15000,
0
)
```

6. Use **Check Syntax** to verify the formula.



7. Click **Next** → **Next** → **Save**.

Activity 2: Creating Fields for Client

Email

1. Select **Email** as the Data Type.
2. Enter **Email** as the Field Label.
3. Click **Next** → **Next** → **Save & New**.

Phone

1. Select **Phone** as the Data Type.
2. Enter **Phone** as the Field Label.
3. Save the field.

Address

1. Select **Text Area**.
2. Enter **Address** as the Field Label.
3. Save the field.

Country

1. Select **Picklist**.
2. Enter **Country** as the Field Label.
3. Choose **Enter values, with each value separated by a new line**.
4. Add:
 - India
 - Philippines
 - Saudi Arabia
 - USA
 - Switzerland
 - Thailand
 - Maldives

- Dubai
- Sri Lanka
- Bangkok
- Singapore
- Myanmar
- France
- Nepal
- Save the field.

City

Create another Picklist field named **City** and enter:

- Hyderabad
- Mumbai
- Delhi
- Bangalore
- Chennai
- Alaminos
- Angeles City
- Palayan
- Quezon City
- San Juan
- Riyadh
- Jeddah
- Tayma
- Dammam
- Medina
- New York
- Los Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern
- Lucerne

Save the field after entering the values.

Activity 3: Creating Fields for Vendor:

Service Type

1. Select **Multi-Select Picklist** as the Data Type.

2. Enter **Service Type** as the Field Label.

3. Add:

- Catering
- Decor
- Photography
- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

4. Save the field.

Email

Create an **Email** field with the label **Email**.

Phone

Create a **Phone** field with the label **Phone**.

Status

Create a **Picklist** field named **Status** and add:

- Available
- Booked
- Cancelled

Save the field.

Activity 4: Creating Fields for Venue:

Address

Create a **Text Area** field named **Address**.

Location

Create a **URL** field named **Location**.

Capacity

Create a **Number** field named **Capacity**.

Availability Status

Create a **Picklist** field named **Availability Status** with:

- Available
- Reserved
- Not Available

Save the field.

Activity 5: Creating Fields for Feedback:

Rating

1. Select **Picklist**.
2. Set the Field Label to **Rating**.
3. Add:
 - 1
 - 2
 - 3
 - 4
 - 5

Comments

Create a **Long Text Area** field with the label **Comments**.

Save the field.


Relationships:

Relationships connect Salesforce objects so that related records can be associated with one another.


Activity 1: Lookup Relationship for Event:

Event → Venue

1. Open Setup → Object Manager → Event.
2. Select Fields & Relationships.
3. Click New.
4. Select Lookup Relationship.
5. Click Next.



6. Select **Venue** as the Related Object.




The screenshot shows the Salesforce Object Manager interface for the 'Event' object. The left sidebar contains a navigation menu with 'Fields & Relationships' selected. The main content area is titled 'New Relationship' and shows 'Step 2. Choose the related object'. A dropdown menu labeled 'Related To' is set to 'Venue'. Navigation buttons 'Previous', 'Next', and 'Cancel' are visible at the bottom right.

7. Enter **Venue** as the Field Label.

8. Continue through the remaining configuration screens.

9. Click **Save**.



The screenshot shows the 'Step 3. Enter the label and name for the lookup field' screen in the Salesforce Object Manager. The 'Field Label' and 'Field Name' are both set to 'Venue'. The 'Child Relationship Name' is set to 'Events'. There are checkboxes for 'Required' and 'Clear the value of this field'. Navigation buttons 'Previous', 'Next', and 'Cancel' are visible at the top right.

Creating the Many-to-Many Relationship:

Salesforce requires a junction object to establish a many-to-many relationship between two objects. For the EventForce application, **EventVendor__c** acts as the junction object between Event and Vendor.

Create Event Vendor Object

1. Open **Object Manager**.
2. Select **Create** → **Custom Object**.
3. Set the Label as **Event Vendor**.

Setup Home Object Manager

SETUP New Custom Object

Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Event Vendor Example: Account

Plural Label Event Vendors Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Event_Vendor Example: Account

Description

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name --None--

4. Set the Object Name as **EventVendor__c**.

5. Save the object.

EventVendor → Event

1. Open the Event Vendor object.
2. Select **Fields & Relationships**.
3. Click **New**.
4. Select **Master-Detail Relationship**.
5. Choose **Event** as the Related Object.
6. Enter **Event** as the Field Label.
7. Complete the remaining steps and select **Save & New**.

EventVendor → Vendor

1. Select **Master-Detail Relationship**.
2. Choose **Vendor** as the Related Object.
3. Enter **Vendor** as the Field Label.
4. Complete the configuration.
5. Click **Save**.

This creates the many-to-many connection: **Event ↔ EventVendor ↔ Vendor**

Activity 2: Relationships for Feedback:

Feedback → Event

1. Open **Feedback** from Object Manager.
2. Select **Fields & Relationships**.
3. Click **New**.
4. Select **Lookup Relationship**.

5. Select **Event** as the Related Object.
6. Set the Field Label to **Event**.
7. Complete the configuration and save.

Feedback → Client

1. Create another **Lookup Relationship**.
2. Select **Client** as the Related Object.
3. Set the Field Label to **Client**.
4. Complete the remaining steps and save.

Activity 3: Lookup Filters

Scenario:

When a user creates a Feedback record, the Event lookup should display only the events associated with the selected Client.

For example, if the Client Ramesh is selected, the Event lookup should show only Ramesh's events.

Configuration

1. Open Setup.
2. Search for Object Manager in Quick Find.
3. Open the Feedback object.
4. Select Fields & Relationships.
5. Locate the Event lookup field.
6. Open the Event field.
7. Click Edit.
8. Locate the Lookup Filter section.
9. Select Show Filter Settings.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes the Setup menu, Home, and Object Manager. The left sidebar shows the 'Feedback' object selected. The main content area displays the 'Edit Feedback Custom Field' page for the 'Event' field. The 'Field Information' section is visible, showing the field label 'Event', field name 'Event', and data type 'Text'. The 'Field Name' section is also visible, showing the field name 'Event'.

10. Configure the condition:

- **Field:** Event → Client__c
- **Operator:** equals
- **Value:** Field → Feedback → Client__c




11. Enable the **Enable this Filter** option.

12. Click **Save**. Click on Save.

This ensures that the Event lookup is dynamically restricted according to the selected Client.

Milestone 5 -Validation Rules :



Validation Rules verify information before Salesforce allows a record to be saved. When the entered information fails the defined condition, Salesforce displays an error and prevents the record from being saved until the issue is corrected.

Activity 1: Validation Rule for Client:

Rule Name

Email_Valid_Address

Configuration

1. Open **Setup**.
2. Navigate to **Object Manager**.
3. Search for and open **Client**.
4. Select **Validation Rules**.
5. Click **New**.
6. Enter the Rule Name as **Email_Valid_Address**.
7. Enable **Active**.
8. Enter the following Error Condition Formula: `NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9.]+\.[a-zA-Z]{2,}$"))`
9. Enter the Error Message: **Please Enter Valid Email Address**
10. Set Error Location to **Field**.
11. Select the **Email** field.

12. Click **Save**.

This rule ensures that the Client email follows the required email format.


Milestone 6 : APPROVAL PROCESS

Activity 1: Event Cancellation Approval

An approval process is used to control event cancellation requests. Before configuring the approval process, the required Profiles, Roles, and Users should be configured.

1. Create Classic Email Template

1. Open **Setup**.
2. Search for **Email Templates** in Quick Find.
3. Open **Classic Email Templates**.
4. Click **New Template**.



5. Select **Text** as the template type.

6. Click **Next**

7. Email Template Information:

Folder	Unfiled Public Email Templates
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Automatically generated
Encoding	UTF-8

Subject	Approval Request: Cancel Event {!Event__c.Name}
Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System

The screenshot shows the Salesforce 'Classic Email Templates' setup page. The breadcrumb trail is 'Setup > Home > Object Manager > Email > Classic Email Templates'. The page title is 'Classic Email Templates' with a 'SETUP' icon. The current step is 'Step 2: Text Email Template: New Template', with 'Previous', 'Save', and 'Cancel' buttons. The 'Email Template Information' section includes the following fields:

- Folder:** Unfiled Public Classic Email Templates
- Available For Use:** ☐
- Email Template Name:** Event Cancellation Request
- Template Unique Name:** Event_Cancellation_Request
- Encoding:** Unicode (UTF-8)
- Description:** (empty)
- Subject:** Approval Request: Cancel Event (!Event__c.Name)
- Email Body:**

```

Hello!
An approval request has been submitted to cancel the event:
- Event Name: {!Event__c.Name}
- Event Date: {!Event__c.Event_Date__c}

Thank you,
EventForce Management System

```

A red error message 'Required Information' is visible in the top right corner of the form area.

2. Client Cancellation Notification Template

Create another text email template.

Template Name: Email to Client After Cancellation

Subject: Event Cancellation Notice – {!Event__c.Name}

The message informs the client that the event has been cancelled and provides the event name and date.

3. Approved Cancellation Notification

Create an email template for the event owner.

Template Name: Approval Notification to Event Owner

Subject: Event Cancellation Approved: {!Event__c.Name}

The notification informs the event owner that the cancellation request was approved and that the event status has changed to Canceled.

4. Rejected Cancellation Notification

Create another template for rejected requests.

Template Name: Rejection Notification to Event Owner

Subject: Event Cancellation Rejected: {!Event__c.Name}

The message informs the event owner that the cancellation request was rejected and provides the relevant event information.

5. Configure the Approval Process

1. Open **Setup**.
2. Search for **Approval Processes**.
3. Open **Approval Processes** under Process Automation.
4. Select the **Event** object.
5. Choose **Create New Approval Process**.
6. Select **Use Standard Setup Wizard**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a search bar with 'Appr' and a list of navigation items: Data, Mass Transfer, Approval Requests, Feature Settings, Approval Settings, Process Automation, and Approval Processes (highlighted). The main content area is titled 'Approval Processes' and shows a 'New Approval Process' wizard for the 'Events' object. The current step is 'Step 3: Specify Approver Field and Record Editability Properties'. The wizard includes a section for 'Select Field Used for Automated Approval Routing' with a dropdown menu set to 'Manager' and a checkbox for 'Use Approver Field of Event Owner'. Below this is a 'Record Editability Properties' section with two radio button options: 'Administrators ONLY can edit records during the approval process.' (selected) and 'Administrators OR the currently assigned approver can edit records during the approval process.' Navigation buttons for 'Previous', 'Next', and 'Cancel' are visible at the bottom right of the wizard.

Step 1: Basic Settings

- **Name:** Event_Cancellation_Process
- **Unique Name:** Automatically generated.
- Click **Next**.

The screenshot shows the Salesforce Setup interface. On the left is a navigation menu with options like Data, Feature Settings, Process Automation, and Approval Processes. The main content area is titled 'Approval Processes' and shows 'Step 1 of 6: Enter Name and Description'. It includes a search bar, a 'Next' button, and a 'Cancel' button. The 'Enter Name and Description' section has fields for Process Name, Unique Name, and Description. The Process Name and Unique Name fields are both set to 'Event_Cancellation_Process'.

Entry Criteria

Select:

Criteria are met

Configure the condition:

- **Field:** Event → Event Status
- **Operator:** Equals
- **Value:** Pending Cancellation

Click **Next**.

The screenshot shows the Salesforce Setup interface for 'Step 2 of 6: Specify Entry Criteria'. It includes a search bar, a 'Previous' button, a 'Next' button, and a 'Cancel' button. The 'Specify Entry Criteria' section has a dropdown menu set to 'criteria are met'. Below this is a table with columns for Field, Operator, and Value. The first row is filled with 'Event: Event Status', 'equals', and 'Pending Cancellation'. There are four empty rows below it. To the right of the table are 'AND' and 'OR' buttons. At the bottom, there is a link to 'Add Filter Logic...'.

The approval can be assigned using either of the following methods.

Option 1: Specific User

Select:

- Automatically assign using user or queue
- Then choose the required manager or specific user.

Option 2: User's Manager

Select:

- Automatically assign to the manager of the user who submitted the record
- The relevant Salesforce users should have a Manager assigned in their User records.
- Click Next.

The screenshot shows the Salesforce Setup interface for configuring an approval process. The top navigation bar includes a search bar and various utility icons. The main content area is titled 'Approval Processes' and shows the 'New Approval Process' setup wizard. The current step is 'Step 3 of 6: Specify Approver Field and Record Editability Properties'. The page includes a 'Previous' button and a 'Next' button. The 'Select Field Used for Automated Approval Routing' section shows a dropdown menu with 'Manager' selected. Below this, there is a checkbox for 'Use Approver Field of Event Owner'. The 'Record Editability Properties' section has two radio button options: 'Administrators ONLY can edit records during the approval process.' (selected) and 'Administrators OR the currently assigned approver can edit records during the approval process.' At the bottom right, there are 'Previous', 'Next', and 'Cancel' buttons.

Step 2: Email Template

Approval Assignment Email Template:

- For the approval assignment notification, select:
- **Event Cancellation Request Notification**
- Click **Next**.

Step 3: Approval Page Layout Fields

Select the important Event fields that should be visible to the approver.

Recommended fields include:

- Event Name
- Owner
- Client
- Last Modified By
- Created By
- Event Budget
- Event Date
- Event Status
- Event Type
- Venue
- Move the required fields from the Available Fields section to Selected Fields.
- Use the arrow controls to arrange the fields in the desired order.
- Click **Next**.

Step 4: Specify Initial Submitters

Select: **Event Owner** as the Initial Submitter.

- Click **Save**.

Setup Home Object Manager

approval proce

Process Automation

Approval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type Search: Owner for Find

Available Submitters

Allowed Submitters

Event Owner

Add Remove

Step 5: Initial Submission Actions

After submission, configure an email notification.

1. Click **Add New**.
2. Select **Email Alert**.

Approval Processes

Event.: Event_Cancellation_Process

Back to Approval Process List

Process Definition Detail

Edit Clone Delete

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event.: Event Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitters	Event Owner		
Created By	Sushanth Sush	Modified By	Sushanth Sush

3. Enter:

- Description: Alert - Event Cancellation Request
- Unique Name: Automatically generated
- Object: Event__c
- Email Template: Event Cancellation Request Notification
- Recipient: Event Coordinator
- From Email Address: Current User's Email Address

4. Save the action.

Step 6: Final Approval Actions

Field Update

1. Click **Add New** → **Field Update**.
2. Select **Event Status** as the field.
3. Set the name as **Event Status Update**.
4. Set the new value to: **Canceled**
5. Save.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'Event Status' and shows the 'Custom Field Definition Edit' form. The 'Field Information' section includes fields for Field Label (Event Status), Field Name (Event_Status), Description, and Help Text. The 'Data Owner' is set to 'User', 'Field Usage' is 'Active', and 'Data Sensitivity Level' is 'None'. The 'Compliance Categorization' section shows 'Available' categories (PII, HIPAA) and a 'Chosen' category.

Email Alert

Create another Email Alert:

- **Description:** Alert - Cancellation Approved
- **Email Template:** Approval Notification to Event Owner
- **Recipient:** Event Owner
- **From Email Address:** Current User's Email

Save the action.

The screenshot shows the Salesforce Setup interface for 'Email Alerts'. The left sidebar contains a navigation menu with options like Data, Feature Settings, and Process Automation. The main content area is titled 'Email Alerts' and shows the configuration form. The 'Additional Emails' section has a text area for entering up to five email addresses. The 'From Email Address' section has a dropdown menu set to 'Current User's email address' and a checkbox to 'Make this address the default From email address for this object's email alerts'. The bottom of the form has 'Save', 'Save & New', and 'Cancel' buttons.

Step 8: Final Rejection Actions

Create an Email Alert:

- **Description:** Alert - Cancellation Rejected
- **Email Template:** Rejection Notification to Event Owner
- **Recipient:** Event Owner
- **From Email Address:** Current User's Email

Save the action.

Then configure a Field Update:

- **Field:** Event Status
- **Name:** Event Status To Rejected
- **New Value:** Rejected

Save the action.

Step 9: Approval Steps

1. Click **Add New Step**.
2. Enter the Step Name: **Manager Review**
3. Allow Salesforce to generate the Unique Name.
4. Click **Next**.

The screenshot shows the 'New Approval Step' configuration page in Salesforce. At the top, there's a 'SETUP' button and the title 'Approval Processes'. Below this, the page is titled 'New Approval Step' with a 'Help for this Page' link. The main section is 'Step 1. Enter Name and Description', which is 'Step 1 of 3'. It contains a text prompt: 'Enter a name, description, and step number for your new approval step.' Below this is a form titled 'Enter Name and Description' with a red exclamation mark icon and the text 'Required Information'. The form fields are: 'Approval Process Name' (pre-filled with 'Event_Cancellation_Process'), 'Name' (pre-filled with 'Manager Review'), 'Unique Name' (pre-filled with 'Manager_Review' and an info icon), 'Description' (empty), and 'Step Number' (pre-filled with '2'). At the bottom right of the form are 'Next' and 'Cancel' buttons.

5. Select: **All records should enter this step**

6. Click **Next**.

7. Assigned Approver

- Select the appropriate automatic approver configuration, such as:
- Automatically assign to approver(s)
- Then specify the required user or related user.
- Click Save.

Step 3. Select Assigned Approver

Step 3 of 3

Previous

Save

Cancel

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually.
 ☐ Automatically assign using the user field selected earlier. **(Manager)**
☐ Automatically assign to queue.
 ☒ Automatically assign to approver(s).

User

Michael Jackson

Add Row

Remove Row

When multiple approvers are selected:

☒ Approve or reject based on the **FIRST** response.
 ☐ Require **UNANIMOUS** approval from all selected approvers.

☐ The approver's delegate may also approve this request.

Step 10: Activate the Approval Process

1. Open **View Approval Process Detail Page**.
2. Review the complete configuration.
3. Click **Activate**.

The Event Cancellation Approval Process is now available for use.

SETUP

Approval Processes

Approval Processes

Event.: Event_Cancellation_Process

< Back to Approval Process List

Help for this Page

Process Definition Detail

Edit

Clone

Delete

Activate

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event. : Event Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitters	Event. Owner		
Created By	Sushanth Sush. 9/22/2025, 11:12 PM	Modified By	Sushanth Sush. 9/23/2025, 9:47 AM

Milestone 7 - Flows

A Salesforce Flow is a visual automation tool used to automate business processes, update records, perform actions, and guide users through predefined steps.

Flows can automate many tasks without requiring traditional programming.

Activity 1 : 3-Day Event Reminder Flow


Scenario:

When an Event is created or updated with the status **Confirmed**, and a valid Client with an email address is associated with it, Salesforce should automatically send an email reminder three days before the Event Date.


Step 1: Create a Record-Triggered Flow

1. Open **Setup**.

2. Search for **Flow** using Quick Find.
3. Select **Flows**.
4. Click **New Flow**.




5. Select **Record-Triggered Flow**.
6. Click **Create**.



Step 2: Configure the Trigger

1. Select the **Event** object.




2. Choose: **A record is created or updated**
3. Set the condition:
 - **Field:** Event Status
 - **Operator:** Equals
 - **Value:** Confirmed
4. Under optimization, select: **Actions and Related Records**
5. Click **Done**.

Step 3: Create the Scheduled Path

1. Select the **Start** element.
2. Click **Add Schedule Path**.

Create the Email Subject Resource

1. Open the **Toolbox**.
2. Select **New Resource**.
3. Choose **Text Template**



New Resource


* Resource Type

Select...

- Variable
Store a value that can be used and changed throughout the flow.
- Constant
Store a value that can be used but not changed throughout the flow.
- Formula
Calculate a value when the formula is used in the flow.
- Text Template**
Store text that can be used and changed throughout the flow.
- Stage
Identify different phases in the flow to track user progress.

4. Enter API Name: **Subject**
5. Enter: **Reminder: Your Event {!\$Record.Name} is in 3 days**
6. Select **View as Plain Text**.
7. Click **Done**.

Edit Text Template



* API Name ⓘ

Subject

Description

* Body ⓘ

Insert a resource... 🔍 View as Plain Text ▼

Reminder: Your Event {!\$Record.Name} is in 3 days

Cancel Done

Create the Email Body Resource

Create another Text Template.

API Name: Body

Use the following message:

Hello {!\$Record.Client__r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on
{!\$Record.Event_Date__c}.

Venue: {!\$Record.Venue__r.Name}

Type: {!\$Record.Event_Type__c}

We look forward to seeing you!

- EventForce Team

Select **View as Plain Text** and click **Done**.

Edit Text Template

* API Name ⓘ

Body

Description

* Body ⓘ

Insert a resource... 🔍

View as Plain Text ▼


Hello {!\$Record.Client__r.Name}
This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date__c}.
Venue: {!\$Record.Venue__r.Name}
Type: {!\$Record.Event_Type__c}
We look forward to seeing you!
- EventForce Team

Cancel

Done

Add Send Email Action

1. Under **3 Days Before**, click the + symbol.
2. Select **Action**.
3. Search for **Send Email**.



4. Select the Send Email action.
5. Enter the Label: **Alert_Client_3Day_Reminder**

The screenshot shows the 'Send Email' action configuration window. The title bar says 'Send Email'. There are three fields: '* Label' with the value 'Alert_Client_3Day_Reminder', '* API Name' with the value 'Alert_Client_3Day_Reminder', and 'Description' which is empty. There is an information icon next to the API Name field.

6. Set the Recipient Address List to the **Client Email**.
7. Set the CC Recipient Address List to the **Event Owner**.
8. Select **Compose Email Content**.
9. Set Subject to the **Subject** resource.
10. Set Body to the **Body** resource.
11. Save the action.
12. Set the Flow Label to: **Client Reminder - 3 Days Before**

Send Email

Configure Email Content

Compose Email Content
Set email details and compose message.

Use Email Template
Select an existing email template.

Subject

Body

Rich-Text-Formatted Body

Enter value or search resources...

13. Click **Save**.

14. Click **Activate**.

The system can now send the reminder automatically before the confirmed event.

Milestone 8 – Apex Classes

Activity1:


Scenario:

When an Event is associated with a Venue and becomes Confirmed, the Venue's availability should be changed to Reserved.

When the Event is Canceled, the Venue should become Available again.


Create Apex Class:

1. Open the **Gear icon**.
2. Select **Developer Console**.
3. Select **File** → **New** → **Apex Class**.



4. Enter the class name: **VenueStatusHelper**

5. Click **OK**.



6. Write your Apex Class Code

Apex Class

```
public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();

        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event__Status__c == 'Confirmed'){
                    venues.add(new Venue__c(
                        Id=ev.Venue__c,
                        Availability__Status__c='Reserved'
                    ));
                } else if(ev.Event__Status__c == 'Canceled'){
                    venues.add(new Venue__c(
                        Id=ev.Venue__c,
```


```

        Availability_Status__c='Available'
    ));
}
}
}

if(!venues.isEmpty())
    update venues;
}
}


```

7. Save the class using Ctrl + S.



Create the Trigger :

1. Open **Developer Console**.
2. Select **File** → **New** → **Apex Trigger**.
3. Enter the Trigger Name: **EventTrigger13**
4. Select **Event__c** as the Object.
5. Click **Submit**.




6. Write Apex trigger Code

Apex Trigger

```
trigger EventTrigger13 on Event__c (after insert, after update) {
    VenueStatusHelper.updateVenueStatus(Trigger.new);
}
```

7. Save the trigger using Ctrl + S.

This trigger invokes the helper class whenever Event records are inserted or updated.



Milestone 9 – Apex Trigger

Activity1:

Scenario: The application should not allow two different Events to use the same Venue on the same Event Date.

Create an Apex Trigger:

1. Open **Developer Console**.
2. Select **File** → **New** → **Apex Trigger**.
3. Enter the Trigger Name: **PreventDoubleBooking**
4. Select **Event__c** as the Object.
5. Click **Submit**.
6. Write Apex trigger Code

Source Code :

```
trigger PreventDoubleBooking on Event__c (before insert, before update) {
```

```
    Set<Id> venueIds = new Set<Id>();
```

```
    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null)
            venueIds.add(ev.Venue__c);
    }
```


```
    Map<Id, List<Event__c>> venueEventMap =
        new Map<Id, List<Event__c>>();
```

```
    for(Event__c e : [
        SELECT Id, Venue__c, Event_Date__c
        FROM Event__c
        WHERE Venue__c IN :venueIds
    ]){
        if(!venueEventMap.containsKey(e.Venue__c)){
            venueEventMap.put(
                e.Venue__c,
                new List<Event__c>()
            );
        }
```

```
        venueEventMap.get(e.Venue__c).add(e);
    }
```

```
    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null &&
            venueEventMap.containsKey(ev.Venue__c)){
```

7. Save the trigger using **Ctrl + S**.



Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: Past Events need to be automatically identified and their status should be changed to Completed. To perform this task efficiently, the application uses Batch Apex together with Scheduled Apex.

Step 1: Create Batch Apex Class:

1. Open the **Gear icon**.
2. Select **Developer Console**.
3. Choose **File** → **New** → **Apex Class**.
4. Enter: **BatchCompleteEvents**
5. Click **OK**.

Batch Apex Code

```
global class BatchCompleteEvents implements Database.Batchable<sObject> {

    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(
            'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c WHERE
            Event_Date__c < TODAY AND Event_Status__c != \'Completed\'
        ');
    }

    global void execute(
        Database.BatchableContext bc,
        List<Event__c> scope
    ){
        for(Event__c ev : scope){
            ev.Event_Status__c = 'Completed';
        }

        update scope;
    }

    global void finish(Database.BatchableContext bc){
        System.debug('Past events marked as Completed');
    }
}
```

6. Save the class using **Ctrl + S**.

Step 2: Create the Schedulable Apex Class

1. Open **Developer Console**.
2. Select **File** → **New** → **Apex Class**.
3. Enter: **ScheduleCompleteEvents**
4. Click **OK**.

Schedulable Apex Code

global class ScheduleCompleteEvents implements Schedulable {

```
    global void execute(SchedulableContext sc){
        Database.executeBatch(
            new BatchCompleteEvents(),
            200
        );
    }
}
```

5. Save the class using **Ctrl + S**.

Step 3: Schedule the Batch Apex

1. Open **Salesforce Setup**.
2. Search for **Apex Classes** or **Scheduled Jobs** in Quick Find.
3. Select the scheduling option available in the Salesforce Developer Edition.

Apex Classes

Apex Code is an object oriented programming language that allows developers to develop on-demand business applications on the Lightning Platform.

Percent of Apex Used: 0.04%
You are currently using 2,585 characters of Apex Code (excluding comments and @isTest annotated classes) in your organization, out of an allowed limit of 6,000,000 characters. Note that the amount in use includes both Apex Classes and Triggers defined in your organization.

Estimate your organization's code coverage | Compile all classes | View: All | Create New View

Action	Name	Namespace Prefix	Api Version	Status	Size Without Comments	Last Modified By	Has Trace Flags
Developer Console	BatchCompleteEvents		67.0	Active	651	Akalya.S. 9/30/2026, 9:58 AM	☐
Security	DeveloperEditionUtils	devedapp	64.0	Active	164	OrgFarm.EPIC. 9/23/2026, 1:10 AM	☐
Security	DeveloperEditionUtilsTest	devedapp	64.0	Active	261	OrgFarm.EPIC. 9/23/2026, 1:10 AM	☐
Security	PostInstallScript	devedapp	64.0	Active	2,175	OrgFarm.EPIC. 9/23/2026, 1:10 AM	☐
Security	PostInstallScriptTest	devedapp	64.0	Active	781	OrgFarm.EPIC. 9/23/2026, 1:10 AM	☐
Developer Console	ScheduleCompleteEvents		67.0	Active	180	Akalya.S. 9/30/2026, 9:59 AM	☐

4. Select the **ScheduleCompleteEvents** class.
5. Configure the required schedule.
6. Set the preferred execution time.
7. Save the schedule.

The screenshot shows the 'Apex Classes' setup page in Salesforce. At the top, there's a 'SETUP' header with a gear icon and the text 'Apex Classes'. Below this, there are 'Save' and 'Cancel' buttons. The 'Job Name' field is set to 'Daily Event Completion' and the 'Apex Class' field is set to 'ScheduleCompleteEvents'. Under 'Schedule Using', the 'Schedule Builder' radio button is selected, while 'Cron Expression' is unselected. The 'Schedule Apex Execution' section shows 'Frequency' set to 'Weekly' (with 'Monthly' as an option). A dropdown menu for 'Recurs every week on' is open, showing all days of the week (Sunday through Saturday) with checkboxes, all of which are checked. Below this, the 'Start' and 'End' dates are both set to '9/26/2025'. The 'Preferred Start Time' is set to '8:00 PM'. A small note at the bottom states 'Exact start time will depend on job queue activity.'

Once scheduled, Salesforce automatically executes the scheduled class according to the configured timing. The scheduled class then starts the batch process, which identifies past events and changes their status to **Completed**

Phase 3: UI/UX Development & Customization

The UI/UX Development and Customization phase is aimed at designing an easy-to-use and organized interface for the EventForce Management System. A customized **Lightning App** was created in Salesforce to bring important modules such as **Events, Clients, Vendors, Venues, and Feedback** together in one workspace. Reports and dashboards were also configured to provide visual insights into event schedules, vendor activities, and client feedback. The **Upcoming Events by Month** report supports event analysis, while the **EventForce Operations Dashboard** presents important operational information in a visual format. This phase provides users with a responsive, organized, and data-oriented interface for efficiently managing event activities through Salesforce Lightning.

Milestone 11 - The Lightning App:

What is an App ?

A Salesforce App is a collection of related tabs grouped together to provide users with access to specific application functions. Each app can have its own name, logo, and navigation items.

Activity 1: Creating a Lightning App

Create an application named Event Planner Management System

1. Open **Setup** and search for **App Manager** in the Quick Find box.
2. Select **App Manager**.
3. Click **New Lightning App**.
4. Enter **Event Planner** as the App Name.
5. Upload an appropriate image for the application.
6. Click **Next**.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

* App Name ⓘ

* Developer Name ⓘ

Description ⓘ

App Branding

Image ⓘ

[Clear](#)

Primary Color Hex Value ⓘ

Org Theme Options
☐ Use the app's image and color instead of the org's custom theme.

[Next](#)

7. In **App Options**, retain the default settings and select **Next**.
8. In **Utility Items**, keep the existing configuration and click **Next**.
9. From **Available Items**, select:
 - Event
 - Client
 - Vendor
 - Venue
 - Feedback
 - Reports
 - Dashboards
10. Move the selected items to **Selected Items**.
11. Click **Next**.

New Lightning App

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items


- Accounts
- ACME LOCATIONS
- Activation Targets
- Activations
- All Sites
- Alternative Payment Methods

Selected Items

- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

[Next](#)

12. Under **Available Profiles**, select **System Administrator**.
13. Move it to **Selected Profiles**.
14. Click **Save & Finish**.



Verification

Open the **App Launcher**, search for **Event Planner**, and select the application to confirm that it has been created successfully.

Important Interface Components

- **App Launcher:** Provides access to available Salesforce applications.
- **App Name:** Shows the application that is currently open.
- **Navigation Menu:** Displays the tabs included within the selected application.

Milestone 12 : Reports


Activity 1: Create a Report folder

1. Open the **App Launcher** and search for **Reports**.
2. Open the **Reports** tab.
3. Click **New Folder**.
4. Enter **EventForce Report** as the folder label.
5. Salesforce automatically generates the folder's unique name.
6. Click **Save**.

Activity 2: Sharing a Report folder

1. Open the Event Planner application.
2. Navigate to the **Reports** tab.
3. Open **All Folders**.
4. Locate the **EventForce Report** folder.
5. Click the drop-down arrow beside the folder.

6. Select **Share**.
7. Choose **Roles** as the sharing option.
8. Search for and select:
 - Event Coordinator
 - Vendor Manager
9. Provide **View** access to the selected roles.
10. Click **Share** and then select **Done**.



Activity 3: Create Report

Prerequisite

Before preparing reports, create at least 10 records for each object. Filling all available fields in the records provides better data for testing and analysis.

Report 1 : Upcoming Events — Summary by Month Use:

Procedure

1. Open the **App Launcher**.
2. Select the **Reports** tab.
3. Click **New Report**.
4. Under Category, select **All**.
5. Search for **Events** or **Events with Client & Venue**.
6. Select the required report type.
7. Click **Start Report**.

Configure Columns

Add the following fields:

- Event Name
- Event Date
- Event Type
- Client Name
- Venue Name
- Event Budget

Remove fields that are not required.

Enable **Update Preview Automatically**.

Configure Filters

Under **Filters**, set:

- **Show Me:** All Events
- **Event Date:** Greater than or equal to TODAY or Next 30 Days
- **Event Status:** Not equal to Canceled

Group the Records

Under **Group Rows**:

1. Select **Event Date**.
2. Open the date grouping option.
3. Choose **Group by Calendar Month**.

Add Summary Information

Select **Add Summary** and configure:

- Row Count
- Event Budget → **SUM**


This allows the report to display the total number of events and the combined event budget for each month.

Add a Chart

1. Click **Add Chart**.
2. Choose either **Column** or **Line** chart.
3. Set the X-axis to **Event Date – Calendar Month**.
4. Set the Y-axis to either:
 - Row Count, or
 - SUM(Event Budget)

Save the Report

1. Click **Save**.
2. Enter the report name as **Upcoming Events by Month**.
3. Allow Salesforce to generate the Report Unique Name.
4. Select the **EventForce Reports** folder.
5. Click **Save**.
6. Select **Run** to view the report.



Report: Events
Upcoming Events by Month

Event List

Event Date	Event Budget	Event Type	Event: Event	Client	Venue
November 2026 (3)	\$10,000.00	Birthday	Birthday Party	-	-
	\$30,000.00	Corporate	Annual Meeting	-	-
	\$60,000.00	Festival	Music Festival	-	-
Subtotal	\$100,000.00				
October 2026 (5)	\$50,000.00	Wedding	Wedding Celebration	Gin	Hotel
	\$30,000.00	Corporate	Tech Conference	John	Hotel
	\$10,000.00	Birthday	Birthday Party	Rangrang	beach
	\$50,000.00	Wedding	Wedding Celebration	-	-
	\$30,000.00	Corporate	Corporate Meetup	-	-
Subtotal	\$170,000.00				
September 2026 (1)	\$40,000.00	Concert	Music Festival	Sunjay	Road
Subtotal	\$40,000.00				
Total (9)	\$310,000.00				

Milestone 13 - Dashboards


Activity 1: - Create Dashboard

Create EventForce Dashboard

Create a dashboard named **EventForce Operations Dashboard**.

1. Open the **Dashboards** tab from the EventForce Management System application.
2. Click **New Dashboard**.
3. Enter **EventForce Operations Dashboard** as the dashboard name.
4. Click **Create**.

5. Select **+ Widget**.
6. Choose the **Upcoming Events by Month** report.
7. Configure the widget:
 - **Chart Type:** Donut Chart
 - **Maximum Values Displayed:** 6
 - **Subtitle:** Upcoming Events Overview
 - **Widget Theme:** Light
8. Click **Save**.



The dashboard now provides a visual representation of upcoming event information.

Phase 4 : Data Migration, Testing & Security

This phase prepares the EventForce system for reliable and secure operation. It involves importing validated information, creating user accounts, configuring access permissions, and testing the system. Records belonging to Events, Clients, Vendors, Venues, and Feedback are imported into Salesforce using the Data Import Wizard. Before importing, the information is checked to reduce duplicate records and maintain data consistency. Separate user accounts are created for Event Admin, Event Coordinator, Vendor Manager, and Client. Each user is assigned suitable profiles and roles according to their responsibilities. Security is implemented using Profiles, Role Hierarchy, Permission Sets, and Sharing Rules. The Organization-Wide Defaults (OWD) are configured as Private so that record access can be granted selectively through appropriate sharing rules such as Event_Sharing_For_Vendors. Testing is performed to verify data accuracy, automation behavior, and user access. As a result, the system is prepared to operate as a secure, dependable, and functional event-management platform.

Milestone 14- Profile:

What is a profile?

A Salesforce Profile is a collection of permissions and settings that determines the actions a user can perform within Salesforce.

A profile can control:

- Object permissions
- Field-level permissions
- User permissions
- Tab visibility
- App access
- Apex class access
- Visualforce page access
- Page layouts
- Record types
- Login hours
- Login IP ranges

A single profile can be assigned to multiple users, while each individual user can have only one profile at a time.

Activity 1:

Create a custom profile:

1. Open **Setup**.
2. Search for **Profiles** using Quick Find.
3. Select **Profiles**.

Why use System Administrator as Base?


The System Administrator profile already contains extensive permissions, including Modify All Data, Customize Application, and complete CRUD access to objects.

Using it as a base allows an Event Admin profile to begin with broad administrative access. Permissions can then be reduced when specific restrictions are required.

Activity 2:

Create a Custom profile:

1. Open **Setup** and search for **Profiles**.
2. Select **New Profile**.
3. Choose **Standard Platform User** as the existing profile.
4. Enter **Event Coordinator** as the Profile Name.
5. Click **Save**.
6. Open the profile and select **Edit**.



7. Set the **Event Planner** custom app as the default application.

Custom App Settings					
	Visible	Default		Visible	Default
Analytics Studio (standard__Insights)	☐	☐	Platform (standard__Platform)	☒	☐
App Launcher (standard__AppLauncher)	☐	☐	WDC (standard__Work)	☐	☐
Event Planner (Event_Planner)	☒	☒			

8. Custom Object Permissions

Configure access as follows:

Object	Access
Event	Create, Read, Edit, Delete
Client	Read, Edit
Vendor	Read
Venue	Read
Feedback	Create, Read

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☒	☐	☒	☐	☐	☐	☐		
Events	☒	☒	☒	☒	☐	☐	☐		
Event Vendors	☐	☐	☐	☐	☐	☐	☐		
Feedbacks	☒	☒	☐	☐	☐	☐	☐		
Vendors	☒	☐	☐	☐	☐	☐	☐		
Venues	☒	☐	☐	☐	☐	☐	☐		

9. Set the session timeout to **2 hours of inactivity**.

10. Configure the password policy.
11. Set password expiration to **Never Expires**.
12. Set the minimum password length to **8 characters**.
13. Save the changes.

The screenshot shows a configuration window titled "Session Settings". At the top, there are two settings: "Session Times Out After" set to "2 hours of inactivity" and "Session Security Level Required at Login" set to "--None--". Below this is a section titled "Password Policies" with the following settings:

- User passwords expire in: Never expires
- Enforce password history: 3 passwords remembered
- Minimum password length: 8
- Password complexity requirement: Must include alpha and numeric characters
- Password question requirement: Cannot contain password
- Maximum invalid login attempts: 10
- Lockout effective period: 15 minutes
- Obscure secret answer for password resets: ☐
- Require a minimum 1 day password lifetime: ☐
- Don't immediately expire links in forgot password emails: ☐

At the bottom of the window are three buttons: "Save", "Save & New", and "Cancel".

Activity 3:

1. Open **Setup** → **Profiles**.
2. Click **New Profile**.
3. Select **Standard Platform User** as the base profile.
4. Enter **Vendor Manager** as the Profile Name.
5. Click **Save**.
6. Select **Edit**.
7. Set **Event Planner** as the default custom application.
8. Object Permissions

Object	Access
Vendor	Create, Read, Edit, Delete
Event	Read
Venue	Read
Client	Read
Feedback	Read

9. Set the session timeout to **2 hours of inactivity**.
10. Configure the password settings.
11. Set password expiration to **Never Expires**.
12. Set minimum password length to **8 characters**.
13. Save the configuration.

Activity 4:

1. Navigate to **Setup** → **Profiles**.
2. Select **New Profile**.
3. Choose **Standard Platform User** as the base profile.
4. Enter **Client Profile** as the Profile Name.
5. Click **Save**.
6. Select **Edit**.
7. Make **Event Planner** the default application.

Object Permissions

Object	Access
Event	Read – Own Events
Feedback	Create, Read
Vendor	No Access
Venue	No Access

8. Set the session timeout to **2 hours of inactivity**.

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☐	☐	☐	☐	☐	☐	☐		
Events	☒	☐	☐	☐	☐	☐	☐		
Event Vendors	☐	☐	☐	☐	☐	☐	☐		

	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields		
Feedbacks	☒	☒	☐	☐	☐	☐	☐		
Vendors	☐	☐	☐	☐	☐	☐	☐		
Venues	☐	☐	☐	☐	☐	☐	☐		

9. Configure the password settings.
10. Set password expiration to **Never Expires**.
11. Set minimum password length to **8 characters**.
12. Save the changes.

Milestone 15 - Role:

Roles in Salesforce help establish the organizational reporting structure and determine how record access can be extended through the role hierarchy. Users positioned higher in the hierarchy may receive access to records owned by users below them, depending on the organization's sharing configuration.

Activity 1: Creation of Event Admin Role

1. Open **Setup**.
2. Search for **Roles** in the Quick Find box.
3. Select **Roles**.

4. Choose Set Up Roles.

The screenshot shows the Salesforce Setup interface. On the left, the 'Setup' menu is open, and 'Roles' is selected under 'Users'. The main content area is titled 'Roles' and 'Understanding Roles'. It explains that roles control how users report on and access data. A 'Sample Role Hierarchy' is shown, which is 'Territory-based Sample'. The hierarchy starts with 'Executive Staff' (CEO, President, CFO, VP, Sales). Below this are three sales directors: 'Western Sales Director', 'Eastern Sales Director', and 'International Sales Director'. Each director has associated sales representatives (e.g., 'CA Sales Rep', 'NY Sales Rep', 'Asian Sales Rep'). To the right of the diagram, there are notes about permissions, such as 'View & edit data, roll up forecasts, & generate reports for all users below' and 'Can't access data of other Executive Staff'. At the bottom right, there is a 'Set Up Roles' button and a checkbox 'Don't show this page again'.

5. Click **Expand All**.


6. Under the **CEO** role, select **Add Role**.

The screenshot shows the Salesforce Setup interface. On the left, the 'Setup' menu is open, and 'Roles' is selected under 'Users'. The main content area is titled 'Roles' and 'Creating the Role Hierarchy'. It explains that you can build on the existing role hierarchy shown on this page. A 'Your Organization's Role Hierarchy' is shown in a tree view. The hierarchy starts with 'VIVEKANANDHA COLLEGE OF TECHNOLOGY FOR WOMEN'. Below this are several roles, including 'CEO', 'CFO', 'COO', 'SVP, Customer Service & Support', 'Customer Support, International', 'Customer Support, North America', 'Installation & Repair Services', and 'SVP, Human Resources'. Each role has an 'Add Role' button next to it. At the bottom right, there is a 'Show in tree view' button.

7. Enter **Event Admin** as the Role Label.

8. Salesforce automatically generates the Role Name.

9. Click **Save**.



Activity 2: Creating other Role Under Event Admin Role

1. Create another role under **Event Admin**.
2. Select **Add Role** below Event Admin.
3. Enter **Event Coordinator** as the label.
4. Allow Salesforce to generate the Role Name.
5. Click **Save**.

Activity 3: Creating other Role Under Event Admin Role

1. Add another role beneath **Event Admin**.
2. Enter **Vendor Manager** as the Role Label.
3. The Role Name will be generated automatically.
4. Click **Save**.

Activity 4: Creating other Role Under Event Admin Role

1. Create another role under **Event Admin**.
2. Enter **Client** as the Role Label.
3. Allow Salesforce to populate the Role Name.
4. Click **Save**.

The role structure therefore contains:

Event Admin

- Event Coordinator
- Vendor Manager
- Client

Milestone 16 -User:

What is a user?

A Salesforce User is an individual who has an account and can log in to the Salesforce organization. Users may represent employees, administrators, managers, coordinators, or other people who need access to Salesforce records. Their account settings, license, profile, and role determine the features and information available to them.

NOTE :


Salesforce Developer Edition has limitations on the number of users that can use certain licenses. If a required Salesforce license is unavailable, an existing user may need to be deactivated or assigned a different license where appropriate.

Activity 1: To Create a User :

1. Open **Setup**.
2. Search for **Users** in Quick Find.
3. Select **Users**.
4. Click **New User**.
5. Enter the required information:

Field	Value
First Name	Sizzler
Last Name	Jaligam
Alias	Suitable Alias
Email	Personal Email
Username	Unique username in text@text.text format
Nickname	Suitable Nickname
Role	Event Admin
User License	Salesforce
Profile	Event Admin

6. Click **Save**.



Developer Edition

Search Setup

Setup Home Object Manager

Search users

Users

Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
Roles
User Management Settings
Users
Feature Settings
Data.com
Prospector Users

Didn't find what you're looking for? Try using Global Search.

SETUP Users

New User [Help for this Page](#)

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

User Edit Cancel Save Save & New


General Information ⓘ Required Information

First Name	AKSHAYA	Role	Client
Last Name	S	User License	Salesforce Platform
Alias	aksh	Profile	Client Profile
Email	itsmeakshaya2006@gmail.com	Active	☒
Username	itsmeakshayaadmin@event	Marketing User	☐
Nickname	aksh	Offline User	☐
Title		Knowledge User	☐
Company		Flow User	☐
Department		Service Cloud User	☐
Division		Site.com Contributor User	☐
		Site.com Publisher User	☐
		WDC User	☐

Activity 2: Creating Other Users

Repeat the same process to create users for:

- **Event Coordinator**
- **Vendor Manager**
- **Client**



Setup Home Object Manager

Search Setup

Search users

Users

Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
Roles
User Management Settings
Users
Feature Settings
Data.com
Prospector Users

Didn't find what you're looking for? Try using Global Search.

SETUP Users

User Edit [Help for this Page](#)

Akalya S

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

User Edit Cancel Save Save & New

General Information ⓘ Required Information

First Name	Akalya	Role	<None Specified>
Last Name	S	User License	Salesforce
Alias	aka	Profile	System Administrator
Email	akalyasenthikumar06@gmail.com	Active	☒
Username	akalyasenthikumar06.614e	Marketing User	☐
Nickname	User179074668054325239	Offline User	☐
Title		Knowledge User	☒
Company	VIVEKANANDHA COLLEGE	Flow User	☐
Department		Service Cloud User	☐
Division		Site.com Contributor User	☐
		Site.com Publisher User	☐
		WDC User	☐

Use the corresponding roles and profiles.

The required license can be assigned according to the available Salesforce licenses in the organization.

Milestone 17 : Permission Set

A Permission Set is a group of additional permissions that can be assigned to users without modifying their existing profile. It allows administrators to provide extra access to specific features or objects when required.

Activity 1: Creating New Permission Set

1. Open **Setup**.
2. Search for **Permission Sets**.
3. Select **Permission Sets**.
4. Click **New**.
5. Enter **Feedback Manager** as the Label.
6. Click **Save**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains the navigation menu with 'Setup' at the top, followed by 'Home' and 'Object Manager'. Under 'ADMINISTRATION', there is a 'Users' section with 'Permission Set Groups' and 'Permission Sets' listed. 'Permission Sets' is currently selected. The main content area is titled 'Permission Set Create' and contains the following fields:

- Label:** Feedback Manager
- API Name:** Feedback_Manager
- Description:** (empty)
- Session Activation Required:** ☐

Below these fields is a section titled 'Select the type of users who will use this permission set'. It includes the following text:

Who will use this permission set?

- Choose "--None--" if you plan to assign this permission set to multiple users with different user and permission set licenses.
- Choose a specific user license if you want users with only one license type to use this permission set.
- Choose a specific permission set license if you want this permission set license auto-assigned with the permission set.

Not sure what a permission set license is? [Learn more here.](#)

License: --None--

Configure Permissions

1. Open the newly created **Feedback Manager** permission set.
2. Navigate to **Object Settings**.
3. Search for the **Feedback** object.
4. Click **Edit**.
5. Under Object Permissions, enable:
 - Read
 - Edit
 - Create
 - Delete
6. Click **Save**.

Setup Home Object Manager

per

Hyperforce Assistant

Users

Permission Set Groups

Permission Sets

Apps

Mobile Apps

Salesforce

Mobile Builder for the Seller-Focused Experience

Feature Settings

Digital Experiences

Salesforce CMS

Settings

Functions

Headless Experience Layer

Settings

SETUP **Permission Sets**

Feedbacks Save Cancel

Tab Settings

Available	Visible
☐	☐ 1

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Client	Client__c	☐	☐
Comments	Comments__c	☐	☐
Created By	CreatedBy	☐	☐

7. Select **Manage Assignments**.

SETUP **Permission Sets**

Permission Set
Feedback Manager

Find Settings... X

Clone Delete Edit Properties **Manage Assignments** View Summary

8. Click **Add Assignment**.

Feedback Manager

Current Assignments

Add Assignment

9. Select the appropriate **Event Coordinator** user.

10. Click **Next**.

11. Click **Assign**.

The selected user now receives the additional Feedback permissions.

Milestone 18 : Sharing Settings

Salesforce Sharing Settings determine how records are made available to users within an organization. They are important for protecting sensitive information and ensuring that users receive only the access required for their responsibilities.

Salesforce provides several mechanisms for controlling record access, including:

- Organization-Wide Defaults
- Role Hierarchy
- Sharing Rules
- Manual Sharing
- Apex Sharing

Organization-Wide Default (OWD) Settings:

What is OWD?

Organization-Wide Defaults establish the basic record-level access available to users across the Salesforce organization.

They define the starting access level for records. Additional mechanisms such as Role Hierarchy and Sharing Rules can then be used to extend access when necessary.

OWD Options

1. Private

Only the record owner and users who receive access through the role hierarchy or other sharing mechanisms can access the record.

2. Public Read Only

All users can view the records, while editing is restricted to owners and users with appropriate access.

3. Public Read/Write

Users can both view and modify records, subject to other Salesforce security controls.

4. Controlled by Parent

The access to a child record is determined by the sharing access of its related parent record.

Correct OWD configuration helps administrators protect organizational data while still allowing appropriate collaboration.

Activity 1: Configure OWD

1. Open **Setup**.
2. Search for **Sharing Settings**.
3. Open **Sharing Settings**.
4. Click **Edit**.

Salesforce

Setup Home Object Manager

sharing

Security

Guest User Sharing Rule Access Report

Sharing Settings

Didn't find what you're looking for? Try using Global Search.

SETUP

Sharing Settings

This page displays your organization's sharing settings. These settings specify the level of access your users have to each others' data. Go to [Background Jobs](#) to monitor the progress of a change to an organization-wide default or a parallel sharing recalculation.

Manage sharing settings for: All Objects

Disable External Sharing Model

Default Sharing Settings

Organization-Wide Defaults

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	✓
Account and Contract	Public Read/Write	Private	✓
Contact	Controlled by Parent	Controlled by Parent	✓
Order	Controlled by Parent	Controlled by Parent	✓
Asset	Controlled by Parent	Controlled by Parent	✓
Opportunity	Public Read/Write	Private	✓
Case	Public Read/Write/Transfer	Private	✓
Campaign	Public Full Access	Private	✓
Campaign Member	Controlled by Campaign	Controlled by Campaign	✓
User	Public Read Only	Private	✓
Activity	Private	Private	✓

5. Locate the **Event** object under Organization-Wide Defaults.
6. Change **Default Internal Access** to **Private**.
7. Change **Default External Access** to **Private**.
8. Click **Save**.

SETUP

Sharing Settings

Tableau Host Mapping	Public Read Only	Private	✓
User Presence	Public Read Only	Private	✓
Waitlist	Private	Private	✓
Web Cart Document	Private	Private	✓
Work Order	Private	Private	✓
Work Plan	Private	Private	✓
Work Plan Template	Private	Private	✓
Work Step Template	Private	Private	✓
Work Type	Private	Private	✓
Work Type Group	Public Read/Write	Private	✓
ACME LOCATION	Public Read/Write	Private	✓
Client	Public Read/Write	Private	✓
Event	Private	Private	✓
Feedback	Public Read/Write	Private	✓
Vendor	Public Read/Write	Private	✓
Venue	Public Read/Write	Private	✓

Other Settings

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐ Secure guest user record access ☒ Require permission to view record names in lookup fields ☐

Save Cancel

Sharing Rules:

What are Sharing Rules?

Sharing Rules are used to provide additional record access to selected users or groups based on ownership or specific criteria. They are generally useful when the OWD setting is **Private** or **Public Read Only**, because sharing rules can extend access but cannot be used to reduce the access already provided by OWD.


Main Types of Sharing Rules

- Owner-Based Sharing Rules
- Criteria-Based Sharing Rules

Activity 1:

Create a sharing rule:

1. Open **Setup**.
2. Search for **Sharing Settings**.
3. Locate the **Event** object.
4. Under Sharing Rules, click **New**.



5. Enter the label: **Event_Sharing_For_Vendors**
6. Salesforce automatically creates the Rule Name.
7. Under the records to be shared, select:
 - **Roles**
 - **Event Coordinator**
8. Under **Share With**, select:
 - **Roles**
 - **Vendor Manager**
9. Set the access level to **Read Only**.
10. Click **Save**.

The screenshot displays the Salesforce Setup interface for configuring a sharing rule. The left sidebar shows the navigation menu with 'Sharing Settings' selected. The main content area is titled 'Sharing Settings' and contains a multi-step configuration form. The steps are: Step 1: Rule Name (Label: Event_Sharing_For_Vendor, Rule Name: Event_Sharing_For_Vendor, Description:), Step 2: Select your rule type (Based on record owner, Based on criteria), Step 3: Select which records to be shared (Event owned by members of Roles, Event Coordinator), Step 4: Select the users to share with (Share with Roles, Vendor Manager), and Step 5: Select the level of access for the users (Access Level Read Only). The form includes 'Save' and 'Cancel' buttons at the bottom.

7. FUNCTIONAL & PERFORMANCE TESTING

Testing was carried out to confirm that the major EventForce features operated correctly. Salesforce screens and test results were used to verify important functions such as record creation, client and vendor assignments, validation rules, event status updates, batch processing, scheduled reminders, and dashboard reporting. The testing process checked whether automation worked as expected, whether records were processed correctly, and whether users received the appropriate level of access.

8. ADVANTAGES & DISADVANTAGES

Advantages

- **Centralized Information**
Event, Client, Vendor, Venue, Feedback, and EventVendor information is maintained within one Salesforce platform.
- **Automated Processes**
Salesforce Flows automate reminders and other repetitive operations, reducing the need for manual work.
- **Double-Booking Prevention**
Apex Triggers and the VenueStatusHelper class help identify venue conflicts and maintain venue availability.
- **Structured Cancellation Handling**

The Approval Process provides a defined procedure for submitting and processing event cancellation requests.

- **Better Operational Monitoring**

Reports and Dashboards make event schedules, vendor activities, and feedback information easier to monitor.

- **Controlled Data Access**

Profiles, Roles, Permission Sets, OWD, and Sharing Rules help regulate access to Salesforce records.

- **Future Scalability**

The Salesforce platform can be extended as the number of events, users, and business requirements increases.

- **Improved Data Accuracy**

Validation Rules and data checks performed before migration help maintain consistent and reliable information.

Disadvantages

- **Developer Edition Constraints**

The application was developed using Salesforce Developer Edition for academic purposes and was not connected to a live production environment.

- **No Production Deployment**

Moving the completed solution into a production Salesforce organization was outside the scope of this project.

- **Additional Deployment Requirements**

Real-world deployment may require tools and environments such as Sandboxes, Change Sets, Salesforce DX, or DevOps and CI/CD solutions.

- **Technical Configuration Complexity**

Managing Apex, Flows, Approval Processes, and Salesforce security settings requires suitable technical knowledge.

- **Continuous Maintenance**

Automation, Apex jobs, approval processes, validation rules, and sharing configurations require periodic monitoring and maintenance.

9. Conclusion:

The EventForce Management System demonstrates the use of Salesforce to organize, automate, and simplify event-management activities. The solution brings Events, Clients, Vendors, Venues, Feedback, and EventVendor information into a centralized Salesforce environment. The project combines Lightning Apps, Flows, Validation Rules, Formula Fields, Approval Processes, Apex Triggers, Apex Classes, Batch Apex, Scheduled Apex, security controls, Reports, and Dashboards to satisfy major event-management requirements. Automation supports important activities such as event reminders, cancellation approvals, venue availability updates, prevention of duplicate

bookings, and automatic completion of past events. The implementation also highlights the importance of data migration, testing, security, documentation, and maintenance in Salesforce-based solutions. Although the system was developed and tested in a Developer Edition organization and was not deployed to production, it demonstrates practical Salesforce implementation concepts and provides a foundation for future improvements and expansion.

10. FUTURE SCOPE

The EventForce Management System can be expanded with additional capabilities to support larger event operations and provide improved automation and integration.

- **Production Deployment**
The solution can be moved from the development environment to a production Salesforce organization using suitable deployment methods.
- **Advanced Event Automation**
Additional automated processes can be introduced to simplify more event-planning and operational tasks.
- **Enhanced Vendor Management**
Vendor tracking can be expanded with additional features for evaluating services, performance, and vendor activities.
- **Advanced Analytics**
More reports and dashboards can be created to provide deeper insights into events, venues, vendors, budgets, and client feedback.
- **External Integrations**
The application can be connected with external applications and services required for real-world event operations.
- **Mobile Accessibility**
The system can be optimized for easier access and event management through mobile devices.
- **Scalability Improvements**
The application can be extended to handle larger numbers of events, clients, vendors, venues, and users.
- **Continuous Maintenance and Optimization**
Flows, Apex code, validation rules, sharing configurations, and other Salesforce components can be regularly reviewed and improved as requirements change.

These enhancements can gradually develop the current EventForce solution into a more comprehensive and enterprise-oriented event management CRM platform.

11. APPENDIX

A. Custom Objects

- Event
- Client

- Vendor
- Venue
- EventVendor
- Feedback

B. Automation

- Flows
- Validation Rules
- Approval Process
- Apex Triggers
- Apex Classes

C. Processing

- Batch Apex
- Scheduled Apex
- D. Security
- Profiles
- Roles
- Permission Sets
- Organization-Wide Defaults
- Sharing Rules

E. Data Migration

- Salesforce Data Import Wizard

F. UI & Analytics

- Lightning App
- Reports
- Dashboards

G. Testing & Documentation

- Configuration Testing
- Security Testing
- Automation Testing
- Project Documentation

Thank You

