

Ex=2 DML Commands – INSERT, SELECT, UPDATE, DELETE

Create a table Bank with the fields S_No , Cust_Name, Acc_No,Balance, cus_Branch. Insert five rows into the table. Give a select statement using Simple Select * for selecting all fields in the table. Then Update the Cus_Branch in the second row as Pondicherry. SELECT with various clause.

```
mysql> desc details;
+----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+----+-----+-----+-----+-----+
| S_No | int | YES | | NULL | |
| Cust_Name | varchar(20) | YES | | NULL | |
| Acc_No | int | YES | | NULL | |
| Balance | float | YES | | NULL | |
| Cus_Branch | varchar(10) | YES | | NULL | |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> update details
-> set Acc_No=1001101200
-> where S_No=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql>
```

```
mysql> desc details;
+----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+----+-----+-----+-----+-----+
| S_No | int | YES | | NULL | |
| Cust_Name | varchar(20) | YES | | NULL | |
| Acc_No | int | YES | | NULL | |
| Balance | float | YES | | NULL | |
| Cus_Branch | varchar(10) | YES | | NULL | |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> update details
-> set Acc_No=1001101200
-> where S_No=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql>
```

```
mysql> desc details;
+----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+----+-----+-----+-----+-----+
| S_No | int | YES | | NULL | |
| Cust_Name | varchar(20) | YES | | NULL | |
| Acc_No | int | YES | | NULL | |
| Balance | float | YES | | NULL | |
| Cus_Branch | varchar(10) | YES | | NULL | |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql> update details
-> set Acc_No=1001101200
-> where S_No=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from details;
+----+-----+-----+-----+-----+
| S_No | Cust_Name | Acc_No | Balance | Cus_Branch |
+----+-----+-----+-----+-----+
| 1 | dhanasekar | 1001101200 | 10000 | ktm |
| 2 | shan | 1001101200 | 10000 | Chennai |
| 3 | nary | 1111111200 | 5000 | Trichy |
+----+-----+-----+-----+-----+

3 rows in set (0.00 sec)

mysql>
```