511. Game Play Analysis I

Easy | Topics | Companies

SQL Schema > Pandas Schema >

Table: `Activity`

```
+--------------+---------+
| Column Name  | Type    |
+--------------+---------+
| player_id    | int     |
| device_id    | int     |
| event_date   | date    |
| games_played | int     |
+--------------+---------+
(player_id, event_date) is the primary key (combination of columns with unique values) of this table.
This table shows the activity of players of some games.
Each row is a record of a player who logged in and played a number of games (possibly 0) before logging out on someday
using some device.
```

Write a solution to find the **first login date** for each player.

Return the result table in **any order.**

The result format is in the following example.

Example 1:

Input:

Activity table:

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

Output:

player_id	first_login
1	2016-03-01
2	2017-06-25
3	2016-03-02

Day-7 / 4-11-26

Leetcode 511 - Game Play Analysis I.

Find the 1st login date for each player.

We have an Activity table:

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

We need to find: → every unique player
→ the earliest date on which each player logged in.
→ return the date as first_login.

Sql concepts

MIN() → returns the smallest value in a column.
For dates, MIN() gives the earliest date.
example:

```
SELECT MIN(event_date)
FROM Activity;
```

GROUP BY → groups rows having the same player ID together.
example GROUP BY player_id;

think about the logic,
for player1 : 2016-03-01 2016-05-02.
the earliest date is 2016-03-01.

for player3 : 2016-03-02 2018-07-03
the earliest date is 2016-03-02.

So, we need MIN() combined with GROUP BY.

```
SELECT player_id, MIN(event_date) AS
                  first_login.
```

sql understands date & compares them chronologically.

now, first_login with AS MIN(event_date)
2016-03-01 2016-03-01

FROM Activity → take the records from the Activity table.

GROUP BY player-id;

_/_/_

→ simply,

"separate all records belonging to the same player.".

you would arrange them like this,

player 1

march 1 may 2.

player 2

June 25

player 3

march 2 july 3.

→ it puts races with the same player-id into the same group.

Accepted 12 / 12 testcases passed

Akankshyaa submitted at Nov 04, 2026 13:19

Solution


Save 41%

Big Diwali Dhamaka

Unlock the Full Experience with Premium for ₹583.25/mo — Ends Nov 8!

Runtime

544 ms | Beats 49.99%



Code | MySQL

```mysql
# Write your MySQL query statement below
SELECT player_id, MIN(event_date) AS first_login
FROM Activity
GROUP BY player_id;
```

More challenges

- 512. Game Play Analysis II

Write your notes here

```mysql
# Write your MySQL query statement below
SELECT player_id, MIN(event_date) AS first_login
FROM Activity
GROUP BY player_id;
```

Saved

Testcase | Test Result

Accepted Runtime: 87 ms

Case 1

Input

Activity =

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

Output

player_id	first_login
1	2016-03-01
2	2017-06-25
3	2016-03-02

Expected

player_id	first_login
1	2016-03-01
2	2017-06-25
3	2016-03-02