
INTERNET SECURITY LAB

PKI LAB



Akarsh Shetty Umesh Mudelkadi 317752264

Task 1: Becoming a Certificate Authority(CA)

Made the needful changes in configuration file.

```
[U4/19/2019 22:43]Mudelkad1@VM1:~$ openssl reg -new -x509 -keyout ca.key -out ca.
crt -config openssl.cnf
Generating a 2048 bit RSA private key
writing new private key to 'ca.key'
Enter PEM pass phrase:
Verifying - Enter PEM pass phrase:
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter '.', the field will be left blank.
Country Name (2 letter code) [AU]:US
State or Province Name (full name) [Some-State]:NY
Locality Name (eg, city) []:Syracuse
Organization Name (eg, company) [Internet Widgits Pty Ltd]:ISec
Organizational Unit Name (eg, section) []:Spring
Common Name (e.g. server FQDN or YOUR name) []:Akarsh
Email Address []:ashettyu@syr.edu
[04/19/2019 22:44]Mudelkadi@VM1:~$
```

Ca.key file:

MIIFDjBABgkqhkiG9w0BBQ0wMzAbBgkqhkiG9w0BBQwwDgQIGnvXXdYyQHQCAggA
MBQGCCqGSIb3DQMHBAiD5peVEbWGiwSCBMhJaukfiY8qAkwIi57ICPBuEfIAU38g
3zAzukQU378vqXqH2105zY96sdg9pL1IqWZmT7yziLqy08JVRFG2z2ps8q02Y+0j
NzRjrtcD0hDL93/85QNlR0szqgSz2i9r8hpnY+ZRA9YkDNR/q/eM2WZ6riuIGzv+
Ilc8NlkqR6zIFUsN+4RslM8KeNGoVP7cCso8UgJ3Ibgw4z3I2PP4oa8sTJ2fAMnk
FvGD3Y0P0GABiTcz6gl6NwnJj/z5z08AKrzX/umQ0gN3aMct7HCdHGpw7+vreXyj
eDaVFFRNEeiy61wJYDoWfolo0f60tjAVQ8/C/YfxjUw7WT/wmkMu45ZqrYI+qlF/
j+RtpVpATRybl/TIdipwMcvYymmlEbmIvZfb0Le0CvH3oZzJambz0wMnvUiYGy05
3ZFSJ2xF7DSTbo/9HDfYqItuAd1v7/6vAiyWFM1RZx4pIcmDBY9snhcbfblsno05
grHszlTxonBRxOWrKRmr0ydmJURDMto4Lhmky2AdBqMxRmb/mtsZ633BhFGXLyu1
KD+Uy7/x6u2nAAcoxpRel4MuN8VUPVtmlDs1fALyJqvR6ojPKqQWCM1Xlb+0aeYp
Pr4M9GP001x92r2B0r71BQedjGBJP6Ag7jzduhkKeB20EpgJDm7rBTdbOXsnGV01
Eboxk402C84brMABC5X/nsAAhXZvYMbP2ncrwloxy6/fzkkBwHtQ1IpW+Zy0h6BE
PCkMvWQdvjYgaRYcC9UP2Sutug8Cx12AFtMr0FwniNFFdAFKKVS9sj7GlZ7FuCm2
/WwNeHw0U/MY2ylwdK2BI01NK0EMfSFgt3QoZvVd66aVYcqfnp1N5Z6cMFQP861z
zq+phkR0S81lTBUeWuJRVBSPVqkw17UIhMpvB64FwFJY3LErbjqHlzE8wQPabePq
GqY7gvpQa7j7la9BQ2oyl61skQpB01GWzqX+egKYnUKorlubZMy6qyLlgRCsiXeU
/AVvS4qe6YT4nxqN6ZJYP0/tclRAnDDtcQttbtKLmco/Mw96Q4hHAC1EQZ9rHm41
GC9DaTatUb9GzVQfT3u00f11LKefAdZoKLIhGzwWuNcuqafdcUEJF4dwg5afE3Fs
J92W2r20dgTsmxGN9qTaxdGpN01Ttmo7wnZvUHV5rWl4dM5ovs+gL2MUyRfC43Kc
6NZxmx2d193Y50+JchifZa00DLoHNGy45epFCL4/AMxCzosMyVPeuNnRNRRsGZ7I
OUBsvwNhi6MifG7gWiTBUxs/Ufmw5yPre4zxmXQ38Mrp0SYzL9k4+sgcUCPpDVd0H
/ZztmZwcZBvaN6x+Nr5Sk80Ts63oHRlY44nSN2LoLzQqS8qAptc06EpdIUlqb4Cd
z469GQjoJsEXbjHi9cTxhrpbZZfyjS5ZTtXkhW72IhroyltUTW8+InNnFl2N5yUR
AT+y0r/916f8Wc5PCmxck+bQ7i+44Kp01qKjENgQEESqxTxqiwNRDwCkb5vFEJMr
rkSM03W4ZWy3CJLui73Ya45818u441XYqjn40dEupYfxD7zjrXXGUIh4KzouRFj4
diqaD8V+09P9P3pP+bvL3H7Np1dWh0klF6oyIuLfjzvLSJW40NW0YpaEKB89U+81

Ca.crt file

```
----BEGIN CERTIFICATE----
MIIDOTCCArmgAwIBAgIJAK7il8scwS3gMAOGCSqGSIb3DQEBCwUAMH8xCzAJBgNV
BAYTALVTMQswCQYDVQQIDAJOWTERMA8GA1UEBwwIU3lyYWN1c2UxDTALBgNVBAoM
BELTZWMxDzANBgNVBAsMBlNwcmluZzEPMA0GA1UEAwwGQWthcnNoMR8wHQYJKoZI
hvcNAQkBFhBhc2hldHR5dUBzeXIuZWR1MB4XDTE5MDQyMDAyNDQ0NVoXDTE5MDUy
MDAyNDQ0NVowfzELMAkGA1UEBhMCVVMxCzAJBgNVBAgMAk5ZMREwDwYDVQQHDAhT
eXJhY3VzZTENMAsGA1UECgwESVNlYzEPMA0GA1UECwwGU3ByaW5nMQ8wDQYDVQQD
DAZBa2Fyc2gxHzAdBgkqhkiG9w0BCQEWEGFzaGV0dHl1QHN5ci5lZHUwggEiMA0G
CSqGSIb3DQEBAQUAA4IBDwAwqqEKAoIBAQDyJ+BRe8kT2FGS7yHKsvu16MSiXoz0
Cc6QQGUUm/wQUaDT33elb7MtowfP9bwHiVHakpeXI00un14ijsp800BgCr7SxFCX
k5KwAeBiFY8pExaZEiH1ZmK09lB0+4X3WLEPLpjK7vgGiHULUQqpAr5bZYYVm4Mg
XursfNtQ1Dq29E9YhEi9/uSAjQxGX1FgRiRZ4YMf87z11t0Hg4FrkJ86sBEVF+fy
dlLg9U7d0FQ7N9V9yySAmWT+zIwLlu807GP6atl5PT38J8b0ofTopGJqAYHnzMy/
L/k0A+ezvVrlZGJ0azxAZfp2E2yLaYbZWX90TDl1I0Nk1D0SydIDM/aNAgMBAAGj
UDBOMBOGA1UdDqQWBBTtQygkw5sM58F9NHeXH6/IuzxkxDAfBgNVHSMEGDAWqBTt
Qygkw5sM58F9NHeXH6/IuzxkxDAMBgNVHRMEBTADAQH/MA0GCSqGSIb3DQEBCwUA
A4IBAQBJk3yF64UAVPyHuMcm4KpljWiSKhGkVHG9wdzB72eM+kp+bPKdM3eJDWyg
7U54R/eBw/lhvwOuSmjFLQzDZeCBvQDY3Gl4e+A7WtJGKKTdPHJ7HbBpb59cpbVl
HEeGcWilcXM/cnz1tHuyRbVcbHmgnmW/QMZprI+ODo6SuFo3WvXaXooulpp9otli
W/LwbWIROT58UiPOFKGtra7IjZmeHIIwFi07l9Qv1jlgRZjX7/fZBGlZEZiMgIpO
wK7CVptF0alQBhEwQqbutG2rv51IVh5CaxdRlv2IdcnS10R6IfxRNtgckfp1Rnu4
Snj4r7jtToRyn77Ur6o6vLFcMg9G
 ----END CERTIFICATE----
```

Task 2: Creating a certificate for SEEDPKILab2018.com.

```
[04/19/2019 22:47]Mudelkadi@VM1:~$ openssl genrsa -aes128 -out server.key 1024
Generating RSA private key, 1024 bit long modulus
.......+++++
e is 65537 (0x10001)
Enter pass phrase for server.key:
Verifying - Enter pass phrase for server.key:
[04/19/2019 22:47]Mudelkadi@VM1:~$ openssl rsa -in server.key -text
Enter pass phrase for server.key:
Private-Key: (1024 bit)
modulus:
    00:9e:6a:ea:68:f0:e4:c6:fd:08:3c:c4:32:5c:4e:
    25:ce:27:42:40:b9:35:70:c4:7f:1c:d7:fb:46:f0:
    87:cf:89:5e:a3:1c:3d:37:5d:fe:02:9d:33:c6:e7:
    e4:f7:c5:b8:68:df:b4:c6:07:62:47:e9:9c:c9:d7:
    9b:3b:fe:d8:35:63:59:64:8a:13:4b:95:b2:5b:7a:
    c0:b5:ef:f2:77:fd:fb:de:b6:56:04:6b:65:02:c9:
    7b:8b:4f:be:36:6b:4a:71:38:01:bc:95:51:9d:2c:
    f5:ae:9e:50:46:39:9a:36:ed:5b:a3:3e:21:9b:4d:
    12:38:c0:28:01:7d:84:b0:53
publicExponent: 65537 (0x10001)
privateExponent:
    64:c0:98:df:2f:3e:41:74:52:55:db:6e:30:18:9f:
    aA.h2.85.47.86.c3.7f.30.e0.a2.1d.97.30.71.e6.
```

Observation: Generated public/private key pair using the following command:

openssl genrsa -aes128 -out server.key 1024

The keys are stored in server.key file.

```
[04/19/2019 23:14]Mudelkadi@VM1:~/PKI$ openssl req -new -key server.key -out serv
er.csr -config openssl.cnf
Enter pass phrase for server.key:
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter '.', the field will be left blank.
Country Name (2 letter code) [AU]:US
State or Province Name (full name) [Some-State]:NY
Locality Name (eg, city) []:Syracuse
Organization Name (eg, company) [Internet Widgits Pty Ltd]: ISec
Organizational Unit Name (eg, section) []:Spring
Common Name (e.g. server FQDN or YOUR name) []:SEEDPKILab2018.com
Email Address []:Liverpool.com
Please enter the following 'extra' attributes
to be sent with your certificate request
A challenge password []:Liverpool
An optional company name []:Kop
[04/19/2019 23:18]Mudelkadi@VM1:~/PKI$
```

Observation: The above picture shows the generation of Certificate signing request.


Observation: The CSR file is signed by CA's signature and its converted into .crt file by using command: openssl ca -in server.csr -out server.crt -cert ca.crt -keyfile ca.key -config openssl.cnf. The above picture is of the generated certificate.

Task 3: Deploying certificate in an HTTP Web Server.

• Added SEEDPKILab2018.com in /etc/hosts file with IP 127.0.0.1.

```
[04/19/2019 23:24]Mudelkadi@VM1:~/PKI$ openssl s_server -cert server.pem -www
Enter pass phrase for server.pem:
Using default temp DH parameters
ACCEPT
```

Started SEEDPKILab2018.com web server with the certificate generated in the previous task.




seedpkilab2018.com:4433 uses an invalid security certificate.

The certificate is not trusted because the issuer certificate is unknown. The server might not be sending the appropriate intermediate certificates. An additional root certificate may need to be imported.

Error code: SEC_ERROR_UNKNOWN_ISSUER


Add Evention

Observation: We get the above error when we try to access the web server we created. We get the error because the browser dosen't have the CA certificate for which our server's certificate is signed. Thus it throws an invalid security certificate error.






Observation: The above pictures shows the process of getting the browser accept our CA certificate.



Observation: When our CA certificate is added to our browser, we get the above output. Therefore our web browser trusts its certificate.

```
[04/22/2019 22:47]Mudelkadi@VM1:~/PKI$ openssl s_server -cert server.pem -www Enter pass phrase for server.pem: unable to load server certificate private key file 3070686912:error:0D0680A8:asnl encoding routines:ASN1_CHECK_TLEN:wrong tag:tasn_d ec.c:1197: 3070686912:error:0D07803A:asnl encoding routines:ASN1_ITEM_EX_D2I:nested asnl err or:tasn_dec.c:374:Type=RSA 3070686912:error:04093004:rsa routines:0LD_RSA_PRIV_DECODE:RSA_lib:rsa_ameth.c:11 9: 3070686912:error:0D0680A8:asnl encoding routines:ASN1_CHECK_TLEN:wrong tag:tasn_d ec.c:1197: 3070686912:error:0D07803A:asnl encoding routines:ASN1_ITEM_EX_D2I:nested asnl err or:tasn_dec.c:374:Type=PKCS8_PRIV_KEY_INFO 3070686912:error:0907B00D:PEM_routines:PEM_READ_BIO_PRIVATEKEY:ASNl lib:pem_pkey.c:141:
```

Observation: When we try to modify a single byte in server.pem we get a decrypt error thus couldn't run the apache server.




Observation: We are unable to connect to https://localhost:443 as SEEDPKILab2018.com is used as domain name in the certificate not localhost.

Task 4: Deploying Certificate in an Apache-Based HTTPS website.

Observation: Configured the default-ssl conf so that apache knows where directory where the websites certificate and key is known.


```
315 sudo vi default-ssl.conf
316 sudo apachectl configtest
317 sudo a2enmod ssl
318 sudo a2ensite default-ssl
319 sudo service apache2 restart
```

Observation: Executed the above last 4 commands to enable the SSL. The private key used for encrypting is given when prompted by restart command.



Observation: Successful http request to our web server.

Task 5: Launching Man-In-The-Middle Attack



example.com uses an invalid security certificate.

The certificate is not valid for the name example.com.


Error code: SSL_ERROR_BAD_CERT_DOMAIN

Observation: Since the certificate is generated for SEEDPKILab2018, the above error is shown when we try to access example.com as it uses certificate and key of SEEDPKI and the domain(example.com) is not given while its certificate creation.

Task 6:

```
[04/22/2019 21:12]Mudelkadi@VM1:~/PKI$ openssl ca -in exmpserver.csr -out exmpser
ver.crt -cert ca.crt -keyfile ca.key -config openssl.cnf
Using configuration from openssl.cnf
Enter pass phrase for ca.key:
Check that the request matches the signature
Signature ok
Certificate Details:
        Serial Number: 4097 (0x1001)
        Validity
            Not Before: Apr 23 01:12:27 2019 GMT
            Not After: Apr 22 01:12:27 2020 GMT
        Subject:
            countryName
                                      = US
            stateOrProvinceName
                                      = NY
                                      = ISec
            organizationName
            organizationalUnitName
                                      = ISec
            commonName
                                      = example.com
            emailAddress
                                       = bank.com
        X509v3 extensions:
            X509v3 Basic Constraints:
                CA: FALSE
            Netscape Comment:
                OpenSSL Generated Certificate
            X509v3 Subject Key Identifier:
```

[04/22/2019 21:14]Mudelkadi@VM1:~/PKI\$ sudo service apache2 restart Enter passphrase for SSL/TLS keys for example.com:443 (RSA): ******





Apache2 Ubuntu Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 se installation on Ubuntu systems. It is based on the equivalent page on Debian, from we Apache packaging is derived. If you can read this page, it means that the Apache HT installed at this site is working properly. You should **replace this file** (located at /var /html/index.html) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this that the site is currently unavailable due to maintenance. If the problem persists, ple site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration several files optimized for interaction with Ubuntu tools. The configuration system

Observation: Since now we assume that we know the private key of CA, I created a server certificate for example.com by following steps in Task 3. Added example.com in /etc/hosts file. We already modified the default-ssl conf file for apache in task 5. We are successful in generating http request to example.com.