AquaPure X200 Water Purifier - User Manual

1. About the Device

The AquaPure X200 is a countertop water purifier. It uses a 5-stage filtration system: sediment filter, carbon filter, ultrafiltration membrane, UV-C lamp and a mineral cartridge.

The tank capacity is 8 litres. The purification speed is 20 litres per hour. The device weighs 6.4 kg.

2. Setup

Place the device on a flat, dry surface at least 10 cm away from walls. Connect it to a 220-240 V power outlet.

Fill the tank with tap water up to the MAX line. Press and hold the power button for 3 seconds to start.

Before first use, run one full tank through the device and discard the water to flush the filters.

3. Filter Replacement

The sediment filter should be replaced every 4 months. The carbon filter should be replaced every 6 months.

The ultrafiltration membrane lasts 12 months. The UV-C lamp should be replaced every 12 months.

The mineral cartridge should be replaced every 6 months. When a replacement is due, the indicator light turns amber.

4. Indicator Lights

Green light: the device is ready. Blue light: purification in progress. Amber light: filter replacement due.

Red light blinking: the tank is empty or the lid is open. Red light steady: a fault is detected; unplug the device and contact support.

5. Cleaning and Maintenance

Clean the tank every 2 weeks with warm water and a soft cloth. Do not use soap, bleach or abrasive pads.

If the device is not used for more than 7 days, empty the tank and dry it before restarting.

6. Troubleshooting and Warranty

If water flow is slow, the sediment filter is probably clogged; replace it. If the water has a taste or smell, replace the carbon filter.

The device has a 2-year limited warranty from the date of purchase. The warranty covers manufacturing defects but not damage from incorrect voltage or missing filter replacements.

Customer support is available Monday to Saturday, 9 AM to 7 PM, at support@aquapure.example.