Bachelor of Computer Applications (Hons. AI and ML)
Semester- III

Subject: Database Management System

Assignment 7: <u>Sample Data Insertion</u>

By
Name: AKASH P
Reg. No.: 2511021240008

Faculty Name: Renita Joy
Faculty Signature:_____

Department of Computer Application
Alliance University
Chandapura - Anekal Main Road, Anekal
Bengaluru - 562 106
October 2026

1. Dataset description

The sample dataset models a small online food delivery platform in Bengaluru. It includes 6 customers, 7 delivery addresses, 3 restaurant owners, 4 restaurants, 5 menu categories, 10 menu items, 4 delivery agents, 8 orders, 11 order lines, 7 payments, and 4 reviews. The orders cover every stage of the lifecycle: placed, preparing, out for delivery, delivered, and cancelled. Names, phone numbers, and addresses are fictional examples created for this assignment.

2. SQL INSERT statements

```
USE FoodDelivery;

INSERT INTO Customers VALUES
(1,'Aarav Sharma','aarav.sharma@example.com','9876543210','2026-10-01'),
(2,'Diya Nair','diya.nair@example.com','9876543211','2026-09-05'),
(3,'Kabir Rao','kabir.rao@example.com','9876543212','2026-08-20'),
(4,'Meera Iyer','meera.iyer@example.com','9876543213','2026-09-12'),
(5,'Ishaan Das','ishaan.das@example.com','9876543214','2026-07-01'),
(6,'Ananya Sen','ananya.sen@example.com','9876543215','2026-10-05');

INSERT INTO Addresses VALUES
(1,1,'12 MG Road','Bengaluru','560001','Home'),
(2,1,'Prestige Tech Park, Marathahalli','Bengaluru','560037','Work'),
(3,2,'45 Anekal Main Road','Anekal','562106','Home'),
(4,3,'7 Chandapura Circle','Chandapura','560099','Home'),
(5,4,'23 Hosur Road','Bengaluru','560068','Home'),
(6,5,'88 Indiranagar 12th Main','Bengaluru','560038','Home'),
(7,6,'15 Jayanagar 4th Block','Bengaluru','560011','Home');

INSERT INTO Restaurant_Owners VALUES
(1,'Ramesh Kumar','ramesh.kumar@example.com','9811122233'),
(2,'Fatima Sheikh','fatima.sheikh@example.com','9811122244'),
(3,'Joseph Mathew','joseph.mathew@example.com','9811122255');

INSERT INTO Restaurants VALUES
(1,1,'Spice Garden','8023456789','45 Brigade Road, Bengaluru','South Indian','Open'),
(2,2,'Biryani House','8023456790','10 Commercial Street, Bengaluru','Hyderabadi','Open'),
(3,3,'Pizza Corner','8023456791','22 Koramangala 5th Block, Bengaluru','Italian','Open'),
(4,1,'Dosa Junction','8023456792','5 Jayanagar 3rd Block, Bengaluru','South Indian','Closed');

INSERT INTO Categories VALUES
(1,'Main Course','Rice, curries and breads'),
(2,'Starters','Appetisers and snacks'),
(3,'Breakfast','Morning tiffin items'),
(4,'Desserts','Sweets and desserts'),
(5,'Beverages','Hot and cold drinks');

INSERT INTO Menu_Items VALUES
(1,1,1,'Masala Dosa','Crispy dosa with potato filling',80.00,TRUE,TRUE),
(2,1,3,'Idli Vada','Steamed idli with crisp vada',60.00,TRUE,TRUE),
(3,1,5,'Filter Coffee','South Indian filter coffee',40.00,TRUE,TRUE),
(4,2,1,'Chicken Biryani','Hyderabadi dum biryani',220.00,FALSE,TRUE),
(5,2,1,'Paneer Biryani','Biryani with paneer and spices',190.00,TRUE,TRUE),
(6,2,2,'Chicken 65','Spicy fried chicken starter',160.00,FALSE,TRUE),
(7,2,4,'Gulab Jamun','Two pieces in sugar syrup',70.00,TRUE,FALSE),
(8,3,1,'Margherita Pizza','Classic cheese and tomato pizza',250.00,TRUE,TRUE),
(9,3,1,'Chicken Pepperoni Pizza','Pizza with chicken pepperoni',320.00,FALSE,TRUE),
(10,3,5,'Cold Coffee','Chilled coffee with ice cream',110.00,TRUE,TRUE);
```

```
INSERT INTO Delivery_Agents VALUES
(1,'Suresh Gowda','9900011122','KA01AB1234','Available'),
(2,'Manoj Kumar','9900011133','KA03CD5678','Busy'),
(3,'Imran Pasha','9900011144','KA05EF9012','Available'),
(4,'Lakshmi Devi','9900011155','KA02GH3456','Offline');

INSERT INTO Orders VALUES
(1001,1,1,1,1,'2026-10-20 13:15:00','Delivered',160.00),
(1002,1,1,1,NULL,'2026-10-21 19:30:00','Placed',80.00),
(1003,2,2,3,2,'2026-10-21 20:05:00','Out for Delivery',380.00),
(1004,3,3,4,3,'2026-10-19 14:00:00','Delivered',360.00),
(1005,4,2,5,1,'2026-10-18 21:10:00','Delivered',380.00),
(1006,5,3,6,NULL,'2026-10-17 12:30:00','Cancelled',250.00),
(1007,6,1,7,NULL,'2026-10-22 08:45:00','Preparing',200.00),
(1008,2,3,3,3,'2026-10-15 19:20:00','Delivered',320.00);

INSERT INTO Order_Items VALUES
(1001,1,2,80.00),
(1002,1,1,80.00),
(1003,4,1,220.00),
(1003,6,1,160.00),
(1004,8,1,250.00),
(1004,10,1,110.00),
(1005,5,2,190.00),
(1006,8,1,250.00),
(1007,2,2,60.00),
(1007,3,2,40.00),
(1008,9,1,320.00);

INSERT INTO Payments VALUES
(3001,1001,160.00,'UPI','Paid','TXN20261020001','2026-10-20 13:16:00'),
(3002,1003,380.00,'Card','Paid','TXN20261021002','2026-10-21 20:06:00'),
(3003,1004,360.00,'Cash on Delivery','Paid',NULL,'2026-10-19 14:40:00'),
(3004,1005,380.00,'Wallet','Paid','TXN20261018004','2026-10-18 21:11:00'),
(3005,1006,250.00,'UPI','Refunded','TXN20261017005','2026-10-17 12:31:00'),
(3006,1007,200.00,'Net Banking','Pending',NULL,NULL),
(3007,1008,320.00,'Card','Paid','TXN20261015007','2026-10-15 19:21:00');

INSERT INTO Reviews VALUES
(5001,1001,5,'Tasty and on time','2026-10-20'),
(5002,1004,4,'Pizza was good, delivery slightly late','2026-10-19'),
(5003,1005,5,'Best paneer biryani','2026-10-18'),
(5004,1008,3,'Average taste, packaging could be better','2026-10-16');
```

3. Verification queries

```
SELECT 'Customers' AS table_name, COUNT(*) AS row_count FROM Customers
UNION ALL SELECT 'Addresses', COUNT(*) FROM Addresses
UNION ALL SELECT 'Restaurant_Owners', COUNT(*) FROM Restaurant_Owners
UNION ALL SELECT 'Restaurants', COUNT(*) FROM Restaurants
UNION ALL SELECT 'Categories', COUNT(*) FROM Categories
UNION ALL SELECT 'Menu_Items', COUNT(*) FROM Menu_Items
UNION ALL SELECT 'Delivery_Agents', COUNT(*) FROM Delivery_Agents
UNION ALL SELECT 'Orders', COUNT(*) FROM Orders
UNION ALL SELECT 'Order_Items', COUNT(*) FROM Order_Items
UNION ALL SELECT 'Payments', COUNT(*) FROM Payments
UNION ALL SELECT 'Reviews', COUNT(*) FROM Reviews;
```

```
-- Order total should equal the sum of its order lines --
SELECT o.order_id, o.total_amount,
       SUM(oi.quantity * oi.unit_price) AS items_total
FROM Orders o
JOIN Order_Items oi ON oi.order_id = o.order_id
GROUP BY o.order_id, o.total_amount
ORDER BY o.order_id;
```

4. Row counts

Table	Rows
Customers	6
Addresses	7
Restaurant_Owners	3
Restaurants	4
Categories	5
Menu_Items	10
Delivery_Agents	4
Orders	8
Order_Items	11
Payments	7
Reviews	4

5. Data integrity notes

All inserted foreign-key values refer to rows created earlier in the script, and the tables are loaded in dependency order. Each order total equals the sum of quantity × unit_price of its order lines, and each payment amount equals the total of its order. Orders 1002 and 1007 have no delivery agent yet (agent_id is NULL), and order 1002 has no payment because it has only just been placed. The cancelled order has a refunded payment, the pending payment has no payment date, and the cash-on-delivery payment has no transaction reference. Only delivered orders have reviews, and every rating is between 1 and 5.

The rows used for the constraint tests in Assignment 6 (customer 1, orders 1001 and 1002, payment 3001, review 5001) are part of this dataset, so load this script instead of that sample block to avoid duplicate-key errors. The data is designed for demonstrating SQL, not as a claim about any real restaurant or delivery service.