In [19]:
```
import pandas
print('pandas version is:{}'.format(pandas.__version__))
import numpy
print('numpy version is:{}'.format(numpy.__version__))
import seaborn as sns
import sklearn
import matplotlib.pyplot as plt
%matplotlib inline
```

```
pandas version is:1.3.4
numpy version is:1.20.3
```

In [17]:
```
import pandas as pd
iris=pd.read_csv('iris_csv.csv')
```

In [4]:
```
iris.head(15)
```

Out[4]:

	sepallength	sepalwidth	petallength	petalwidth	class
0	5.1	3.5	1.4	0.2	Iris-setosa
1	4.9	3.0	1.4	0.2	Iris-setosa
2	4.7	3.2	1.3	0.2	Iris-setosa
3	4.6	3.1	1.5	0.2	Iris-setosa
4	5.0	3.6	1.4	0.2	Iris-setosa
5	5.4	3.9	1.7	0.4	Iris-setosa
6	4.6	3.4	1.4	0.3	Iris-setosa
7	5.0	3.4	1.5	0.2	Iris-setosa
8	4.4	2.9	1.4	0.2	Iris-setosa
9	4.9	3.1	1.5	0.1	Iris-setosa
10	5.4	3.7	1.5	0.2	Iris-setosa
11	4.8	3.4	1.6	0.2	Iris-setosa
12	4.8	3.0	1.4	0.1	Iris-setosa
13	4.3	3.0	1.1	0.1	Iris-setosa
14	5.8	4.0	1.2	0.2	Iris-setosa

In [5]:
```
print(len(iris['class']))
```

```
150
```

In [7]:
```
for col in iris.columns:
    print(col)
```

```
sepallength
sepalwidth
petallength
petalwidth
class
```

In [8]:
```
print(iris.groupby('class').size())
```

```
class
Iris-setosa        50
Iris-versicolor    50
Iris-virginica     50
dtype: int64
```

In [24]:
```
plt.figure(figsize=(15,10))
plt.subplot(2,2,1)
sns.boxplot(x='class',y='sepallength',data=iris)
plt.subplot(2,2,2)
sns.boxplot(x='class',y='sepalwidth',data=iris)
plt.subplot(2,2,3)
sns.boxplot(x='class',y='petallength',data=iris)
plt.subplot(2,2,4)
sns.boxplot(x='class',y='petalwidth',data=iris)
```

Out[24]:
```
<AxesSubplot:xlabel='class', ylabel='petalwidth'>
```



In [26]:
```
iris.isnull().values.any()
```

Out[26]:
```
False
```

In [25]:
```
iris.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 150 entries, 0 to 149
Data columns (total 5 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   sepallength  150 non-null    float64
 1   sepalwidth   150 non-null    float64
 2   petallength  150 non-null    float64
 3   petalwidth   150 non-null    float64
 4   class        150 non-null    object 
dtypes: float64(4), object(1)
memory usage: 6.0+ KB
```

In [29]:
```
from sklearn.model_selection import train_test_split
array=iris.values
X=array[:,0:4]
Y=array[:,4]
x_train,x_test,y_train,y_test=train_test_split(X,Y,test_size=0.3,random_state=0)
```

In [31]:
```
from sklearn.svm import SVC
from sklearn.metrics import accuracy_score
svc=SVC(max_iter=1000,gamma='auto')
svc.fit(x_train,y_train)
y_pred=svc.predict(x_test)
acc_svc=round(accuracy_score(y_pred,y_test),2)*100
print("Accuracy: ",acc_svc)
```

```
Accuracy:  98.0
```

In [33]:
```
from sklearn.tree import DecisionTreeClassifier

decisiontree=DecisionTreeClassifier(random_state=0)
decisiontree.fit(x_train,y_train)
y_pred=decisiontree.predict(x_test)
acc_decisiontree=round(accuracy_score(y_pred,y_test),2)*100
print("Accuracy: ",acc_decisiontree)
```

```
Accuracy:  98.0
```

In [34]:
```
from sklearn.linear_model import LogisticRegression
logreg=LogisticRegression(max_iter=1000)
logreg.fit(x_train,y_train)
y_pred=logreg.predict(x_test)
acc_logreg=round(accuracy_score(y_pred,y_test),2)*100
print("Accuracy: ",acc_logreg)
```

```
Accuracy:  98.0
```

In [ ]:
```

```