

react.dev

Executed on: 15/9/2026, 1:18:09 pm • PerfLens Engine v2.0

Summary Scores

OVERALL	PERFORMANCE	ACCESSIBILITY	SEO HEALTH
93	98	86	89

Core Web Vitals — PerfLens Lab Measurement

Thresholds based on Google/web.dev guidance

Largest Contentful Paint (LCP)	0.71s [LAB] (GOOD)
Cumulative Layout Shift (CLS)	0.000 [LAB] (GOOD)
Interaction to Next Paint (INP)	Not measured (—)

Other Performance Metrics (Lab Diagnostics)

First Contentful Paint (FCP) Source: Navigation Timing API / Paint Timing API	0.71s [LAB] (GOOD)
Total Blocking Time (TBT) Source: Measured in lab	49ms [LAB] (GOOD)
Time to First Byte (TTFB) Source: Navigation Timing API (Measured in lab)	0.08s [LAB] (GOOD)

Resource Payload Size Breakdown

Scripts (JS)	1338.2 KB (13 files)
Stylesheets (CSS)	106.1 KB (1 files)
Images	162.2 KB (34 files)
Fonts	312.1 KB (9 files)

Performance Score Explainability & Audit Trail

Auditing Methodology: PerfLens Score (Lab Measurement)
Scoring Formula: Performance Score = (Normalized Metric Score × weight) / (Total Weights)
Calculated from normalized metric scores (0–100) using the configured metric weights.

Metric	Raw Value	Rating	Weight	Score	Contribution
Largest Contentful Paint	0.71s	GOOD	30%	97	+29.1
Interaction to Next Paint	N/A	UNRATED	0%	—	Excluded
Cumulative Layout Shift	0.000	GOOD	25%	100	+25
Total Blocking Time	49ms	GOOD	30%	98	+29.4
First Contentful Paint	0.71s	GOOD	15%	96	+14.4
Time to First Byte	0.08s	GOOD	0%	99	+0

Authoritative Performance Score: 98 / 100

* TTFB Source: Measured in lab (Navigation Timing API)
* TBT Source: Measured in lab (Browser observer)

VERIFIED FRAMEWORK: Next.js — Evidence: Detected __NEXT_DATA__ or /_next/ scripts

Document Title	"React" (5 chars)
Meta Description	"React is the library for web and native user interfaces. Build user interfaces out of individual pieces called components written in JavaScript. React is designed to let you seamlessly combine code written by independent people, teams, and organizations." (260 chars)
Canonical Link	https://react.dev/learn/why
Robots Directives	index, follow (default)
robots.txt Probe	Status: verified_exists
sitemap.xml Probe	Not found (HTTP 404)
Primary H1 Heading	"React" (2 declared)
Heading Hierarchy	Skipped levels: 1
Structured Data	No JSON-LD structured data detected on rendered page
OpenGraph Social	5/5 present (100%) — [' title, ' description, ' image, ' url, ' type]

SEO Health Score Contribution Breakdown:

Document Title:	' 20/20 pts — Title present (5 chars, within guideline).
Meta Description:	& 14/20 pts — Description present (260 chars, outside preferred 120-160 char guideline).
Primary H1 Heading:	' 15/15 pts — Primary <h1> element present in rendered DOM.
Mobile Viewport:	' 15/15 pts — Mobile-responsive viewport meta tag declared.
Canonical Link:	' 10/10 pts — Valid absolute canonical URL declared in rendered <head>.
Language Declaration:	' 10/10 pts — HTML document lang attribute declared ("en").
robots.txt Probe:	' 5/5 pts — robots.txt file verified and accessible.
sitemap.xml Probe:	' 0/5 pts — sitemap.xml not found or returned invalid non-XML content.

Actionable Optimization Recommendations

HIGH • PERFORMANCE

EVIDENCE: VERIFIED

1. Enable network compression for JavaScript assets

What Is Wrong: 1 uncompressed JavaScript file(s) served without Content-Encoding header (94 KB potential reduction)

Evidence Found: Script <https://www.googletagmanager.com/gtag/js?id=G-B1E83PJ3RT> (156.3 KB) served without compression headers

Why It Matters: Shrinks raw wire transfer sizes over HTTP by 60-70%.

Fix Strategy: Configure your web server or CDN (Cloudflare, CloudFront, Nginx) to serve JavaScript with Brotli (br) or Gzip (gzip) compression.

HIGH • PERFORMANCE

EVIDENCE: VERIFIED

2. Purge unused CSS rules from stylesheets

What Is Wrong: 74 KB of unused CSS rules measured via Chrome DevTools Protocol Coverage

Evidence Found: CDP coverage profile measured 74 KB of unused CSS rules across stylesheets

Why It Matters: Reduces stylesheet transfer sizes and speeds up style recalculation.

Fix Strategy: Remove dead CSS rules using PurgeCSS, uncss, or CSS module scoping so only utilized selectors are transmitted.

LOW • SEO

EVIDENCE: VERIFIED

3. Provide a meta description for search engine result snippets

What Is Wrong: The meta description is unusually long (260 characters) and may be truncated in search result snippets.

Evidence Found: Element: meta[name="description"], Observed: "React is the library for web and native user interfaces. Bui..." (260 characters)

Why It Matters: Your page does not currently provide a description specifically written for search-result snippets. Search engines may generate their own snippet from the page content. Approximately 120–160 characters is a useful practical guideline.

Fix Strategy: Declare one page-specific <meta name="description" content="..."> tag in the document <head> using the project's existing metadata architecture.

Validation Steps: Inspect the rendered page <head> and confirm exactly one <meta name="description"> exists. • Verify the content attribute provides an accurate, non-empty summary of the page.

AI Prompt: [Ready to copy into Cursor / Antigravity / Claude Code via web dashboard.](#)

MEDIUM • PERFORMANCE

EVIDENCE: VERIFIED

4. Reduce JavaScript not required during initial page load

What Is Wrong: Approximately 156 KB of JavaScript was not executed during this page load.

Evidence Found: Approximately 156 KB of JavaScript remained unexecuted during initial page load.

Why It Matters: Reduces initial script transfer size and deferred compilation overhead on the main thread.

Fix Strategy: Reduce JavaScript that is not required during initial page load: Defer non-critical interactive components and third-party scripts using dynamic import() route-based code splitting.

MEDIUM • PERFORMANCE

EVIDENCE: VERIFIED

5. Compress page images and convert to next-gen formats (WebP/AVIF)

What Is Wrong: 2 uncompressed or legacy image(s) detected with 34 KB potential reduction

Evidence Found: Analyzed 2 images; sample: <https://react.dev/images/uwu.png> can save 26.9 KB using WebP/AVIF

Why It Matters: Reduces initial image payload bytes transmitted across the network.

Fix Strategy: Optimize raw image assets using sharp, imagemin, or dynamic CDN image transforms to compress payloads and serve next-gen formats (WebP/AVIF).

MEDIUM • PERFORMANCE

EVIDENCE: VERIFIED

6. Implement lazy loading for below-the-fold images

What Is Wrong: 33 below-the-fold image(s) loaded synchronously without loading="lazy"

Evidence Found: 33 img element(s) detected without loading="lazy" attribute

Why It Matters: Relieves initial network contention by deferring image requests outside the viewport.

Fix Strategy: Add loading="lazy" attribute to all 33 images that appear below the viewport fold.

MEDIUM • ACCESSIBILITY

EVIDENCE: VERIFIED

7. Add descriptive alt attributes to image tags

What Is Wrong: 7 image tag(s) lack alternative text descriptions in the rendered DOM

Evidence Found: 7 tag(s) without valid alt attribute identified in DOM

Why It Matters: Enables screen readers to describe visual content to visually impaired users.

Fix Strategy: Provide descriptive alt="..." text descriptions for all image tags (affecting ~7 images) or empty alt="" for purely decorative graphics.

MEDIUM • ACCESSIBILITY

EVIDENCE: VERIFIED

8. Add a skip navigation link for keyboard users

What Is Wrong: Navigation landmark detected with 106 links before main content, but no bypass link mechanism exists

Evidence Found: Page features <header>/<nav> containing 106 links with no bypass anchor (WCAG 2.4.1)

Why It Matters: Allows keyboard and screen reader users to jump past repetitive navigation directly to main content.

Fix Strategy: Add an accessible skip link as the very first focusable element inside <body>, e.g. Skip to main content.

LOW • SEO

EVIDENCE: VERIFIED

9. Avoid skipping heading levels in document outline

What Is Wrong: The document skips heading levels: a <h2> is followed directly by a <h4> ("Stay true to the web").

Evidence Found: Element: h4, Observed: Jumped from <h2> directly to <h4>: "Stay true to the web"

Why It Matters: Skipping heading levels creates a broken outline for screen reader users who navigate by heading level, and disrupts semantic topical hierarchy for search engine parsers.

Fix Strategy: Review heading tags in your template or markdown and ensure every sub-heading nests sequentially under its parent level.

Validation Steps: Inspect the heading structure of the page. • Ensure heading levels decrease sequentially (e.g. H1 -> H2 -> H3).

AI Prompt: Ready to copy into Cursor / Antigravity / Claude Code via web dashboard.