Lab-3
npout java util *;
lass bookdet
Stering name, aname;
float plu'cl;
Scanner & = her scanner (signature)
roid wookdet (Stering name, String aname, float puice, int pages).
5
this name = name;

	this aname opame;
	this page = page;
	this page = page; this puice = perice;
ar teacean airle d'univil à l'ancole	The first party of the second
	puedic Stuing to String ()
	recturen ("In" + name + "h" + aname + "h" + puice + "h" + pages + "In");
)	
6	
	Augus along Dank S
- 1	puric class Book &
	5.77
.	Public Static void main (Stung augs []).
-	Company of the second of the s
	7
	book aut []b= how bookaut (10);
	Scarner se: rew Scarner (system. In);
	system out puinten l'hientrer no of booki?
	unt n = sc nixt Int();
	for lint in in in it
1	fou (int i:0, ixn, i+t)
	a for a grant was properly to the contract of
	System. out. puintln ("Entoy the game:").
•	System. out. puintln ("Enter the roone:"). Steing name: co. next()
	Exercise out puintin ("Enter author name"). Steering arms = sc.next();
	Stouble anne -
	script()

	System vur perinten! "Enten the perice");
	float perice = se next Moat 1);
	Eysten out puinton ("Enter total pages");
	int pages = sc next ani- ();
	vitipages blid :new bookdet();
	blij brokdet (name, anome, perice pages),
	G T T T T T T T T T T T T T T T T T T T
	tor (int r=0; ixn; i+t)
	too (continue)
	5
-	System M. L. Douinten (" Retains of book" + (iti));
-	System out paintin (" Retains of book" + (i+1));
-	
) -) ((() () () () () () () ()
7	The state of the s
7	