

1.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, ROUND(salary) AS rounded_salary
FROM employee;
```

Results [Explain](#) [Describe](#) [Saved SQL](#) [History](#)

FULL_NAME	ROUNDED_SALARY
Alice Johnson	72001
Bob Smith	52001
Charlie Brown	68000
Diana Prince	90001
Eve Adams	45000

5 rows returned in 0.00 seconds [Download](#)

2.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, CEIL(salary) AS rounded_salary
FROM employee;
```

Results [Explain](#) [Describe](#) [Saved SQL](#) [History](#)

FULL_NAME	ROUNDED_SALARY
Alice Johnson	72001
Bob Smith	52001
Charlie Brown	68000
Diana Prince	90001
Eve Adams	45001

5 rows returned in 0.00 seconds [Download](#)

3.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, MOD(salary, 1000) AS remainder
FROM employee;
```

Results Explain Describe Saved SQL History

FULL_NAME	REMAINDER
Alice Johnson	.5
Bob Smith	.75
Charlie Brown	0
Diana Prince	.99
Eve Adams	.25

5 rows returned in 0.00 seconds [Download](#)

4.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, POWER(salary, 2) AS salary_power
FROM employee;
```

Results Explain Describe Saved SQL History

FULL_NAME	SALARY_POWER
Alice Johnson	5184072000.25
Bob Smith	2704078000.5625
Charlie Brown	4624000000
Diana Prince	8100178200.9801
Eve Adams	2025022500.0625

5 rows returned in 0.00 seconds [Download](#)

5.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, ABS(salary - 60000) AS abs_difference
FROM employee;
```

Results Explain Describe Saved SQL History

FULL_NAME	ABS_DIFFERENCE
Alice Johnson	12000.5
Bob Smith	7999.25
Charlie Brown	8000
Diana Prince	30000.99
Eve Adams	14999.75

5 rows returned in 0.00 seconds [Download](#)

6.

☒ Autocommit Rows   Save Run

```
SELECT UPPER(first_name) AS first_name_upper, LOWER(last_name) AS last_name_lower
FROM employee;
```

Results Explain Describe Saved SQL History

FIRST_NAME_UPPER	LAST_NAME_LOWER
ALICE	johnson
BOB	smith
CHARLIE	brown
DIANA	prince
EVE	adams

5 rows returned in 0.01 seconds [Download](#)

7.

☒ Autocommit Rows   Save Run

```
SELECT first_name, LENGTH(first_name) AS first_name_length
FROM employee;
```

Results Explain Describe Saved SQL History

FIRST_NAME	FIRST_NAME_LENGTH
Alice	5
Bob	3
Charlie	7
Diana	5
Eve	3

5 rows returned in 0.01 seconds [Download](#)

8.

☒ Autocommit Rows   Save Run

```
SELECT SUBSTR(first_name, 1, 3) AS first_three_letters
FROM employee;
```

Results Explain Describe Saved SQL History

FIRST_THREE_LETTERS
Ali
Bob
Cha
Dia
Eve

5 rows returned in 0.00 seconds [Download](#)

9.

☒ Autocommit Rows   Save Run

```
SELECT REPLACE(first_name, 'a', '@') AS modified_first_name
FROM employee;
```

Results Explain Describe Saved SQL History

MODIFIED_FIRST_NAME
Alice
Bob
Ch@rlie
Di@n@
Eve

10.

☒ Autocommit Rows   Save Run

```
SELECT TRIM(first_name) AS trimmed_first_name
FROM employee;
```

Results Explain Describe Saved SQL History

TRIMMED_FIRST_NAME
Alice
Bob
Charlie
Diana
Eve

11

☒ Autocommit Rows   Save Run

```
SELECT INSTR(first_name, 'i') AS position_of_i
FROM employee;
```

Results

Explain

Describe

Saved SQL

History

POSITION_OF_I
3
0
6
2
0

5 rows returned in 0.00 seconds [Download](#)

12.

☒ Autocommit Rows   Save Run

```
SELECT first_name || ' ' || last_name AS full_name, ROUND(salary, 2) AS rounded_salary, LENGTH(first_name) AS first_name_length
FROM employee;
```

Results

Explain

Describe

Saved SQL

History

FULL_NAME	ROUNDED_SALARY	FIRST_NAME_LENGTH
Alice Johnson	72000.5	5
Bob Smith	52000.75	3
Charlie Brown	68000	7
Diana Prince	90000.99	5
Eve Adams	45000.25	3

5 rows returned in 0.01 seconds [Download](#)

13.

☒ Autocommit

Rows

10

 

Save

Run

SELECT UPPER(last_name) AS last_name_upper, MOD(salary, 500) AS remainder
FROM employee;

Results

Explain

Describe

Saved SQL

History

LAST_NAME_UPPER	REMAINDER
JOHNSON	.5
SMITH	.75
BROWN	0
PRINCE	.99
ADAMS	.25

5 rows returned in 0.01 seconds

[Download](#)