

Aaditiya Tyagi

2200290120001

CS5A

DBMS Lab 7:

ORACLE® Application Express

Home Application Builder SQL Workshop Team Development Administration

Home SQL Workshop SQL Commands

☒ Autocommit Rows 10 Save Run

```
CREATE TABLE Products (  
  Product_no VARCHAR(6) PRIMARY KEY,  
  Description VARCHAR(20) UNIQUE NOT NULL,  
  Profit_percent INT DEFAULT 0 CHECK (Profit_percent BETWEEN 0 AND 100),  
  Unit_measure VARCHAR(10),  
  Qty_on_hand INT NOT NULL CHECK (Qty_on_hand >= 0),  
  Reorder_lvl INT DEFAULT 10,  
  Sell_price DECIMAL(7, 2) NOT NULL CHECK (Sell_price >= 0),  
  Cost_price DECIMAL(7, 2) NOT NULL CHECK (Sell_price >= Cost_price),  
  Last_ordered_date DATE,  
  Supplier_id INT,  
  CONSTRAINT FK_Supplier FOREIGN KEY (Supplier_id) REFERENCES Suppliers(Supplier_id),  
  CONSTRAINT UQ_Product UNIQUE (Product_no, Unit_measure)  
);
```

Results Explain Describe Saved SQL History

1.

☒ Autocommit Rows 10 Save Run

```
SELECT *  
FROM Products  
WHERE Last_ordered_date = CURRENT_DATE;
```

2.

☒ Autocommit Rows 10 Save Run

```
SELECT *  
FROM Products  
WHERE Last_ordered_date < DATEADD(DAY, -30, GETDATE());
```

3.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE Last_ordered_date < DATEADD(DAY, -30, GETDATE());
```

4.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE DATEDIFF(DAY, Last_ordered_date, GETDATE()) > 60;
```

5.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE MONTH(Last_ordered_date) = 1 AND YEAR(Last_ordered_date) = 2024;
```

6.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE Last_ordered_date >= DATEADD(DAY, -7, GETDATE());
```

7.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE DATEPART(WEEKDAY, Last_ordered_date) IN (1, 7); -- SQL Server
```

8.

☒ Autocommit Rows  

```
SELECT FORMAT(Last_ordered_date, 'MM-dd-yyyy') AS FormattedDate
FROM Products;
```

9.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE MONTH(Last_ordered_date) = 1;
```

10.

☒ Autocommit Rows  

```
SELECT DATE_TRUNC('month', Last_ordered_date) AS OrderMonth, COUNT(*) AS TotalOrders
FROM Products
GROUP BY OrderMonth;
```

11.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE Last_ordered_date BETWEEN CURRENT_DATE AND DATEADD(DAY, 10, CURRENT_DATE);
```

12.

☒ Autocommit Rows  

```
SELECT *
FROM Products
WHERE DATEPART(WEEKDAY, Last_ordered_date) = 2;
```

13.

☒ Autocommit Rows  

```
SELECT Product_no, DATEDIFF(DAY, Last_ordered_date, GETDATE()) AS DaysSinceLastOrder
FROM Products;
```

14.

☒ Autocommit Rows  

```
SELECT Product_no,
       CASE
           WHEN ISDATE(Last_ordered_date) = 1 THEN 'Valid Date'
           ELSE 'Invalid Date'
       END AS DateStatus
FROM Products;
```

15.

☒ Autocommit Rows  

```
SELECT *  
FROM Products  
WHERE DATEPART(QUARTER, Last_ordered_date) = 1;
```