

VEILDROP — \$100M PREMIUM UI/UX MASTER PROMPT

Design and implement the complete frontend UI/UX for **VeilDrop — Post-Quantum Zero-Knowledge Anonymous Reporting & Secure Evidence Exchange Platform**.

The goal is to create a product that visually feels like a **\$100M enterprise privacy and cybersecurity platform**: exceptionally polished, trustworthy, sophisticated, calm, fast, and production-ready.

This is a **UI/UX task only**.

Do NOT implement backend architecture, databases, encryption algorithms, authentication servers, APIs, or infrastructure.

Where functionality requires a backend, create polished frontend states and realistic mock interactions.

1. DESIGN PHILOSOPHY

VeilDrop handles extremely sensitive reports and evidence.

The interface must communicate:

Trust. Privacy. Control. Safety. Seriousness.

Do NOT use stereotypical cybersecurity aesthetics.

Avoid:

- Matrix-style backgrounds
- neon green
- hacker terminals
- excessive glowing borders
- giant padlock graphics
- random binary code
- skull imagery
- aggressive cyberpunk styling
- excessive gradients
- glassmorphism everywhere

The product should feel like a fusion of:

premium financial infrastructure + privacy software + enterprise security operations

Think sophisticated rather than flashy.

The user should immediately feel:

“This system takes my information seriously.”

2. VISUAL LANGUAGE

Use a refined modern design system.

Color

Use a restrained neutral palette.

Primary surfaces should use deep charcoal, near-black, graphite, soft white, or carefully chosen neutral tones.

Use one sophisticated accent color for:

- primary actions
- active navigation
- selected states
- progress
- focus
- important security indicators

Use semantic colors only where meaningful:

- success
- warning
- critical
- information

Never create a rainbow dashboard.

Typography

Use premium modern typography with excellent readability.

Create clear hierarchy between:

Display → Heading → Section → Body → Label → Metadata

Large headings should feel confident, not oversized.

Technical identifiers such as Case IDs may use a tasteful monospace font.

Spacing

Use generous whitespace.

Follow a consistent spacing system.

Nothing should feel cramped.

Corners

Use subtle modern rounding.

Avoid excessively pill-shaped components.

Borders

Use thin, low-contrast borders to establish structure.

Shadows

Use extremely subtle elevation.

Avoid dramatic floating-card shadows.

3. LIGHT + DARK MODE

Design both:

Dark Mode

and

Light Mode

Dark mode should feel premium rather than pure-black gaming UI.

Light mode should feel calm, clean, professional, and highly readable.

Both themes must maintain identical hierarchy and accessibility.

Provide a theme switcher.

Respect system preference by default.

4. PUBLIC LANDING PAGE

Create a minimal, premium landing page.

Navigation:

VeilDrop

How it works

Security

Access Case

Investigator Login

Primary CTA:

Submit a Report

Hero headline:

Report what matters.

Protect what you share.

Supporting copy:

Submit sensitive information and evidence through a confidential client-encrypted channel. No reporter account required.

Primary CTA:

Submit a Confidential Report

Secondary CTA:

Access Existing Case

Add a subtle security indicator:

● Client-encrypted

Do not clutter the hero with illustrations.

Use typography, spacing, composition, and subtle visual details to create impact.

5. TRUST SECTION

Immediately after the hero, show three elegant principles.

Encrypted Before Upload

Sensitive content is protected on your device before transmission.

No Reporter Account

Submit and access your case without creating a conventional account.

Controlled Retention

Sensitive information can expire according to its retention policy.

Use minimal icons.

Avoid marketing-heavy language.

6. HOW IT WORKS

Create a beautiful four-step horizontal flow on desktop and vertical flow on mobile.

01

Write

Submit your confidential report.

↓

02

Protect

Your information is prepared and encrypted on your device.



03

Submit

Protected information is securely transmitted.



04

Stay Connected

Use your private recovery information to return and communicate.

Keep this section simple enough for a non-technical user.

7. SUBMIT REPORT PAGE

This is one of the most important screens.

Use a distraction-free centered layout.

Header:

Submit a Confidential Report

Supporting text:

Share the information necessary to understand the situation. You do not need to identify yourself.

Show a small privacy banner:

Shield icon

Your report is protected on this device before upload.

Report Details

Large textarea:

What would you like to report?

Placeholder:

Describe what happened, when it happened, and any information that may help an investigator understand the situation.

Include character count.

Category

Use polished selectable cards or dropdown.

Examples:

Security Incident

Fraud

Harassment

Privacy Concern

Organizational Misconduct

Other

Evidence

Create a beautiful drag-and-drop uploader.

Large drop zone:

Add supporting evidence

Drag files here or browse

Supporting:

PDF, images, documents, logs

Show uploaded files as clean rows:

document.pdf 4.2 MB Ready

Actions:

Preview / Remove

Retention

Show understandable options:

24 hours

7 days

30 days

Organization policy

Explain:

This determines how long protected case information remains available.

Final CTA

Review Report

Do not immediately submit.

8. REVIEW BEFORE SUBMISSION

Create a dedicated review screen.

Header:

Review before submitting

Sections:

Report

Category

Evidence

Retention

Allow:

Edit

for each section.

At the bottom display:

Ready to protect and submit

Supporting:

Your report and evidence will be prepared on this device before upload.

Primary CTA:

Protect & Submit

Secondary:

Go Back

9. SUBMISSION EXPERIENCE

Create an elegant full-screen process state.

Do not use a generic spinner.

Display actual-looking stages:

✓ Preparing report

✓ Preparing evidence

● Protecting content

○ Uploading

○ Creating case

Use subtle animated transitions.

Then:

✓ Report protected

✓ Evidence protected

● Uploading encrypted data

Then complete with a smooth transition into the success screen.

Never use fake percentages.

10. CASE CREATED SCREEN

This should feel extremely important.

Use a focused, calm composition.

Small success indicator.

Your case has been created.

Supporting:

Save the information below. You will need it to access this case again.

Display a premium credential card.

Case ID

VD-7F2A-91K8

Copy button.

Recovery Secret

Initially partially obscured:

.....

Actions:

Reveal

Copy

Use a warning panel:

Save your recovery information now

VeilDrop cannot recover your Recovery Secret if you lose it.

Actions:

Download Recovery Package

Print Recovery Information

Then require checkbox:

☐ I have securely saved my recovery information.

Primary CTA becomes enabled:

Continue to Case

Include:

Verify Submission Receipt

as a secondary action.

11. ACCESS EXISTING CASE

Create an extremely simple page.

Access your case

Supporting:

Enter the information provided when your report was submitted.

Input:

Case ID

Input:

Recovery Secret

Provide show/hide control for Recovery Secret.

Primary:

Access Case

Secondary:

Submit a New Report

Privacy note:

Your recovery information is used to unlock your case on this device.

Do not provide:

Forgot Recovery Secret?

Instead:

Lost your recovery information?

Explain calmly that it cannot be restored.

12. REPORTER CASE VIEW

The reporter interface should be significantly simpler than the investigator dashboard.

Header:

Case VD-7F2A-91K8

Status badge:

Under Review

Metadata:

Created Jul 30

Expires Aug 29

Navigation:

Conversation

Evidence

Case Details

Conversation

Create a premium secure messaging experience.

Messages should not look like a casual social messenger.

Reporter message:

You

Investigator:

Case Investigator

Show timestamps subtly.

Composer:

Write a secure reply...

Actions:

Attach evidence

Send

Show small state:

Protected before sending

13. EVIDENCE VIEW

Display evidence as sophisticated document rows.

Example:

financial-records.pdf

PDF • 4.2 MB

Status:

Protected

Actions:

View

Download

Use icons sparingly.

Do not expose unnecessary technical metadata.

14. CASE STATUS TIMELINE

Create a vertical timeline.

Example:

Report submitted

July 30 • 14:42

↓

Investigator assigned

July 30 • 15:06

↓

Report under review

July 30 • 15:12

↓

Investigator responded

July 30 • 17:43

Make the timeline calm and readable.

15. BURN-ON-READ MESSAGE UI

For burn-on-read content, create a clearly differentiated protected message card.

Before opening:

One-time message

This message becomes unavailable after it is revealed.

Primary:

Reveal Message

Require deliberate interaction.

After reveal:

Show content with:

One-time message • Revealed now

Do not use dramatic countdown effects.

16. INVESTIGATOR LOGIN

Separate investigator identity visually from anonymous reporting.

Header:

Investigator Access

Supporting:

Authorized personnel only

Primary authentication card:

Continue with Passkey

Passkey icon.

Secondary:

Use password instead

Footer:

Protected organizational access

Keep it extremely minimal.

17. INVESTIGATOR APP SHELL

Desktop layout:

Left sidebar + top header + main workspace.

Sidebar:

VeilDrop

Overview

Cases

Critical

Evidence

Security

Audit

Settings

Bottom:

Investigator profile.

Example:

AK

A. Kumar

Investigator

Top bar:

Search:

Search cases

Right:

Notifications

Security status

Profile

Avoid oversized navigation.

18. INVESTIGATOR OVERVIEW

Heading:

Good morning, Akash.

Supporting:

Here's what requires your attention.

Create four restrained metric cards:

12

Active Cases

3

Awaiting Response

2

Critical

4

Expiring Soon

Below:

Priority Queue

Create a high-quality table.

Columns:

Case

Category

Priority

Status

Updated

Assigned

Example:

VD-7F2A-91K8

Security Incident

Critical

Under Review

12 min ago

You

Use excellent row hover states.

Clicking opens the case workspace.

19. CASES PAGE

Header:

Cases

Tabs:

All

New

Active

Waiting

Closed

Search + filters.

Filters:

Priority

Category

Status

Assigned Investigator

Created

Expires

Table columns:

Case ID

Category

Priority

Status

Assigned

Evidence

Last Activity

Expiry

Support:

sorting

pagination

filter chips

saved views if useful

Keep it information-dense but visually calm.

20. CRITICAL CASES

Create a dedicated focused queue.

Header:

Critical Cases

Supporting:

Cases requiring immediate attention

Critical status should be visible but not visually overwhelming.

Do not cover the interface in red.

Use red only for genuinely critical indicators.

21. INVESTIGATOR CASE WORKSPACE

This is the most sophisticated screen.

Header:

VD-7F2A-91K8

Critical

Under Review

Actions:

Respond

Assign

...

Below use tabs:

Conversation

Evidence

Timeline

Security

Right-side contextual panel:

Case Details

Category

Priority

Created

Expires

Assignment

Assigned investigators

Reporter

Anonymous

Retention

29 days remaining

22. INVESTIGATOR CONVERSATION

Use a professional case communication layout.

Reporter:

Anonymous Reporter

Investigator:

You

Other investigator:

Sarah Chen • Senior Investigator

Composer:

Reply securely...

Actions:

Attach

Burn after read

Send Reply

Show:

Protected before sending

Keep communication visually distinct from internal notes.

Internal note:

Internal — investigators only

Use a subtle different surface.

23. INVESTIGATOR EVIDENCE

Header:

Evidence

Display:

file name

type

size

uploaded

integrity state

Actions:

Open

Download

Details

Show security states:

Integrity verified

Protected

When opening evidence, use a secure-viewer layout.

Do not automatically render potentially dangerous content.

24. SECURITY TAB

Create a sophisticated case-level security panel.

Encryption

Protected

Crypto Version

v1

Current Key Version

DEK v2

Authorized Recipients

Reporter

A. Kumar

Sarah Chen

Submission Receipt

Verified

Integrity

Verified

Actions where authorized:

Verify Receipt

Rotate Case Key

View Envelope History

Present technical information cleanly.

Do not turn it into a terminal.

25. KEY ROTATION UX

Opening **Rotate Case Key** should show a high-quality confirmation modal.

Rotate case encryption key?

Explain:

A new case key will replace the current version for future protected operations.

Show:

Current: DEK v2

Next: DEK v3

Show affected recipients.

Primary:

Rotate Key

Secondary:

Cancel

After completion:

✓ Case key rotated to v3

26. INVESTIGATOR ASSIGNMENT

Create a polished command-style modal.

Assign investigator

Search:

Search investigators...

Results:

Avatar

Name

Role

Availability/status

Example:

SK

Sarah Kumar

Senior Investigator

Permission:

Read

Read + Respond

Case Admin

Primary:

Assign

27. SECURITY CENTER

Create a premium security operations page.

Header:

Security

Supporting:

Security posture and cryptographic health

Top status:

All systems protected

or meaningful warning state.

Sections:

Authentication

Passkey adoption

Failed authentication attempts

Suspicious activity

Authorization

Denied case access

Revoked assignments

Cryptography

Crypto versions

Key rotations

Envelope revocations

Receipt signing status

Data Lifecycle

Expired cases

Scheduled destruction

Retention events

Use compact charts only when they communicate something useful.

Avoid dashboard decoration.

28. AUDIT LOG

Create a high-density professional audit interface.

Header:

Audit Log

Filters:

Event

Severity

Investigator

Case

Date

Table:

Timestamp

Event

Actor

Case

Severity

Example:

14:42:09

Case Created

Reporter

VD-7F2A-91K8

Info

Another:

15:02:41

Unauthorized Access Denied

A. Kumar

VD-93LA-01K2

Warning

Click row to open event details drawer.

29. EMPTY STATES

Design intentional empty states.

Example:

No critical cases

Nothing currently requires critical attention.

Do not use giant cartoon illustrations.

Another:

No messages yet

An investigator has not responded to this case yet.

30. ERROR STATES

Create beautiful but serious error states.

Case Not Found / Invalid Credentials

Unable to access this case

Check your Case ID and Recovery Secret and try again.

Do not reveal which credential was incorrect.

Expired

This case has expired

The retention period for this case has ended.

No Permission

Access denied

You are not authorized to access this case.

Connection

Unable to connect

Your information has not been submitted. Check your connection and try again.

Never expose technical stack traces.

31. LOADING STATES

Use skeletons for dashboards and tables.

Use small contextual progress indicators for actions.

Avoid giant centered spinners whenever possible.

Transitions should feel smooth and fast.

32. MICROINTERACTIONS

Add refined microinteractions for:

- button press
- copying credentials
- upload completion
- successful submission
- tab switching
- table hover
- drawers
- dialogs
- status changes
- receipt verification
- key rotation

Animations should generally be:

150–300 ms

Use subtle easing.

Respect:

prefers-reduced-motion

No decorative animation should interfere with sensitive workflows.

33. COMMAND PALETTE

For investigators, support:

Ctrl/Cmd + K

Command palette:

Search cases

Open Critical Cases

Create filter

View Security Center

Open Audit Log

Settings

Make keyboard-heavy workflows excellent.

34. RESPONSIVE DESIGN

Design for:

1440px+ desktop

1024px laptop/tablet

768px tablet

390px mobile

Reporter workflows must be exceptional on mobile.

Investigator dashboards should adapt intelligently rather than merely shrinking desktop tables.

On mobile:

Sidebar → bottom navigation or drawer.

Tables → structured cards.

Case workspace → stacked panels.

Keep critical actions accessible.

35. ACCESSIBILITY

Target:

WCAG 2.2 AA

Implement:


- semantic HTML

- full keyboard navigation
- visible focus indicators
- screen-reader labels
- accessible dialogs
- correct heading structure
- contrast compliance
- reduced-motion support
- large enough touch targets
- accessible validation

Never communicate security state using color alone.

Example:

Not only:



Use:



36. DESIGN SYSTEM

Build reusable components.

Navigation

Sidebar

TopBar

MobileNavigation

Breadcrumb

Tabs

Inputs

TextInput

SecretInput

Textarea

Select

Checkbox

Radio

FileUploader

Search

Actions

PrimaryButton

SecondaryButton

DangerButton

IconButton

CopyButton

Data

Table

DataCard

Badge

Timeline

FileRow

MetricCard

AuditEvent

Feedback

Toast

Alert

Banner

Dialog

Drawer

Tooltip

Skeleton

ProgressState

Security

SecurityBadge

RecoveryCredential

IntegrityStatus

CryptoVersion

RecipientList

ReceiptStatus

BurnMessage

Design every component with:

Default

Hover

Focus

Active

Disabled

Loading

Error

where applicable.

37. VISUAL CONSISTENCY

Use a strict token system for:

- typography
- spacing
- radius
- border
- surface
- text
- semantic status
- elevation
- motion

Do not create arbitrary CSS values throughout the project.

Every screen should clearly belong to the same product.

38. COPY STYLE

Language should be:

calm

clear

precise

human

Avoid technical jargon on reporter screens.

Instead of:

DEK successfully derived via HKDF

show:

Your case is ready.

Technical details belong in investigator Security views.

Never use fear-based copy such as:

Your identity is at risk!

Never make absolute claims such as:

100% anonymous

Impossible to hack

Unbreakable encryption

39. PREMIUM DETAILS

The product should feel expensive because of execution quality, not decoration.

Focus heavily on:

- typography
- alignment
- spacing
- hierarchy
- responsive behavior
- accessibility
- interaction feedback
- meaningful transitions
- polished empty states
- error recovery
- keyboard support
- consistent copy
- component quality
- information architecture

Every screen should look intentionally designed.

Nothing should feel generated from a generic admin-dashboard template.

40. FINAL PRODUCT EXPERIENCE

The reporter journey should feel:

```text id="1gqu0e" Landing ↓ Submit Report ↓ Add Evidence ↓ Review ↓ Protect & Submit ↓ Case Created ↓ Save Recovery Information ↓ Case Workspace ↓ Secure Conversation

The investigator journey should feel:

```
```text id="fzfcb2"
Investigator Login
    ↓
Passkey
    ↓
Overview
    ↓
Priority Queue
    ↓
Case Workspace
    ├── Conversation
    ├── Evidence
    ├── Timeline
    └── Security
```

The UI should make complex security feel simple without hiding important consequences.

A reporter should understand what to do without understanding cryptography.

An investigator should be able to manage sensitive cases efficiently.

A security administrator should be able to understand security state without accessing protected report content.

The final result must feel like a mature, internationally deployable privacy product with the design quality expected from a well-funded security company—not a student project, template, or concept dashboard.