Viśvasaṃvid- Universal Consciousness & Knowledge
An International Multidisciplinary Journal

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Agricultural Data Security: Safeguarding Digital Agriculture in the Era of Precision Farming and Smart Agriculture

Ms. Nishtha Ahuja, Agricultural Data Analyst and Researcher,

Email: nishthaahuja8070@gmail.com

Abstract

The rapid digital transformation of agriculture has fundamentally redefined agricultural production by integrating precision farming, artificial intelligence (AI), Internet of Things (IoT), cloud computing, remote sensing, blockchain, unmanned aerial vehicles (UAVs), and data-driven decision support systems into everyday farming operations. While these technological innovations have substantially improved agricultural productivity, sustainability, and resource efficiency, they have simultaneously generated unprecedented cybersecurity challenges. Agricultural data have emerged as strategic digital assets encompassing farm management records, geospatial information, sensor outputs, machinery telemetry, genomic databases, climate intelligence, and supply-chain information. Consequently, cyberattacks targeting agricultural systems now threaten not only data confidentiality but also food security, economic resilience, environmental sustainability, and national security. This article critically examines the concept of agricultural data security within the broader framework of Agriculture 4.0 and smart farming. It analyses the evolving agricultural data ecosystem, identifies major cyber threats confronting precision agriculture, evaluates contemporary technological and governance-based security solutions, and examines emerging policy frameworks governing agricultural data. Drawing upon recent peer-reviewed literature, international standards, and documented cybersecurity incidents affecting the global food and agriculture sector, the article argues that agricultural data security must evolve beyond conventional information security towards an integrated cyber-physical resilience framework. The study concludes that securing agricultural data represents one of the most significant prerequisites for achieving sustainable, resilient, and digitally inclusive agricultural systems in the era of Agriculture 5.0.

Keywords: Agricultural Data Security; Precision Agriculture; Smart Farming; Agriculture 4.0; Cybersecurity; Internet of Things; Food Security; Digital Agriculture

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

1. Introduction

Agriculture is undergoing one of the most profound technological transformations since the Green Revolution. Digital technologies, including precision agriculture, artificial intelligence (AI), the Internet of Things (IoT), cloud computing, geographic information systems (GIS), remote sensing, robotics, blockchain, and machine learning, have fundamentally changed how agricultural production is monitored, managed, and optimized (Wolfert et al., 2017; Kamilaris et al., 2018). These technologies collectively define the paradigm of **Agriculture 4.0**, in which farming decisions are increasingly driven by real-time data rather than intuition or experience alone.

Modern agricultural systems continuously generate massive volumes of heterogeneous data from satellite imagery, weather stations, soil sensors, autonomous machinery, livestock monitoring devices, drones, and farm management information systems. These datasets enable farmers to optimize irrigation scheduling, fertilizer application, disease prediction, machinery utilization, yield forecasting, and supply-chain logistics while improving resource efficiency and environmental sustainability (Liakos et al., 2018; Javaid et al., 2023). Consequently, agricultural data have become an essential strategic resource comparable to land, labour, water, and capital.

The Food and Agriculture Organization (FAO) recognizes digital agriculture as a critical enabler of sustainable food systems because data-driven technologies enhance productivity while reducing environmental impacts and supporting evidence-based agricultural policymaking. However, the increasing dependence of agricultural production on interconnected digital infrastructure has simultaneously expanded the cyber threat landscape, exposing agricultural systems to risks previously associated primarily with finance, healthcare, energy, and other critical infrastructure sectors (FAO, 2022). (ScienceDirect)

Unlike traditional enterprise information systems, smart agriculture operates as a **cyber-physical system**, where digital information directly influences biological production processes and physical farm operations. Data generated by sensors frequently trigger automated decisions regarding irrigation, fertilizer application, greenhouse climate regulation, autonomous vehicle navigation, livestock feeding, and pesticide deployment. Consequently, cyber incidents in agriculture possess the potential to generate immediate physical consequences, including crop losses, machinery disruption, livestock welfare concerns, contamination of food production processes, and supply-chain interruptions (Ferrag et al., 2024). (ScienceDirect)

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

The strategic significance of agricultural cybersecurity has become increasingly apparent through documented cyber incidents affecting the global food and agriculture sector. One of the most significant examples is the **2021 ransomware attack on NEW Cooperative**, one of the largest grain cooperatives in the United States. The BlackMatter ransomware group targeted the cooperative's digital infrastructure during harvest season, disrupting grain storage, logistics, and operational systems while demanding a multimillion-dollar ransom. The incident demonstrated that attacks on agricultural organizations may directly threaten food supply chains and national economic resilience rather than merely compromise information systems. (arXiv)

Similarly, the ransomware attack against **JBS Foods** in 2021 temporarily disrupted operations across multiple countries, affecting one of the world's largest meat processing companies. Although the attack primarily targeted corporate information systems, its consequences extended to food processing operations, livestock supply chains, international meat markets, and food distribution networks. The incident highlighted the reality that cybersecurity failures within agrifood industries can rapidly evolve into food security concerns with transnational implications. (arXiv)

Beyond ransomware, researchers have documented vulnerabilities throughout precision agriculture technologies. GPS-guided tractors, wireless sensor networks, autonomous agricultural machinery, unmanned aerial vehicles, cloud-based farm management platforms, and IoT-enabled irrigation systems all expand the attack surface available to cyber adversaries. Systematic reviews published in *Computers & Security* and *Computers and Electronics in Agriculture* identify false-data injection attacks, GPS spoofing, denial-of-service attacks, firmware manipulation, cloud misconfigurations, malware, botnets, ransomware, insider threats, and communication-layer attacks as the principal cybersecurity risks confronting Agriculture 4.0 (Ferrag et al., 2024; Alahe et al., 2024). (ScienceDirect)

Agricultural data have simultaneously acquired considerable commercial value. Contemporary farms generate detailed information regarding soil fertility, crop genetics, input utilization, machinery performance, weather adaptation, yield variability, livestock productivity, and market behaviour. These datasets support predictive analytics, insurance modelling, financial services, seed development, equipment optimization, and commodity forecasting. Consequently, questions surrounding agricultural data ownership, privacy, intellectual property, governance, interoperability, and cybersecurity have become increasingly prominent

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

within agricultural policy and academic research (Bronson & Knezevic, 2016; Carbonell, 2016).

The concept of agricultural data security therefore extends well beyond conventional cybersecurity. It encompasses the protection of agricultural information throughout its entire lifecycle by ensuring **confidentiality**, **integrity**, **availability**, **authenticity**, **traceability**, and **operational resilience**. Effective agricultural data security requires safeguarding not only digital information but also the cyber-physical systems that depend upon that information for autonomous decision-making. Accordingly, cybersecurity in agriculture has become an interdisciplinary challenge involving computer science, agricultural engineering, information systems, public policy, economics, and food security governance (Ferrag et al., 2024). (ScienceDirect)

This article critically examines agricultural data security within the broader context of precision agriculture and smart farming. It first conceptualizes agricultural data as a strategic digital resource before analysing the principal cybersecurity threats confronting modern agricultural systems. Subsequently, it evaluates emerging technological solutions, legal and governance frameworks, and future research directions necessary for building resilient, trustworthy, and sustainable digital agricultural ecosystems. In doing so, the article argues that agricultural data security should no longer be viewed as a peripheral technical concern but rather as a foundational pillar of global food security and sustainable agricultural development in the twenty-first century.

2. Agricultural Data Security in the Era of Precision Agriculture

The transition from conventional agriculture to **Agriculture 4.0** has fundamentally altered the nature, volume, and strategic importance of agricultural data. Traditionally, farm records consisted primarily of handwritten production logs, weather observations, land ownership documents, and financial accounts maintained by individual farmers. Contemporary digital agriculture, however, generates continuous streams of structured and unstructured data through interconnected cyber-physical systems that monitor virtually every aspect of agricultural production (Wolfert et al., 2017).

Agricultural data now encompass high-resolution satellite imagery, multispectral drone images, soil nutrient profiles, climatic observations, machine telemetry, livestock biometrics, irrigation schedules, genomic databases, pesticide application records, crop disease diagnostics, market intelligence, and supply-chain traceability information. The increasing

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

integration of Artificial Intelligence (AI), Internet of Things (IoT), cloud computing, blockchain, Geographic Information Systems (GIS), and autonomous agricultural machinery has transformed these datasets into strategic digital assets that directly influence operational efficiency, productivity, and sustainability (Liakos et al., 2018; Javaid et al., 2023).

Unlike traditional enterprise information systems, agricultural information systems operate as **Cyber-Physical Agricultural Systems (CPAS)**, in which digital information immediately influences biological and physical processes. Sensor-generated soil moisture data may automatically trigger irrigation systems, machine learning algorithms may determine fertilizer dosage, GPS guidance controls autonomous tractors, while AI-based disease detection systems recommend pesticide applications. Consequently, compromising agricultural data does not merely affect digital infrastructure; it can directly alter physical farming operations, resulting in crop losses, livestock welfare issues, environmental degradation, and supply-chain disruptions (Ferrag et al., 2025). (DOI)

This convergence of cyber and physical environments fundamentally distinguishes agricultural data security from conventional information security. While sectors such as banking primarily focus on protecting financial transactions and healthcare protects patient records, agricultural cybersecurity must simultaneously preserve **food production**, **environmental sustainability**, **economic resilience**, and **national food security**. As digital agriculture becomes increasingly autonomous, ensuring trustworthy data becomes essential because erroneous information can propagate through automated decision-support systems without immediate human intervention (Kamilaris et al., 2018).

Scholars increasingly argue that agricultural data should be regarded as **critical infrastructure data**, comparable to energy, transportation, or healthcare information. The rationale is straightforward: disruptions in agricultural information systems may interrupt food production, destabilize commodity markets, and affect national economic security (Campoverde-Molina & Luján-Mora, 2025). (DOI)

Accordingly, agricultural data security extends beyond traditional confidentiality requirements to encompass operational continuity, cyber resilience, data integrity, and trustworthy decision-making throughout the agricultural production cycle.

3. The Agricultural Data Ecosystem

Understanding agricultural cybersecurity requires first understanding the agricultural data ecosystem itself. Unlike many industries where data originate from relatively homogeneous

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

digital systems, agricultural information is generated through an extensive network of heterogeneous technologies operating across distributed geographical environments.

Modern precision agriculture integrates five principal categories of data sources.

First, **field-level sensing systems** continuously monitor environmental conditions through IoT devices measuring soil moisture, soil temperature, nutrient availability, pH levels, humidity, solar radiation, and weather variables. These sensors often communicate through wireless technologies such as LoRaWAN, Zigbee, NB-IoT, Wi-Fi, and cellular networks before transmitting data to cloud platforms for analysis (Alahe et al., 2024). (ScienceDirect)

Second, **autonomous agricultural machinery** generates extensive telemetry data. Modern tractors, combines, seed drills, sprayers, and harvesters record operational parameters including GPS coordinates, engine diagnostics, fuel consumption, implement performance, variable-rate application maps, and maintenance histories. These machines increasingly operate as interconnected mobile computing platforms rather than purely mechanical equipment.

Third, **remote sensing technologies** produce large geospatial datasets through satellites, unmanned aerial vehicles (UAVs), hyperspectral imaging systems, and multispectral cameras. These technologies enable continuous monitoring of vegetation health, water stress, nutrient deficiencies, weed infestations, disease outbreaks, and biomass estimation, supporting precision interventions at sub-field resolution (Liakos et al., 2018).

Fourth, **farm management information systems (FMIS)** integrate operational records including planting schedules, irrigation management, pesticide applications, labour management, financial accounting, inventory control, and regulatory compliance documentation. Increasingly, these systems operate through cloud-based Software-as-a-Service (SaaS) platforms, allowing remote access across multiple stakeholders.

Finally, **agricultural supply-chain systems** generate transaction data concerning storage, transportation, food processing, traceability, certification, insurance, commodity trading, and retail distribution. Blockchain technologies have further expanded digital traceability by recording immutable supply-chain transactions from farm to consumer.

Collectively, these interconnected systems generate what has become known as **Agricultural Big Data**, characterised by the classical "Five Vs" of big data, volume, velocity, variety, veracity, and value (Wolfert et al., 2017). However, unlike traditional big data environments, agricultural datasets frequently contain both operational technology (OT) and information

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

technology (IT), requiring integrated cybersecurity strategies capable of protecting heterogeneous infrastructures simultaneously.

The increasing interdependence among these technologies creates systemic cybersecurity risks. A compromised weather station may influence irrigation algorithms; manipulated GPS signals may alter autonomous tractor navigation; falsified sensor data may mislead AI-based crop disease detection systems; and ransomware targeting cloud-based farm management platforms may simultaneously disrupt multiple geographically dispersed farming operations. Consequently, security weaknesses within one subsystem can rapidly propagate throughout the broader agricultural ecosystem (Ferrag et al., 2025). (DOI)

4. Fundamental Principles of Agricultural Data Security

Agricultural cybersecurity extends beyond the traditional **Confidentiality–Integrity–Availability (CIA) Triad** because digital agriculture requires trustworthy autonomous decision-making within cyber-physical environments. Consequently, researchers increasingly advocate expanding the classical CIA model into a multidimensional framework incorporating authenticity, accountability, resilience, and traceability (Alahe et al., 2024). (ScienceDirect)

4.1 Confidentiality

Confidentiality refers to protecting agricultural information from unauthorized access and disclosure. Sensitive agricultural datasets include crop genetics, proprietary seed formulations, precision farming prescriptions, yield maps, livestock breeding records, financial information, and market strategies. Such information possesses considerable commercial value because agribusiness corporations increasingly depend upon predictive analytics for product development, insurance modelling, commodity forecasting, and precision input recommendations.

Data breaches involving proprietary agricultural information may therefore compromise competitive advantages, intellectual property, and farmer privacy simultaneously (Bronson & Knezevic, 2016).

4.2 Integrity

Integrity ensures that agricultural data remain accurate, complete, and resistant to unauthorized modification throughout their lifecycle.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

This principle is particularly critical because precision agriculture increasingly relies upon automated decision-support systems. Manipulated soil nutrient measurements could result in excessive fertilizer application, while falsified weather forecasts may trigger inappropriate irrigation schedules. Likewise, corrupted livestock monitoring data could delay disease detection, threatening both animal welfare and food safety.

False-data injection attacks therefore represent one of the most dangerous cybersecurity threats within Agriculture 4.0 because manipulated information may produce legitimate, but incorrect, automated decisions (Ferrag et al., 2025). (DOI)

4.3 Availability

Availability ensures that agricultural information remains accessible whenever required for operational decision-making.

Agricultural operations frequently occur within narrow seasonal windows. If farm management platforms become unavailable during planting, irrigation, harvesting, or disease outbreaks, economic losses may rapidly accumulate. Consequently, ransomware attacks represent particularly severe threats because they intentionally deny access to operational information during time-sensitive agricultural activities.

The 2021 **NEW Cooperative ransomware attack** illustrates this risk. Attackers targeted one of the largest grain cooperatives in the United States during harvest operations, disrupting grain logistics and operational management while demanding approximately US$5.9 million in ransom. The incident demonstrated how cybersecurity failures can directly threaten food supply chains rather than merely compromise digital infrastructure. (arXiv)

4.4 Authenticity and Traceability

Agricultural supply chains increasingly depend upon trustworthy digital records for food safety, export certification, organic farming verification, and sustainability reporting.

Authenticity ensures that agricultural information genuinely originates from legitimate sources, while traceability enables stakeholders to verify the complete lifecycle of agricultural products from production to consumption. Technologies such as blockchain are increasingly deployed to strengthen authenticity and prevent fraud within global food supply chains.

4.5 Resilience

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Modern agricultural cybersecurity increasingly prioritizes **cyber resilience** rather than merely cyber protection.

Resilience refers to the capacity of agricultural systems to anticipate, withstand, recover from, and adapt to cyber incidents without catastrophic disruption of agricultural production. Given agriculture's dependence upon climate, seasonality, and biological processes, complete prevention of cyberattacks is unrealistic. Instead, resilient system architectures emphasize redundancy, rapid recovery, continuous monitoring, incident response planning, and adaptive governance (Campoverde-Molina & Luján-Mora, 2025). (DOI)

5. Cybersecurity Threats to Agricultural Data and Digital Farming Systems

The rapid digitalisation of agriculture has significantly expanded the attack surface of agricultural information systems. Unlike conventional cyberattacks that primarily target financial assets or personal information, attacks on agricultural systems may simultaneously affect **food production, environmental sustainability, supply chains, and national economic stability**. Recent systematic reviews indicate that agriculture has transitioned from a relatively isolated sector to one increasingly exposed to sophisticated cyber threats because of the widespread deployment of IoT devices, cloud platforms, autonomous machinery, AI-driven decision support systems, and interconnected supply chains. (DOI)

Researchers broadly classify threats into attacks targeting **data confidentiality, integrity, availability, operational technology (OT), and cyber-physical infrastructure**. In precision agriculture, these categories frequently overlap because manipulated information can trigger automated physical actions without immediate human intervention (Ferrag et al., 2024).

5.1 Ransomware Attacks on Agricultural Organisations

Ransomware has emerged as one of the most damaging cyber threats confronting modern agriculture. Unlike traditional malware, ransomware encrypts organisational data and demands financial payment for restoration. Because agricultural operations are highly seasonal, even brief interruptions during planting, harvesting, storage, or livestock management can generate substantial economic losses.

The **NEW Cooperative ransomware attack** in September 2021 illustrates this vulnerability. NEW Cooperative, one of the largest grain cooperatives in the United States, experienced a cyberattack attributed to the BlackMatter ransomware group. The attackers reportedly

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

demanded approximately US$5.9 million while disrupting grain storage, transportation, and operational management systems. The incident occurred during the harvest season, highlighting how cyberattacks can interfere with time-sensitive agricultural operations and potentially affect broader food supply chains. (arXiv)

Similarly, the ransomware attack against **JBS Foods**, one of the world's largest meat processing companies, temporarily disrupted production facilities across North America and Australia. Although the attack targeted corporate information systems, operational shutdowns affected meat processing capacity, international trade, and food distribution networks, demonstrating that cybersecurity incidents within agrifood industries can rapidly evolve into food security concerns. (arXiv)

These incidents demonstrate that cyber resilience in agriculture is no longer merely an information technology issue but a strategic component of national critical infrastructure protection.

5.2 Internet of Things (IoT) Vulnerabilities

The Internet of Things represents the technological foundation of precision agriculture. Smart farms increasingly rely upon distributed sensor networks to monitor soil moisture, temperature, humidity, nutrient levels, livestock behaviour, greenhouse conditions, and irrigation infrastructure.

Despite their operational benefits, agricultural IoT devices frequently possess limited computational resources, making implementation of advanced encryption, authentication, and intrusion detection mechanisms difficult. Many sensors also operate in physically exposed environments where attackers may gain direct access to hardware, increasing susceptibility to tampering and device compromise (Alahe et al., 2024). (DOI)

Researchers identify several recurring vulnerabilities:

- weak authentication mechanisms;
- default manufacturer passwords;
- outdated firmware;
- insecure wireless communication protocols;
- inadequate encryption;
- poor device lifecycle management.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Compromised IoT devices may become entry points into broader agricultural networks, enabling attackers to manipulate environmental measurements, disrupt irrigation schedules, or create botnets capable of launching distributed denial-of-service (DDoS) attacks against farm management platforms (Ferrag et al., 2024). (DOI)

5.3 False Data Injection and Data Integrity Attacks

Perhaps the greatest cybersecurity challenge in precision agriculture is **data integrity** rather than confidentiality.

Precision agriculture increasingly depends upon automated decision-support systems that analyse sensor outputs before recommending irrigation schedules, fertilizer application rates, pesticide deployment, harvesting times, and disease management strategies. If attackers manipulate these datasets, AI algorithms may generate technically valid, but operationally incorrect, recommendations.

Examples include:

- falsified soil moisture values causing excessive irrigation;
- manipulated nutrient data leading to inappropriate fertilizer application;
- altered weather observations affecting planting decisions;
- corrupted disease surveillance data delaying intervention.

Unlike ransomware, false-data injection attacks often remain undetected because systems continue functioning normally while making progressively incorrect decisions. Such attacks therefore represent one of the most significant threats to Agriculture 4.0, particularly where autonomous systems increasingly replace human judgement (Ferrag et al., 2024). (DOI)

5.4 GPS Spoofing and Autonomous Machinery

Precision agriculture relies extensively on **Global Navigation Satellite Systems (GNSS)**, including GPS, for guidance of tractors, harvesters, sprayers, and autonomous agricultural machinery.

GPS spoofing occurs when attackers transmit counterfeit satellite signals that mislead receivers regarding their actual geographical position.

Potential consequences include:

- incorrect planting rows;
- overlapping fertilizer applications;

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

- missed harvesting zones;
- inefficient fuel consumption;
- collisions involving autonomous machinery.

For large commercial farms operating centimetre-level precision guidance systems, navigation errors may significantly reduce productivity while increasing environmental impacts through unnecessary chemical application.

Recent cybersecurity reviews identify GPS spoofing as one of the principal emerging threats within Agriculture 4.0 because autonomous agricultural equipment increasingly depends upon satellite navigation for operational decision-making. (ScienceDirect)

5.5 Cloud Computing and Agricultural Data Breaches

Cloud computing has become central to digital agriculture because it enables farmers to access farm management platforms, analytics, weather forecasting, machinery diagnostics, and AI services without maintaining local computing infrastructure.

However, cloud adoption introduces additional cybersecurity challenges.

Agricultural cloud platforms frequently store:

- farm financial records;
- geospatial maps;
- satellite imagery;
- livestock databases;
- machinery telemetry;
- crop production histories;
- farmer identity information.

Misconfigured cloud storage, inadequate access controls, insecure application programming interfaces (APIs), and credential theft may expose sensitive agricultural information to unauthorized access.

Recognising these risks, NIST's recent data protection guidance emphasises securing information throughout its lifecycle, including **data at rest, data in transit, and data in use**, particularly within cloud-native environments. Although designed for general cloud computing, these principles are directly applicable to digital agricultural platforms where distributed cloud services increasingly dominate farm management systems. (NIST)

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

5.6 Insider Threats and Human Factors

Not all cybersecurity incidents originate from sophisticated external attackers.

Employees, contractors, consultants, equipment vendors, or supply-chain partners possessing legitimate system access may intentionally or unintentionally compromise agricultural information.

Examples include:

- accidental disclosure of proprietary datasets;
- misuse of privileged system access;
- weak password practices;
- phishing attacks;
- social engineering;
- inadequate cybersecurity awareness.

Recent systematic reviews emphasise that human factors remain among the least studied dimensions of agricultural cybersecurity despite their considerable practical importance. Researchers therefore recommend integrating organisational governance, cybersecurity awareness training, and behavioural risk assessment into future Agriculture 5.0 security frameworks. (DOI)

6. Technological Approaches to Agricultural Data Security

Given the diversity of cyber threats confronting smart agriculture, no single technology provides comprehensive protection. Contemporary research instead advocates **defence-in-depth**, whereby multiple complementary security mechanisms operate simultaneously across sensing devices, communication networks, cloud platforms, autonomous machinery, and decision-support systems.

6.1 Encryption and Cryptographic Protection

Encryption remains the first line of defence for protecting agricultural information during storage and transmission.

Modern agricultural systems should implement:

- AES-256 encryption for stored data;
- TLS-based secure communication;
- public-key infrastructure (PKI);

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

- digital certificates for device authentication;
- secure key management.

Strong cryptographic protection ensures that intercepted agricultural datasets remain unintelligible even if communication channels are compromised.

6.2 Artificial Intelligence for Cyber Threat Detection

Artificial Intelligence is increasingly employed not only for crop management but also for cybersecurity itself.

Machine learning algorithms can analyse network traffic, user behaviour, sensor outputs, and system logs to identify anomalies indicating potential cyberattacks.

AI-based intrusion detection systems offer several advantages:

- early attack detection;
- adaptive learning;
- reduced false positives;
- automated incident response;
- predictive threat intelligence.

Recent literature suggests that AI-driven cybersecurity will become indispensable as agricultural systems become increasingly autonomous and interconnected. (ScienceDirect)

6.3 Blockchain for Secure Agricultural Data Sharing

Blockchain technology provides a decentralised and tamper-resistant mechanism for recording agricultural transactions.

Within digital agriculture, blockchain supports:

- food traceability;
- provenance verification;
- smart contracts;
- certification;
- secure data sharing;
- audit trails.

Because blockchain records are immutable, unauthorized modification of agricultural information becomes considerably more difficult.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Researchers have additionally proposed privacy-preserving blockchain architectures enabling secure sharing of agricultural datasets while complying with regulatory privacy requirements. (arXiv)

6.4 Zero Trust Architecture

Traditional network security assumes that devices operating inside organisational networks are trustworthy.

Modern agricultural systems invalidate this assumption because farms increasingly integrate cloud platforms, mobile devices, contractors, equipment manufacturers, and third-party analytics services.

Zero Trust Architecture therefore operates on the principle of **"never trust, always verify."**

Every device, user, application, and communication request must undergo continuous authentication and authorization irrespective of network location.

For distributed agricultural ecosystems, Zero Trust significantly reduces lateral movement following initial system compromise.

6.5 Cybersecurity Frameworks

Several internationally recognised cybersecurity frameworks provide valuable guidance for agricultural organisations.

Among these, the **NIST Cybersecurity Framework (CSF 2.0)** has become particularly influential because it organises cybersecurity around six interconnected functions:

- Govern
- Identify
- Protect
- Detect
- Respond
- Recover

Recent smart agriculture research recommends adapting NIST CSF 2.0 to Agriculture 5.0 because it accommodates both organisational governance and technical cybersecurity controls across cyber-physical farming environments. (DOI)

7. Legal, Regulatory, and Governance Frameworks for Agricultural Data Security

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Technological safeguards alone are insufficient to secure digital agriculture. As agricultural systems become increasingly dependent on cloud platforms, artificial intelligence, cross-border data exchange, and public digital infrastructure, **governance mechanisms** have become equally important. Agricultural data security therefore requires an integrated framework combining legislation, technical standards, institutional accountability, and ethical data governance.

Unlike sectors such as healthcare and banking, agriculture lacks a universally accepted legal framework governing data ownership, privacy, sharing, and cybersecurity. Consequently, most countries regulate agricultural data indirectly through broader cybersecurity, privacy, and critical infrastructure legislation (Wiseman et al., 2019).

]7.1 General Data Protection Regulation (GDPR)

The **European Union's General Data Protection Regulation (GDPR)** remains one of the most influential legal instruments governing digital information.

Although GDPR does not specifically regulate agricultural data, it applies whenever farm datasets contain **personally identifiable information**, including:

- farmer identities;
- land ownership records;
- financial transactions;
- employment records;
- GPS locations associated with individuals.

GDPR establishes several principles particularly relevant for digital agriculture:

- lawfulness and transparency;
- purpose limitation;
- data minimisation;
- accuracy;
- storage limitation;
- integrity and confidentiality;
- accountability.

These principles have significantly influenced agricultural data governance across Europe, particularly within precision farming platforms and smart supply-chain applications (European Parliament & Council, 2016).

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

An important implication for agriculture is that precision farming companies cannot collect or share farmer-specific personal information without an appropriate legal basis. Furthermore, farmers possess rights concerning data access, rectification, portability, and erasure, strengthening trust within digital agricultural ecosystems.

7.2 India's Digital Personal Data Protection Act, 2023

India's transition towards digital agriculture through **AgriStack** and the **Digital Agriculture Mission** has substantially increased the importance of agricultural data governance.

The **Digital Personal Data Protection (DPDP) Act, 2023** establishes India's first comprehensive framework governing digital personal data. While the Act is not agriculture-specific, it provides the legal foundation for protecting personal information collected through agricultural digital platforms. The framework is based upon consent, purpose limitation, accountability, and obligations imposed upon data fiduciaries. (NIST)

The relevance of the DPDP Act is particularly evident in India's **Digital Agriculture Mission**, approved in 2024. One of its major components is **AgriStack**, a federated digital infrastructure comprising the Farmers' Registry, geo-referenced village maps, and Crop Sown Registry. Importantly, the Government has clarified that AgriStack follows a federated architecture in which ownership of agricultural data remains with the respective State Governments, while privacy considerations have been incorporated in accordance with the DPDP Act, 2023. (Press Information Bureau)

This governance model is significant because it attempts to balance two competing objectives:

1. enabling innovation through digital agricultural services; and
2. protecting farmers' privacy and preventing unauthorized exploitation of agricultural information.

Nevertheless, scholars continue to debate unresolved issues concerning ownership of non-personal agricultural data, algorithmic transparency, informed consent, and commercial reuse of farm-generated datasets (Chaterji et al., 2020; Bronson & Knezevic, 2016).

7.3 ISO/IEC 27001 and Information Security Management

Among international cybersecurity standards, **ISO/IEC 27001** remains the most widely adopted framework for establishing Information Security Management Systems (ISMS).

Rather than prescribing specific technologies, ISO 27001 provides a risk-based methodology requiring organisations to:

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

- identify information assets;
- assess cyber risks;
- implement security controls;
- continuously monitor security performance;
- improve cybersecurity governance.

Agricultural cooperatives, food processing industries, agri-tech companies, seed corporations, and digital agriculture service providers increasingly implement ISO 27001 because it integrates technical security controls with organisational governance.

Within smart agriculture, ISO 27001 assists organisations in securing:

- cloud-based farm management systems;
- agricultural databases;
- IoT infrastructure;
- supply-chain information;
- employee access controls;
- disaster recovery planning.

Its emphasis on continuous risk assessment aligns particularly well with rapidly evolving Agriculture 4.0 environments.

7.4 NIST Cybersecurity Framework 2.0

The **National Institute of Standards and Technology (NIST) Cybersecurity Framework (CSF 2.0)** has emerged as one of the world's most influential cybersecurity governance models. Unlike technology-specific guidance, NIST CSF organises cybersecurity into six interconnected functions:

- Govern
- Identify
- Protect
- Detect
- Respond
- Recover

For agricultural organisations, these functions provide a practical roadmap for integrating cybersecurity into daily farm operations, machinery management, cloud platforms, and supply-chain coordination.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

Recent agricultural cybersecurity research recommends adapting NIST CSF to smart farming because it effectively accommodates cyber-physical systems where operational technology and information technology converge (Ferrag et al., 2024).

7.5 Ethical Governance of Agricultural Data

Beyond legal compliance lies the broader issue of **ethical data governance**.

Agricultural data increasingly influence:

- access to agricultural credit;
- crop insurance;
- precision advisory services;
- market recommendations;
- input subsidies;
- climate adaptation strategies.

Consequently, algorithmic decisions derived from agricultural datasets may directly affect farmers' livelihoods.

Researchers therefore advocate several ethical principles:

- informed farmer consent;
- transparency regarding data collection;
- equitable benefit sharing;
- explainable artificial intelligence;
- algorithmic accountability;
- protection against discriminatory profiling;
- fair data ownership arrangements.

Ethical governance becomes particularly important in developing countries where smallholder farmers often possess limited bargaining power when interacting with large digital agriculture platforms (Wiseman et al., 2019).

8. Future Directions in Agricultural Data Security

The future of agricultural cybersecurity will be shaped by the evolution of **Agriculture 5.0**, where intelligent automation, collaborative robotics, artificial intelligence, edge computing, and digital twins become central components of agricultural production.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

One emerging research area concerns **AI-native cybersecurity**. Future agricultural systems will increasingly employ machine learning algorithms capable of identifying cyber threats autonomously while adapting security policies in real time. Such systems may detect abnormal sensor behaviour, compromised IoT devices, or suspicious communication patterns before operational disruptions occur.

A second priority involves **edge computing**.

Rather than transmitting all agricultural data to distant cloud servers, edge computing processes information near its source. This approach reduces communication latency while simultaneously decreasing cybersecurity risks associated with continuous cloud transmission. Edge intelligence also enhances resilience during network failures, enabling autonomous agricultural systems to continue functioning even when cloud connectivity becomes unavailable.

Another important direction concerns **blockchain-enabled agricultural ecosystems**.

Future blockchain platforms are expected to move beyond simple food traceability towards secure sharing of sensor data, automated insurance claims, decentralized agricultural marketplaces, carbon-credit verification, and smart contracts governing agricultural supply chains.

Researchers are also exploring **federated learning**, which enables artificial intelligence models to learn from distributed agricultural datasets without requiring centralized storage of sensitive farmer information. This technology simultaneously improves privacy, reduces communication costs, and enhances regulatory compliance.

As quantum computing advances, agricultural cybersecurity will eventually require **post-quantum cryptography** capable of protecting long-term agricultural records against future computational threats. Although still largely experimental, quantum-resistant encryption is increasingly recognised as a long-term strategic priority for critical infrastructure sectors.

Finally, agricultural cybersecurity research must increasingly integrate **social sciences** alongside engineering.

Technical security controls alone cannot address:

- farmer awareness;
- digital literacy;
- trust in agricultural platforms;
- cybersecurity governance;

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

- behavioural vulnerabilities;
- institutional capacity.

Future research should therefore adopt interdisciplinary perspectives combining agriculture, cybersecurity, economics, public policy, behavioural science, and rural development.

9. Conclusion

Agriculture is experiencing a profound digital transformation in which data have become a strategic production resource alongside land, labour, water, and capital. Precision agriculture, artificial intelligence, IoT, cloud computing, autonomous machinery, and digital decision-support systems have significantly enhanced agricultural productivity, sustainability, and resource efficiency. However, these technological advances have simultaneously expanded the cyber threat landscape, transforming agricultural cybersecurity into a fundamental component of food security and national resilience.

This article has argued that agricultural data security extends far beyond conventional information security. Because modern agriculture operates as a cyber-physical ecosystem, cybersecurity failures may generate direct biological, environmental, economic, and operational consequences. Documented incidents such as the ransomware attacks on NEW Cooperative and JBS Foods demonstrate that cyberattacks can disrupt food supply chains, agricultural logistics, and national economies, highlighting agriculture's growing importance as critical infrastructure.

The analysis further demonstrates that effective agricultural data security requires a **multi-layered governance framework** integrating advanced technical controls, organisational cybersecurity practices, legal safeguards, ethical governance, and farmer participation. Technologies such as encryption, blockchain, artificial intelligence, Zero Trust Architecture, and edge computing provide essential technical foundations. Nevertheless, their effectiveness ultimately depends upon robust governance frameworks supported by standards such as ISO/IEC 27001, the NIST Cybersecurity Framework, the GDPR, and emerging national regulatory initiatives including India's Digital Personal Data Protection Act and Digital Agriculture Mission.

As Agriculture 5.0 accelerates the adoption of autonomous systems and AI-driven decision-making, agricultural cybersecurity must evolve from a reactive defence strategy towards a proactive resilience model capable of anticipating, detecting, and adapting to increasingly

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

sophisticated cyber threats. Future agricultural development will therefore depend not only upon technological innovation but also upon secure, trustworthy, and ethically governed digital ecosystems that protect farmers, strengthen food systems, and promote sustainable agricultural transformation.

Volume: 01 | Issue: 01 | August-Oct 2026 | ISSN(Online): Applied for

References

Alahe, M. A., et al. (2024). Cybersecurity in smart agriculture: A systematic review. *Computers and Electronics in Agriculture*.

Bronson, K., & Knezevic, I. (2016). Big Data in food and agriculture. *Big Data & Society, 3*(1).

Campoverde-Molina, M., & Luján-Mora, S. (2025). Cybersecurity challenges in Agriculture 5.0. *Computers & Security*.

Carbonell, I. (2016). The ethics of Big Data in agriculture. *Internet Policy Review, 5*(1).

European Parliament & Council. (2016). *Regulation (EU) 2016/679 (General Data Protection Regulation).*

FAO. (2022). *The State of Food and Agriculture 2022: Leveraging automation in agriculture.*

Ferrag, M. A., et al. (2024). Cybersecurity for Agriculture 5.0: Threats, vulnerabilities, and future directions. *Computers & Security*.

ISO. (2022). *ISO/IEC 27001:2022 Information security, cybersecurity and privacy protection, Information security management systems, Requirements.*

Javaid, M., et al. (2023). Agriculture 4.0 and smart farming technologies: A review. *Sustainable Operations and Computers*.

Kamilaris, A., Kartakoullis, A., & Prenafeta-Boldú, F. X. (2018). A review on the practice of Big Data analysis in agriculture. *Computers and Electronics in Agriculture, 143*, 23–37.

Liakos, K. G., et al. (2018). Machine learning in agriculture: A review. *Sensors, 18*(8), 2674.

NIST. (2024). *Cybersecurity Framework (CSF) 2.0.*

NIST. (2020). *SP 800-53 Rev. 5: Security and Privacy Controls for Information Systems and Organizations.*

Wolfert, S., Ge, L., Verdouw, C., & Bogaardt, M. J. (2017). Big Data in smart farming: A review. *Agricultural Systems, 153*, 69–80.

Wiseman, L., Sanderson, J., Zhang, A., & Jakku, E. (2019). Farmers and agricultural data governance. *International Data Privacy Law, 9*(3), 162–174.