

MESTTS SESSION REPORT

Multimodal Eye–Speech–Typing Temporal Synchronization System

Participant ID	p18	Session ID	41130f30-2e7a-4a
Date / Time	2026-04-12 02:23	Sentences Scored	3

DYSLEXIA RISK ASSESSMENT

MODERATE

Risk Score: 0.4000

EVS Gaze Span	Calibration Quality	Data Completeness	Sentences Scored
0.1314	58.4%	80.6%	3

IMPORTANT: This system produces a behavioral risk indicator only. It does not constitute a clinical diagnosis of dyslexia or any other condition. Results must be interpreted by a qualified specialist in the context of a comprehensive assessment protocol.

Interpretation

Overall Assessment

Some markers of reading difficulty were detected — further assessment recommended.

The participant's score of 0.400 places them in the moderate-risk band. Certain reading behaviours — such as irregular fixation timing, gaze-speech misalignment, or variable reading pace — appeared more often than typical. A follow-up clinical assessment would be worthwhile.

Data Quality

EVS Gaze Span — ACCEPTABLE

Span of 0.1314 is workable but on the lower side. Minor inaccuracies in word mapping are possible. Results should be interpreted with slight caution.

Calibration Quality — MODERATE

58% quality suggests the calibration was acceptable but not ideal. Word-level mapping may have minor errors.

Data Completeness — HIGH

81% of word slots had both gaze and speech data captured. The session data is highly reliable.

Key Reading Behaviour Indicators

Eye-Voice Span (F02)

The eye typically looked ahead of spoken words by ~1290 ms. This is normal — fluent readers pre-scan upcoming words.

EVS Consistency (F01)

EVS variability was low (169 ms std). Participant read at a steady, consistent pace.

Mean Fixation Duration (F06)

Mean fixation of 165 ms is in the typical range (150-280 ms). The participant paused a normal amount of time on each word.

Regression Rate (F08)

Regression rate of 13.9% is mild. Some re-reading occurred.

Gaze-Speech Correlation (F16)

Gaze-speech correlation of -0.933 is very low or negative. The participant's eye movements and speech were poorly synchronised.


What to Do Next

Next Steps

Share these results with a qualified educational psychologist or specialist reading teacher. A formal psychoeducational or phonological assessment is recommended to clarify whether intervention is needed. Interim classroom supports may be worth exploring while awaiting formal assessment.

IMPORTANT: This system produces a behavioral risk indicator only. It does not constitute a clinical diagnosis of dyslexia or any other condition. Results must be interpreted by a qualified specialist in the context of a comprehensive assessment protocol.

Per-Sentence Analysis



Typing Analysis



Words Typed	Typing Coverage	Total Corrections	Mean STG	Mean EVS Typing
20 / 20	100%	0	3933 ms	5260 ms

Feature Vector

Feature	Value	Description
F01_evs_speech_std_ms	169.0734	EVS Speech variability (std, ms)
F02_mean_evs_speech_ms	1290.4444	Mean EVS Speech (ms)
F03_evs_speech_skew	0.0760	EVS Speech skewness
F04_speech_inversion_rate	0.0000	Speech inversion rate (voice leads eye)
F05_evs_typing_std_ms	931.5160	EVS Typing variability (std, ms)
F06_mean_fixation_duration_ms	165.4490	Mean fixation duration (ms)
F07_std_fixation_duration_ms	16.7454	Fixation duration std (ms)
F08_regression_rate	0.1389	Regression rate (re-reads / word)
F09_regression_count_total	3	Total regression count
F10_fixation_outlier_ratio	1.1964	Fixation outlier ratio (max/mean)
F11_typing_inversion_rate	0.0000	Typing inversion rate
F12_mean_correction_rate	0.0000	Mean correction rate (backspaces/word)
F13_max_corrections	0	Max corrections in any single word
F14_stg_std_ms	247.9161	Speech-Typing Gap std (ms)
F15_stg_negative_rate	0.0000	STG negative rate
F16_corr_evs_speech_fixation	-0.9333	Gaze-speech correlation (Pearson r)
F17_corr_evs_typing_latency	0.0376	EVS-typing latency correlation

