

MESTTS SESSION REPORT

Multimodal Eye–Speech–Typing Temporal Synchronization System

Participant ID	p17	Session ID	e3702803-0efb-41
Date / Time	2026-04-12 02:10	Sentences Scored	3

DYSLEXIA RISK ASSESSMENT

MODERATE
Risk Score: 0.4000

EVS Gaze Span	Calibration Quality	Data Completeness	Sentences Scored
0.1146	51.4%	76.4%	3

IMPORTANT: This system produces a behavioral risk indicator only. It does not constitute a clinical diagnosis of dyslexia or any other condition. Results must be interpreted by a qualified specialist in the context of a comprehensive assessment protocol.

Interpretation

Overall Assessment

...e detected — further assessment recommended.

The participant's score of 0.400 places them in the moderate-risk band. Consideration of factors such as fixation timing, gaze-speech misalignment, or variable reading pace — a clinical assessment would be worthwhile.

Data Quality

Span of 0.1146 is workable but on the lower side. Minor inaccuracies in word boundaries may be interpreted with slight caution.

51% quality suggests the calibration was acceptable but not ideal. Word boundaries may be slightly off.

76% completeness means most words were captured. The risk score is based on the captured data.

Key Reading Behaviour Indicators

The eye typically looked ahead of spoken words by ~2347 ms. This is not typical for fluent reading.

EVS variability was high (1212 ms std). Erratic pacing — gaze and speech timing — is a common dyslexia marker.

Mean fixation of 172 ms is in the typical range (150-280 ms). The participant did not fixate on any word.

Regression rate of 11.1% is mild. Some re-reading occurred.

Gaze-speech correlation of -0.883 is very low or negative. The participant's gaze and speech were not synchronised.

What to Do Next

Share these results with a qualified educational psychologist or specialist. A formal reading or phonological assessment is recommended to clarify whether intervention would be worth exploring while awaiting formal assessment.

IMPORTANT: This system produces a behavioral risk indicator only. It does not constitute a clinical diagnosis of dyslexia or any other condition. Results must be interpreted by a qualified specialist in the context of a comprehensive assessment protocol.

Per-Sentence Analysis



Typing Analysis



Words Typed	Typing Coverage	Total Corrections	Mean STG	Mean EVS Typing
20 / 20	100%	0	2776 ms	4761 ms

Feature Vector

Feature	Value	Description
F01_evs_speech_std_ms	1211.5888	EVS Speech variability (std, ms)
F02_mean_evs_speech_ms	2347.2222	Mean EVS Speech (ms)
F03_evs_speech_skew	0.2221	EVS Speech skewness
F04_speech_inversion_rate	0.0000	Speech inversion rate (voice leads eye)
F05_evs_typing_std_ms	1553.4064	EVS Typing variability (std, ms)
F06_mean_fixation_duration_ms	171.7301	Mean fixation duration (ms)
F07_std_fixation_duration_ms	13.3392	Fixation duration std (ms)
F08_regression_rate	0.1111	Regression rate (re-reads / word)
F09_regression_count_total	2	Total regression count
F10_fixation_outlier_ratio	1.1286	Fixation outlier ratio (max/mean)
F11_typing_inversion_rate	0.0000	Typing inversion rate
F12_mean_correction_rate	0.0000	Mean correction rate (backspaces/word)
F13_max_corrections	0	Max corrections in any single word
F14_stg_std_ms	501.4990	Speech-Typing Gap std (ms)
F15_stg_negative_rate	0.0000	STG negative rate
F16_corr_evs_speech_fixation	-0.8834	Gaze-speech correlation (Pearson r)
F17_corr_evs_typing_latency	-0.0752	EVS-typing latency correlation



