

//Q1

//git@github.com:AkashChand6n/Devops-retest.git

#Shell script that counts the number of lines in file(s) that contain a specific word

```
#!/bin/bash
```

```
#Check if minimum arguments are provided
```

```
if [ $# -lt 2 ]; then
```

```
    echo "Usage: $0 search_word file1 [file2 ...]"
```

```
    exit 1
```

```
fi
```

```
search_word="$1"
```

```
shift
```

```
# Initialize total line count
```

```
total_count=0
```

```
# show the each file
```

```
for file in "$@"; do
```

```
    if [ ! -f "$file" ]; then
```

```
        echo "Error: File '$file' does not exist"
```

```
        continue
```

```
    fi
```

```
    # Count lines containing word
```

```
    count=$(grep -c "$search_word" "$file")
```

```
    echo "Lines containing '$search_word' in $file: $count"
```

```
    total_count=$((total_count + count))
```

```
done
```

```
# Print total count
```

```
if [ $# -gt 1 ]; then
```

```
    echo "Total lines containing '$search_word' in all files:  
$total_count"
```

```
fi
```

```
root@master:~/Devops-retest/Shell_script/Q1# tree
.
├── file1.txt
├── file2.txt
└── no_lines.sh

1 directory, 3 files
root@master:~/Devops-retest/Shell_script/Q1# chmod +x no_lines.sh
root@master:~/Devops-retest/Shell_script/Q1# sh no_lines.sh "hello" file
file1.txt file2.txt
root@master:~/Devops-retest/Shell_script/Q1# sh no_lines.sh "hello" file1.txt
Lines containing 'hello' in file1.txt: 3
root@master:~/Devops-retest/Shell_script/Q1# sh no_lines.sh "hello" file1.txt file2.txt
Lines containing 'hello' in file1.txt: 3
Lines containing 'hello' in file2.txt: 1
Total lines containing 'hello' in all files: 4
root@master:~/Devops-retest/Shell_script/Q1#
```