



RAMAIAH COLLEGE OF ARTS, SCIENCE AND COMMERCE

BANGALORE-560054

Department Of Computer Science



RAMAIAH

**College of Arts, Science
& Commerce**

Project Report

“ONLINE REGISTRATION”

Submitted By: - Akash Dasmondal

(15KUSB7010)

BCA (VI Semester)

Academic Year 2017-2018



RAMAIAH COLLEGE OF ARTS, SCIENCE AND COMMERCE

BANGALORE - 560054

Department Of Computer Science



RAMAIAH
College of Arts, Science
& Commerce

CERTIFICATE

This is to certify that **Akash Dasmondal (15KUSB7010)** have successfully completed the project entitled "**Online Registration**" for VI semester as per syllabus prescribed by the **Bangalore University** for Academic year 2017-2018.

PRATHIBHA V K

(Head of Department / Lecturer in Charge)

EXAMINERS SIGNATURE

Date Of Examination

1 _____

2 _____

ACKNOWLEDGEMENT

This presentation is based on our study and practice during VI semester of B.C.A through we have tried our best for making this project unique in itself, still flexible at few points. It's with pride and deepest sense of gratitude that we place our profound expression towards our college "**RAMAIAH COLLEGE OF ARTS, SCIENCE AND COMMERCE**" and its illustrations faculty specially our most respected:

Mrs. Prathibha V.K (H.O.D) for her valuable and inspiring guidance and encouragement given throughout the period of this project with reviews, evaluations of our work. We appreciate her immense patience.

Dr. A Nagarathna (Principal) for providing the right academic at this institution, which has made this entire task appreciable. We are also grateful to our friends for their valuable suggestions and words of inspiration for our project work.

We are also grateful to our friends for their valuable suggestion and words of inspiration for our project work, "**ONLINE REGISTRATION**"

Our sincere thanks to our parents for their co-operation and encouragement.

ABSTRACT

Title of the Project: ONLINE REGISTRATION

Description: The process by which individuals apply to gain entry into a college or university. Although specific details vary by country and institution, applications generally require basic background information of the applicant, such as family background, and academic or qualifying exam details such as grade point average in secondary school and standardized testing scores.

Modules

Login

Contact

Apply

Student

Admin

MODULE DESCRIPTION

LOGIN

In computer security, **logging in** is the process by which an individual gains access to a computer system by identifying and authenticating themselves. The user credentials are typically some form of "username" and a matching "password",^[1] and these credentials themselves are sometimes referred to as a **login**. In practice, modern secure systems also often require a second factor for extra security.

When access is no longer needed, the user can **log out**.

ADMIN

Admin also known as webmasters, **web** developers or network and computer system **administrators**, are responsible for all aspects of keeping **website** content and design fresh, backed up, and fully functional.

Admin is responsible for many tasks such as user log, manage students, registration, maintaining database, proper functioning of system and website.

Student

Student is a user who is responsible for enrolment of course maintain his/her profile and can access the website for particular purpose he needs.

System Development Environment

1. HTML

WHAT IS HTML?

To publish information for global distribution, one needs a university-understood language, a kind of publishing mother tongue that all computers may potentially understand. The publishing language used by the World Wide Web is HTML (Hyper Text Markup Language)

HTML Gives Authors the Means To

1. Publish online documents with headings, text, tables, list, photos etc.
2. Retrieve online information via hypertext links, at the click of a button
3. Design forms for conducting transactions with remote services, for use in searching information, making reservation, ordering products etc.;
4. Includes spreadsheets, video clips, sound clips, and other applications directly in the documents.

Some HTML Tags

<HTML>

: Starting an HTML tag

<HEAD> : Creating a web page's head

<TITLE> : Giving a web page's body

</HEAD> : Ending a web pages head

</BODY> : Ending a web pages body

</HTML> : Ending a web page

<FORM> : Creating a HTML forms

<INPUT TYPE=BUTTON> : Creating a buttons

<INPUT TYPE=CHECKBOX>: Creating a checkboxes

<INPUT TYPE=SUBMIT> : Creating a submit button

<INPUT TYPE=TEXT> : Creating a text fields

2. INTRODUCTION TO JAVA SCRIPT

WHAT IS JAVA SCRIPT?

JavaScript, originally supported by Netscape Navigator, is the most popular Web scripting language today. JavaScript lets you embed programs right in your Web pages and run these programs using the Web browser. You place these programs in a <SCRIPT> element. If you want the script to write directly to the Web page, place it in the <BODY> element.

```
EX: <HTML>

    <HEAD>

        <TITLE></TITLE>

    </HEAD>

    <BODY>

        <SCRIPT LANGUAGE="JavaScript">

        </SCRIPT>

    </BODY></HTML>
```

3. Cascading Style Sheets (CSS)

Cascading Style Sheets (CSS) is a [style sheet language](#) used for describing the [presentation](#) of a document written in a [markup language](#).^[1] Although most often used to set the visual style of [web pages](#) and user interfaces written in [HTML](#) and [XHTML](#), the language can be applied to any [XML](#) document, including [plain XML](#), [SVG](#) and [XUL](#), and is applicable to rendering in [speech](#), or on other media. Along with [HTML](#) and [JavaScript](#), CSS is a cornerstone technology used by most websites to create visually engaging WebPages, user interfaces for [web applications](#), and user interfaces for many mobile applications.^[2]

4. INTRODUCTION TO PHP

PHP started out as a small open source project that evolved as more and more people found out how useful it was. Rasmus Lerdorf unleashed the first version of PHP way back in 1994.

- PHP is a recursive acronym for "PHP: Hypertext Pre-processor".
- PHP is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the UNIX side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.
- PHP supports a large number of major protocols such as POP3, IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving: PHP language tries to be as forgiving as possible.
- PHP Syntax is C-Like.

6. THE SQL LANGUAGE

SQL is a language for relational database. SQL is a non-procedural i.e., when we use SQL we specify what we want to be done not how to do it.

Features of SQL

1. SQL is an interactive query language.
2. SQL is a database administration language.
3. SQL is a database programming language.
4. SQL is a client/server language.
5. SQL is a distributed database language.
6. SQL is a database gateway language.

Basic SQL Commands

Data Definition Language commands (DDL)

Data Manipulation Language commands (DML)

Transaction Control Language commands (TCL)

Data control Language commands (DCL)

Hardware Requirements

- Minimum 350MB Hard Disk space for installation
- 4GB HD space required for a typical live system with 1000-2000 events
- Recommended minimum CPU - Pentium 4, 3.2GHz
- Recommended 1GB RAM
- Network card

Data Flow Diagrams:


Data flows are data structures in motion, while data stores are data structures. Data flows are paths or 'pipe lines', along which data structures travel, where as the data stores are place where data structures are kept until needed.

Data flows are data structures in motion, while data stores are data structures at rest. Hence it is possible that the data flow and the data store would be made up of the same data structure.


Data flow diagrams is a very handy tool for the system analyst because it gives the analyst the overall picture of the system, it is a diagrammatic approach.

A DFD is a pictorial representation of the path which data takes from its initial interaction with the existing system until it completes any interaction. The diagram will describe the logical data flows dealing the movements of any physical items. The DFD also gives the insight into the data that is used in the system i.e., who actually uses it is temporarily stored.

A DFD does not show a sequence of steps. A DFD only shows what the different process in a system is and what data flows between them.



Entity-Relationship Diagram



Snap shot

Home Page

Home Page

f t in G+ s

☎ 080 23600966/23608597 ✉ principal.ocasc@gmail.com

ORIENTAL COLLEGE OF ARTS SCIENCE AND COMMERCE

[HOME](#) [• LOGIN](#) [CONTACT US](#) [APPLY](#) [ABOUT US](#)

Online Registration

“

Oriental College of Arts, Science and Commerce was founded in the year 1994 by Late Dr. Jayram. It is now under the Umbrella of Oriental Education Foundation. Dr. Jayram's vision was to provide quality education affordable to common man. The college does not merely educate youth to excel academically; It also ensures that our students are better human beings by the end of their course. Our faculty members are dedicated to provide quality education of standards and inculcate integrity to our students. This in turn enables them to serve mankind. The institution nurtures an atmosphere of intellectual strength and righteousness.



Contact Us

Enquiry

Fill The Details We Will Conatct You Shortly

Name	<input type="text"/>
Mobile No	<input type="text"/>
Email id	<input type="text"/>
subject	<input type="text"/>
Course	<input type="text"/>
<input type="button" value="Submit"/>	

Apply

ORIENTAL COLLEGE OF ARTS SCIENCE AND COMMERCE

ONLINE APPLICATION

APPLY NOW

Date: 22-04-2018

Kindly fill the following application form with valid records...

Basic details:			
Course:	<input type="text" value="Select"/>	Semester	<input type="text" value="Select"/>
Student details:			
First name:	<input type="text"/>	DOB (dd/mm/yyyy)	<input type="text" value="dd-mm-yyyy"/>

Student Gender:	<input type="radio"/> Male <input type="radio"/> Female	Place of Birth:	<input type="text"/>
Parent's information:	<input type="radio"/> parent <input type="radio"/> Guardian	Father's Occupation:	<input type="text"/>
Father name:	<input type="text"/>	Mother Name:	<input type="text"/>
Mother's Occupation:	<input type="text"/>		

Contact Details:

Contact Address:	<input type="text"/>	State:	<input type="text"/>
Mobile Number:	<input type="text"/>	District:	<input type="text"/>
Email:	<input type="text"/>	Taluk:	<input type="text"/>
Alternate Contact Number:	<input type="text"/>	City / Town / Suburb:	<input type="text"/>
Country:	<input type="text"/>	Postal / Zip Code:	<input type="text"/>

Nationality details:

Student Religion:	<input type="text" value="Select"/>	Mother Tongue:	<input type="text"/>
Student Category:	<input type="text" value="Select"/>	Nationality:	<input type="text"/>

Subject	Maximum Marks	Marks obtained	No. of attempts
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	0 <input type="text"/>	<input type="text"/>
Total marks			

Other details:

Language studied in X Std. other than English	<input type="radio"/> Yes <input type="radio"/> No
Language studied in XII Std. other than English	<input type="radio"/> yes <input type="radio"/> No
Are You a Vocational course student?	<input type="radio"/> yes <input type="radio"/> No
Are you Physically Challenged?	<input type="radio"/> yes

Did you represent the District or State level in any sports?	<input type="radio"/> yes <input type="radio"/> No
Are you a member of NSS/NCC	<input type="radio"/> yes <input type="radio"/> No
Name and Location of School Last studied	<input type="text"/>
Do you need hostel accommodation?	<input type="radio"/> yes <input type="radio"/> No
Medium of Instruction	<input type="radio"/> English <input type="radio"/> Kannada

Declaration:
I declare that all the particulars furnished above are true and correct. I submit that I will abide by the rules and regulations of the College.

Place :

Admin

ADMIN LOGIN



PLEASE LOGIN TO ENTER

Enter Username :

Enter Password :

"My sincerest apologies that you have to work on a holiday that honors your work."
* Feature stand-out staff in the company newsletter*

Student Log

ADMIN LOGIN



[SESSION](#) [SEMESTER](#) [DEPARTMENT](#) [COURSE](#) [REGISTRATION](#) [MANAGE STUDENTS](#) [ENROLL HISTORY](#) [STUDENT LOGS](#) [LOGOUT](#)

STUDENT LOGS

Enroll History

#	Student ID	IP ADDRESS	Login Time	Logout Time	Status
1	akash0803	::1	2018-04-17 15:49:57	17-04-2018 03:50:59 PM	1
2	akash0803	::1	2018-04-17 15:53:46	17-04-2018 03:54:19 PM	1
3	akash0803	::1	2018-04-17 15:54:29	17-04-2018 03:54:43 PM	1
4	akash0803	::1	2018-04-17 20:44:16	17-04-2018 08:44:30 PM	1
5	akash0803	::1	2018-04-18 18:24:18	18-04-2018 06:25:59 PM	1
6	akash0803	::1	2018-04-18 18:26:40	18-04-2018 06:27:43 PM	1

Enrol History

[SESSION](#) [SEMESTER](#) [DEPARTMENT](#) [COURSE](#) [REGISTRATION](#) [MANAGE STUDENTS](#) [ENROLL HISTORY](#) [STUDENT LOGS](#) [LOGOUT](#)

ENROLL HISTORY

Enroll History

#	Student Name	Student ID	Course Name	Session	Semester	Enrollment Date	Action
1	Akash	Akash0803	Computer Scince	Sciences	I	2018-04-17 15:50:46	Print
2	Hardeep Singh	Hardeep0803	Electronics	Sciences	I	2018-04-20 15:09:08	Print

Manage Students

ADMIN LOGIN



SESSION SEMESTER DEPARTMENT COURSE REGISTRATION **MANAGE STUDENTS** ENROLL HISTORY STUDENT LOGS LOGOUT

MANAGE STUDENTS

Manage Course

#	Reg No	Student Name	Pincode	Reg Date	Action
1	Akash0803	Akash	909857	2018-04-17 15:49:31	<button>Reset Password</button>
2	Hardeep0803	Hardeep Singh	143231	2018-04-20 15:06:29	<button>Reset Password</button>

localhost/onlinecourseg/admin/manage-students.php

Students Registration

SESSION SEMESTER DEPARTMENT COURSE REGISTRATION **MANAGE STUDENTS** ENROLL HISTORY STUDENT LOGS LOGOUT

STUDENT REGISTRATION

Student Registration

Student Name

Student ID

Password

Course

COURSE REGISTRATION

Course

Course Code

Course Code

Course Name

Course Name

Course Duration

Course Duration

Seat limit

Seat limit

Submit

Manage Course

Manage Course						
#	Course Code	Course Name	Seat limit	Creation Date		
1	BSC	Electronics	65	2018-04-17 14:51:27	Edit	Delete
2	BSC	Computer Scince	65	2018-04-17 14:52:05	Edit	Delete
3	BA	Physchology	65	2018-04-17 14:52:40	Edit	Delete
4	BA	Tourism	65	2018-04-17 14:52:58	Edit	Delete
5	BCOM	Finance	65	2018-04-17 14:53:22	Edit	Delete
6	BCOM	Marketing	65	2018-04-17 14:53:44	Edit	Delete
7	BBA	Finance	65	2018-04-17 14:54:07	Edit	Delete
8	BBA	Accounting	65	2018-04-17 14:54:30	Edit	Delete
9	BCA	Bachelor Of Computer Application	65	2018-04-17 14:55:03	Edit	Delete
10	BHM	Bachelor Of Hotel Management	65	2018-04-19 17:51:36	Edit	Delete

Department

DEPARTMENT

Department

Add Department

Manage Session

#	department	Creation Date	Action
1	Humanities	2018-04-17 14:49:31	<input type="button" value="Delete"/>
2	Sciences	2018-04-17 14:49:38	<input type="button" value="Delete"/>
3	Commerce	2018-04-17 14:49:44	<input type="button" value="Delete"/>
4	Arts	2018-04-17 14:49:53	<input type="button" value="Delete"/>

Semester

SEMESTER

Semester

Add Semester

Manage Semester

#	Semester	Creation Date	Action
1	I	2018-04-17 14:48:50	<input type="button" value="Delete"/>
2	II	2018-04-17 14:48:54	<input type="button" value="Delete"/>
3	III	2018-04-17 14:48:59	<input type="button" value="Delete"/>
4	IV	2018-04-17 14:49:02	<input type="button" value="Delete"/>

Session

ADD SESSION

Session

Create Session

Submit

Manage Session			
#	Session	Creation Date	Action
1	2018	2018-04-17 14:48:29	Delete

Student Login

Student Login



PLEASE LOGIN TO ENTER

Enter Student ID :

Enter Password :

 Log Me In

Exam stress is tough but if you want to get somewhere, you have to put the work in. Just like when you're in the gym and your instructor shouts motivational comments to keep the pressure on, these motivation to study quotes will help you boost your study motivation to get you over that final hurdle.

My Profile

[ENROLL FOR COURSE](#) [ENROLL HISTORY](#) [MY PROFILE](#) [CHANGE PASSWORD](#) [LOGOUT](#)

STUDENT REGISTRATION

Student Registration	
Student Name	Hardeep Singh
Student ID	Hardeep0803
Unique Code	143231
CGPA (X)	8.60
CGPA (XII)/Percentage(%)	75.00

Print Enrol Form



Student ID: hardeep0803
Student Name: Hardeep Singh
Application Date: 2018-04-20 15:06:29
Student Course Enroll Date: 2018-04-20 15:09:08

Course Details

Course Code	BSC
Course Name	Electronics

Other Details

Session	2018
Department	Sciences
Level	UG
CGPA	8.60
Semester	I

Change Password

[ENROLL FOR COURSE](#) [ENROLL HISTORY](#) [MY PROFILE](#) [CHANGE PASSWORD](#) [LOGOUT](#)

STUDENT CHANGE PASSWORD

Change Password

Current Password

New Password

Confirm Password

DataBase

phpMyAdmin

Recent Favorites

- New
- elms
- employee-leave-management-sy
- information_schema
- mysql
- onlinecourse
 - New
 - admin
 - applicationform
 - course
 - courseenrolls
 - courses
 - department
 - level
 - semester
 - session
 - students
 - student_qualification
 - userlog
 - online_notice
 - performance_schema
 - phpmyadmin
 - test

Server: 127.0.0.1 Database: onlinecourse

Structure SQL Search Query Export Import Operations Privileges Routines Events More

Table	Action	Rows	Type	Collation	Size	Overhead
admin		1	InnoDB	latin1_swedish_ci	16 Kib	-
applicationform		38	InnoDB	latin1_swedish_ci	16 Kib	-
course		18	InnoDB	latin1_swedish_ci	16 Kib	-
courseenrolls		7	InnoDB	latin1_swedish_ci	16 Kib	-
courses		5	InnoDB	latin1_swedish_ci	16 Kib	-
department		5	InnoDB	latin1_swedish_ci	16 Kib	-
level		3	InnoDB	latin1_swedish_ci	16 Kib	-
semester		8	InnoDB	latin1_swedish_ci	16 Kib	-
session		1	InnoDB	latin1_swedish_ci	16 Kib	-
students		2	InnoDB	latin1_swedish_ci	16 Kib	-
student_qualification		128	InnoDB	latin1_swedish_ci	16 Kib	-
userlog		26	InnoDB	latin1_swedish_ci	16 Kib	-
12 tables	Sum	226	InnoDB	latin1_swedish_ci	192 Kib	0 B

Check all With selected:

Print view Data dictionary

Create table

Name: Number of columns: 4

SOURCE CODE

Home Page

```
<!DOCTYPE html>

<html>

<head>

<title> Online Course Registration</title>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-
scale=1.0, user-scalable=no">

<link href="layout/styles/layout.css" rel="stylesheet" type="text/css" media="all">

<!-- <link href="css/user_styles.css" rel="stylesheet" type="text/css" /> -->

<script language="JavaScript" src="js/user.js">

</script>

</head>

<body id="top">

<!--
#####
##### -->

<!--
#####
##### -->
```

```
<!--
#####
##### -->

<div class="wrapper row0">

  <div id="topbar" class="hoc clear">

    <!--
#####
##### -->

    <div class="fl_left">

      <ul class="faico clear">

        <li><a class="faicon-facebook" href="https://www.facebook.com/pages/Ramaiah-
Institute-of-Technology/105736459461302/"><i class="fa fa-facebook"></i></a></li>

        <li><a class="faicon-twitter" href="https://twitter.com/"><i class="fa fa-
twitter"></i></a></li>

        <li><a class="faicon-linkedin" href="https://www.linkedin.com/"><i class="fa fa-
linkedin"></i></a></li>

        <li><a class="faicon-google-plus" href="https://plus.google.com/"><i class="fa
fa-google-plus"></i></a></li>

        <li><a class="faicon-rss" href="https://www.rss.com/"><i class="fa fa-
rss"></i></a></li>

      </ul>

    </div>

    <div class="fl_right">

      <ul class="nospace inline pushright">

        <li><i class="fa fa-phone"></i>080 23600966/23608597</li>

        <li><i class="fa fa-envelope-o"></i>principal.ocasc@gmail.com </li>

      </ul>
```


</div>

<!--

-->

</div>

</div>

<!--

-->

<!--

-->

<!--

-->

<div class="wrapper row1">

<header id="header" class="hoc clear">

<!--

-->

<div id="logo" class="fl_left">

<h1> Oriental College of Arts Science And
Commerce</h1>

</div>

<!--

-->

<nav id="mainnav" class="fl_right">

<ul class="clear">

<li class="active">Home

Login

Admin

Student

<li class="active">Contact US

<li class="active">Apply

<li class="active">About US

</nav>

<!--

-->

</header>

</div>

<!--

-->

<!--

-->

<!--

-->

<div class="wrapper bgded overlay" style="background-
image:url('images/background3.jpg');">

```
<section id="testimonials" class="hoc container clear">
```

```
<!--
```

```
#####  
##### -->
```

```
<marquee behavior="alternate"><b><font color = "blue" size="6">Online  
Registration </font></b> </marquee>
```

```
<ul class="nospace group">
```

```
<li class="one_half">
```

```
<blockquote>Oriental College of Arts, Science and Commerce was founded in the  
year 1994 by Late Dr. Jayram. It is now under the Umbrella of Oriental Education  
Foundation. Dr. Jayram’s vision was to provide quality education affordable to common  
man. The college does not merely educate youth to excel academically; It also ensures  
that our students are better human beings by the end of their course. Our faculty  
members are dedicated to provide quality education of standards and inculcate integrity  
to our students.This in turn enables them to serve mankind. The institution nurtures an  
atmosphere of intellectual strength and righteousness. </blockquote>
```

```
</li>
```

```
</ul>
```

```
<!--
```

```
#####  
##### -->
```

```
</section>
```

```
</div>
```

```
<!--
```

```
#####  
##### -->
```

```
<!--
```

```
#####  
##### -->
```

```
<!--
#####
##### -->
```

```
<div class="wrapper row4">
```

```
  <footer id="footer" class="hoc clear">
```

```
    <!--
#####
##### -->
```

```
    <div class="one_third first">
```

```
      <h6 class="title">Address</h6>
```

```
      <ul class="nospace linklist contact">
```

```
        <li><i class="fa fa-map-marker"></i>
```

```
          <address>
```

```
            <p>
```

```
            OCASC Post <br>
```

```
            Viman Nagar <br>
```

```
            Bangalore-560054<br>
```

```
            <br>
```

```
          </p>
```

```
        </address>
```

```
      </li>
```

```
    </ul>
```

```
  </div>
```

```
<div class="one_third">
```

```
  <h6 class="title">Phone</h6>
```

```
  <ul class="nospace linklist contact">
```

<i class="fa fa-phone"></i>080

23600966

23608597

</div>

<div class="one_third">

<h6 class="title">Email</h6>

<ul class="nospace linklist contact">

<i class="fa fa-envelope-o"></i> principal.ocasc@gmail.com

</div>

<!--

-->

</footer>

</div>

<!--

-->

```
<!--
#####
##### -->

<!--
#####
##### -->

<div class="wrapper row5">

  <div id="copyright" class="hoc clear">

    <!--
#####
##### -->

    <p class="fl_left">Copyright &copy; 2018 - All Rights Reserved <a
href="#"></a></p>

    <p class="fl_right">Template by <a target="_blank" href="http://www.os-
templates.com/" title="Free Website Templates">OS Templates</a></p>

    <!--
#####
##### -->

  </div>

</div>

<!--
#####
##### -->

<!--
#####
##### -->

<!--
#####
##### -->

<a id="backtotop" href="#top"><i class="fa fa-chevron-up"></i></a>

<!-- JAVASCRIPTS -->

<script src="layout/scripts/jquery.min.js"></script>
```

```
<script src="layout/scripts/jquery.backtotop.js"></script>

<script src="layout/scripts/jquery.mobilemenu.js"></script>

<!-- IE9 Placeholder Support -->

<script src="layout/scripts/jquery.placeholder.min.js"></script>

<!-- / IE9 Placeholder Support -->

</body>

</html>
```

Contact Us

```
<?php

include_once("config.php");

if(isset($_POST['submit']))

{

$name=$_POST['name'];

$mobileno=$_POST['mobileno'];

$email=$_POST['email'];

$subject=$_POST['subject'];

$course=$_POST['course'];

$status=0;

$activationcode=md5($email.time());

$query=mysqli_query($con,"insert into
contactinfo(name,mobileno,email,subject,course,activationcode,status)
values('$name','$mobileno','$email','$subject','$course','$activationcode','$status')");

    if($query)

    {

$to=$email;

$msg= "Thanks for new Registration.";

$subject="Email verification (phpgurukul.com)";
```

```

$headers .= "MIME-Version: 1.0"."\\r\\n";

$headers .= 'Content-type: text/html; charset=iso-8859-1'."\\r\\n";

$headers .= 'From:RCS Technology| Programing Blog <info@rcsinfo.in>'."\\r\\n";


$ms.="<html></body><div><div>Dear $name,</div></br></br>";

$ms.="<div style='padding-top:8px;'>Please click The following link For verifying and
activation of your account</div>

<div style='padding-top:10px;'><a
href='http://www.phpgurukul.com/demos/emailverify/email_verification.php?code=$acti
vationcode'>Click Here</a></div>

<div style='padding-top:4px;'>Powered by <a
href='phpgurukul.com'>phpgurukul.com</a></div></div>

</body></html>";

mail($to,$subject,$ms,$headers);

echo "<script>alert('Your Details Are Submitted , Thank You');</script>";

echo "<script>window.location = 'contactUs.php';</script>";

}

else

{

echo "<script>alert('Data not inserted');</script>";

}

}

?>

<!DOCTYPE html>

<html lang="en">

    <head>

        <meta http-equiv="content-type" content="text/html; charset=UTF-8">

        <meta charset="utf-8">

```



```
<title> Contact Info </title>

<meta name="generator" content="Bootply" />

<meta name="viewport" content="width=device-width, initial-scale=1,
maximum-scale=1">

<link href="css/bootstrap.min.css" rel="stylesheet">

<!--[if lt IE 9]>

    <script
src="//html5shim.googlecode.com/svn/trunk/html5.js"></script>

    <![endif]-->

    <link href="css/styles.css" rel="stylesheet">

</head>

<?php
require('header.php')
?>

</head><body bgcolor="tan">

    <body>

<div class="container-fluid">

<!--/left-->
```

```

<!--center-->

<div class="col-sm-6">

  <div class="row">

    <div class="col-xs-12">

      <h3>Fill The Details We Will Conatct You Shortly </h3>

      <hr >

      <form name="insert" action="" method="post">

        <table width="100%" border="0">

          <tr>

            <th height="62" scope="row">Name </th>

            <td width="71%"><input type="text" name="name" id="name" value=""
class="form-control" required /></td>

          </tr>

          <tr>

            <th height="62" scope="row">Mobile No </th>

            <td width="71%"><input type="text" name="mobilen" id="mobilen" value=""
class="form-control" required /></td>

          </tr>

          <tr>

            <th height="62" scope="row">Email id </th>

            <td width="71%"><input type="email" name="email" id="email" value=""
class="form-control" required /></td>

          </tr>

          <tr>

            <th height="62" scope="row">subject </th>

            <td width="71%"><input type="text" name="subject" id="subject" value=""
class="form-control" required /></td>

```

```
</tr>
```

```
<tr>
```

```
  <th height="62" scope="row">Course </th>
```

```
  <td width="71%"><input type="text" name="Course" id="Course" value=""  
class="form-control" required /></td>
```

```
</tr>
```

```
<tr>
```

```
  <th height="62" scope="row"></th>
```

```
  <td width="71%"><input type="submit" name="submit" value="Submit"  
class="btn-group-sm" /> </td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
<script async  
src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
```

```
<!-- newone21 -->
```

```
<ins class="adsbygoogle"
```

```
  style="display:inline-block;width:728px;height:90px"
```

```
  data-ad-client="ca-pub-8906663933481361"
```

```
  data-ad-slot="6355325537"></ins>
```

```
<script>
```

```
(adsbygoogle = window.adsbygoogle || []).push({});
```

```
</script>
```

```
  </div>
```

```
</div>
```

```
</div><!--/center-->
```

```
</div><!--/container-fluid-->
```

```
<!-- script references -->
```

```
<script
```

```
src="//ajax.googleapis.com/ajax/libs/jquery/2.0.2/jquery.min.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
</body>
```

```
</html>
```

About Us

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>online Course Registration</title>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-  
scale=1.0, user-scalable=no">
```

```
<link href="layout/styles/layout.css" rel="stylesheet" type="text/css" media="all">
```

```
<!-- <link href="css/user_styles.css" rel="stylesheet" type="text/css" /> -->
```

```
<script language="JavaScript" src="js/user.js">
```

```
</script>
```

```
</head>

<body id="top">

<!--
#####
##### -->

<!--
#####
##### -->

<!--
#####
##### -->

<div class="wrapper row0">

  <div id="topbar" class="hoc clear">

    <!--
#####
##### -->

    <div class="fl_left">

      <ul class="faico clear">

        <li><a class="faicon-facebook"
href="https://www.facebook.com/msrcasc.campus/"><i class="fa fa-
facebook"></i></a></li>

        <li><a class="faicon-twitter" href="https://twitter.com/"><i class="fa fa-
twitter"></i></a></li>

        <li><a class="faicon-linkedin" href="https://www.linkedin.com/"><i class="fa fa-
linkedin"></i></a></li>

        <li><a class="faicon-google-plus" href="https://plus.google.com/"><i class="fa
fa-google-plus"></i></a></li>

        <li><a class="faicon-rss" href="https://www.rss.com/"><i class="fa fa-
rss"></i></a></li>
```


</div>

<div class="fl_right">

<ul class="nospace inline pushright">

<i class="fa fa-phone"></i>080 23600966/23608597

<i class="fa fa-envelope-o"></i>principal.ocasc@gmail.com

</div>

<!--

-->

</div>

</div>

<!--

-->

<!--

-->

<!--

-->

<div class="wrapper row1">

<header id="header" class="hoc clear">

<!--

-->

<div id="logo" class="fl_left">

<h1>Oriental College Offers YOu</h1>

</div>

```
<!--
#####
##### -->

<nav id="mainnav" class="fl_right">

  <ul class="clear">

    <li class="active"><a href="index.php">Home</a></li>

    <li><a class="drop" href="#">Login</a>

    <ul>

      <li><a href="admin/index.php">Admin</a></li>

      <li><a href="login.php">Student</a></li>

    </ul>

    <li class="active"><a href="Contactus/Contactus.php">Contact US</a></li>

    <li class="active"><a href="aboutus.php">About US</a></li>

  </ul>

</nav>

<!--
#####
##### -->

</header>

</div>

<!--
#####
##### -->

<!--
#####
##### -->
```

```
<!--
#####
##### -->
```

```
<div class="wrapper bgded overlay" style="background-
image:url('images/bg36.jpg');">
```

```
<section id="testimonials" class="hoc container clear">
```

```
<!--
#####
##### -->
```

```
<ul class="nospace group">
```

```
<li class="one_half">
```

<blockquote>We offer Add on courses in Personality Development, Communicative English, Soft skills etc., which enable our students to develop skills and interests beyond their syllabus. The college encourages research culture. We have the latest equipments to facilitate excellent research activity. Our faculty members help the students in undertaking research projects and completing them successfully. Under the expert guidance of the teaching faculty many of our students have published national and international papers.

We have full fledged placement cell to organize campus interviews. At OCASC placement cell, students are provided with good and suitable placements. Campus interviews and tests are held by major firms and MNC's. We are proud that many of our students are placed in various firms of great repute. We have year long activities in cultural, sports and several service sectors.</blockquote>

```
</li>
```

```
</ul>
```

```
<!--
#####
##### -->
```

```
</section>
```


</div>

<!--

-->

<!--

-->

<!--

-->

<div class="wrapper row4">

<footer id="footer" class="hoc clear">

<!--

-->

<div class="one_third first">

<h6 class="title">Address</h6>

<ul class="nospace linklist contact">

<i class="fa fa-map-marker"></i>

<address>

<p>

OCASC Post

Viman Nagar

Bangalore-560054

</p>

</address>

</div>

<div class="one_third">

<h6 class="title">Phone</h6>

<ul class="nospace linklist contact">

<i class="fa fa-phone"></i> 080 23600966

23608597

</div>

<div class="one_third">

<h6 class="title">Email</h6>

<ul class="nospace linklist contact">

<i class="fa fa-envelope-o"></i>principal.ocasc@gmail.com

</div>

<!--

-->

</footer>

</div>

<!--

-->

<!--

-->

<!--

-->

<div class="wrapper row5">

<div id="copyright" class="hoc clear">

<!--

-->

<p class="fl_left">Copyright © 2018 - All Rights Reserved </p>

<p class="fl_right">Template by OS Templates</p>

<!--

-->

</div>

</div>

<!--

-->

<!--

-->

```
<!--  
#####  
##### -->  
  
<a id="backtotop" href="#top"><i class="fa fa-chevron-up"></i></a>  
  
<!-- JAVASCRIPTS -->  
  
<script src="layout/scripts/jquery.min.js"></script>  
  
<script src="layout/scripts/jquery.backtotop.js"></script>  
  
<script src="layout/scripts/jquery.mobilemenu.js"></script>  
  
<!-- IE9 Placeholder Support -->  
  
<script src="layout/scripts/jquery.placeholder.min.js"></script>  
  
<!-- / IE9 Placeholder Support -->  
  
</body>  
  
</html>
```

Login (Admin)

```
<?php  
  
session_start();  
  
error_reporting(0);  
  
include("includes/config.php");  
  
if(isset($_POST['submit']))  
{  
  
    $username=$_POST['username'];  
  
    $password=$_POST['password'];  
  
    $query=mysql_query("SELECT * FROM admin WHERE username='$username' and  
password='$password'");  
  
    $num=mysql_fetch_array($query);  
  
    if($num>0)  
{
```

```
$extra="user-log.php";//

$_SESSION['alogin']=$_POST['username'];

$_SESSION['id']=$num['id'];

$host=$_SERVER['HTTP_HOST'];

$uri=rtrim(dirname($_SERVER['PHP_SELF']),'/\\');

header("location:http://$host$uri/$extra");

exit();

}

else

{

$_SESSION['errmsg']="Invalid username or password";

$extra="index.php";

$host = $_SERVER['HTTP_HOST'];

$uri = rtrim(dirname($_SERVER['PHP_SELF']),'/\\');

header("location:http://$host$uri/$extra");

exit();

}

}

?>


<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />
```

```
<meta name="author" content="" />
```

```
<title>Admin Login</title>
```

```
<link href="assets/css/bootstrap.css" rel="stylesheet" />
```

```
<link href="assets/css/font-awesome.css" rel="stylesheet" />
```

```
<link href="assets/css/style.css" rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<?php include('includes/header.php');?>
```

```
<div class="content-wrapper">
```

```
    <div class="container">
```

```
        <div class="row">
```

```
            <div class="col-md-12">
```

```
                <h4 class="page-head-line">Please Login To Enter </h4>
```

```
            </div>
```

```
        </div>
```

```
        <span style="color:red;" ><?php echo htmlentities($_SESSION['errmsg']);  
?><?php echo htmlentities($_SESSION['errmsg']="");?></span>
```

```
        <form name="admin" method="post">
```

```
            <div class="row">
```

```
                <div class="col-md-6">
```

```
                    <label>Enter Username : </label>
```

```
                    <input type="text" name="username" class="form-control" required />
```

```
                    <label>Enter Password : </label>
```

```
<input type="password" name="password" class="form-control"
required />

<hr />

<button type="submit" name="submit" class="btn btn-info"><span
class="glyphicon glyphicon-user"></span> &nbsp;Log Me In </button>&nbsp;

</div>

</form>

<div class="col-md-6">

<div class="alert alert-info">

    "My sincerest apologies that you have to work on a holiday that honors
your work."

    <br />

    <strong>" Feature stand-out staff in the company
newsletter" </strong>

</div>

</div>

</div>

</div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->
```

```
<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>
```

Student Logs

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header('location:index.php');

}

else{

?>
```

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />
```



```
<meta name="description" content="" />

<meta name="author" content="" />

<title>Student Details</title>

<link href="assets/css/bootstrap.css" rel="stylesheet" />

<link href="assets/css/font-awesome.css" rel="stylesheet" />

<link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")

{

include('includes/menubar.php');

}

?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h1 class="page-head-line">Student Logs </h1>

                </div>

            </div>

            <div class="row" >

                <div class="col-md-12">
```

```
<!-- Bordered Table -->

<div class="panel panel-default">

    <div class="panel-heading">

        Enroll History

    </div>

    <!-- /.panel-heading -->

    <div class="panel-body">

        <div class="table-responsive table-bordered">

            <table class="table">

                <thead>

                    <tr>

                        <th># </th>

                        <th>Student ID </th>

                        <th>IP ADDRESS </th>

                        <th>Login Time </th>

                        <th>Logout Time</th>

                        <th>Status</th>

                    </tr>

                </thead>

                <tbody>
```

```
<?php
```

```
$sql=mysql_query("select * from userlog");
```

```
$cnt=1;
```

```
while($row=mysql_fetch_array($sql))
```

```
{  
?>
```

```
        <tr>  
            <td><?php echo $cnt;?></td>  
            <td><?php echo  
htmlentities($row['studentRegno']);?></td>  
            <td><?php echo htmlentities($row['userip']);?></td>  
            <td><?php echo htmlentities($row['loginTime']);?></td>  
            <td><?php echo htmlentities($row['logout']);?></td>  
            <td><?php echo htmlentities($row['status']);?></td>  
        </tr>  
  
<?php  
$cnt++;  
} ?>
```

```
        </tbody>  
    </table>  
  
    </div>  
  
</div>  
  
    <!-- End Bordered Table -->  
  
</div>  
  
</div>
```

```
        </div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME  -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS  -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Enrol History

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header('location:index.php');

    }

else{
```

?>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

 <meta charset="utf-8" />

 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />

 <meta name="description" content="" />

 <meta name="author" content="" />

 <title>Enroll History</title>

 <link href="assets/css/bootstrap.css" rel="stylesheet" />

 <link href="assets/css/font-awesome.css" rel="stylesheet" />

 <link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

<?php include('includes/header.php');?>

 <!-- LOGO HEADER END-->

<?php if(\$_SESSION['alogin']!="")

{

 include('includes/menubar.php');

}

?>

```
<!-- MENU SECTION END-->
```

```
<div class="content-wrapper">
```

```
  <div class="container">
```

```
    <div class="row">
```

```
      <div class="col-md-12">
```

```
        <h1 class="page-head-line">Enroll History </h1>
```

```
      </div>
```

```
    </div>
```

```
    <div class="row" >
```

```
      <div class="col-md-12">
```

```
        <!-- Bordered Table -->
```

```
        <div class="panel panel-default">
```

```
          <div class="panel-heading">
```

```
            Enroll History
```

```
          </div>
```

```
        <!-- /.panel-heading -->
```

```
        <div class="panel-body">
```

```
          <div class="table-responsive table-bordered">
```

```
            <table class="table">
```

```
              <thead>
```

```
                <tr>
```

```
                  <th>#</th>
```

```
                  <th>Student Name </th>
```

```
                  <th>Student ID </th>
```

```
                  <th>Course Name </th>
```

```
                  <th>Session </th>
```

```

        <th>Semester</th>

        <th>Enrollment Date</th>

        <th>Action</th>

    </tr>

</thead>

<tbody>

<?php

$sql=mysql_query("select courseenrolls.course as cid, course.courseName as
courname,session.session as session,department.department as
dept,courseenrolls.enrollDate as edate ,semester.semester as
sem,students.studentName as sname,students.StudentRegno as sregno from
courseenrolls join course on course.id=courseenrolls.course join session on
session.id=courseenrolls.session join department on
department.id=courseenrolls.department join semester on
semester.id=courseenrolls.semester join students on
students.StudentRegno=courseenrolls.studentRegno ");

$cnt=1;

while($row=mysql_fetch_array($sql))
{
?>

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo htmlentities($row['sname']);?></td>

            <td><?php echo htmlentities($row['sregno']);?></td>

            <td><?php echo
htmlentities($row['courname']);?></td>

```

```
<td><?php echo htmlentities($row['dept']);?></td>
```

```
<td><?php echo htmlentities($row['sem']);?></td>
```

```
<td><?php echo htmlentities($row['edate']);?></td>
```

```
<td>
```

```
<a href="print.php?id=<?php echo $row['cid'];?>"
```

```
target="_blank">
```

```
<button class="btn btn-primary"><i class="fa fa-print "></i> Print</button> </a>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
$cnt++;
```

```
} ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- End Bordered Table -->
```

```
</div>
```

```
</div>
```



```
</div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Print Enrol History

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

    }

else{
```

```
?>
```

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <title>Course Enrollment Print</title>
```

```
<style>
```

```
.invoice-box{
```

```
  max-width:800px;
```

```
  margin:auto;
```

```
  padding:20px;
```

```
  border:1px solid #eee;
```

```
  box-shadow:0 0 10px rgba(0, 0, 0, .15);
```

```
  font-size:16px;
```

```
  line-height:18px;
```

```
  font-family:'Helvetica Neue', 'Helvetica', Helvetica, Arial, sans-serif;
```

```
  color:#555;
```

```
}
```

```
.invoice-box table{
```

```
  width:100%;
```

```
  line-height:inherit;
```

```
  text-align:left;
```

```
}
```

```
.invoice-box table td{  
    padding:5px;  
    vertical-align:top;  
}
```

```
.invoice-box table tr td:nth-child(2){  
    text-align:right;  
}
```

```
.invoice-box table tr.top table td{  
    padding-bottom:10px;  
}
```

```
.invoice-box table tr.top table td.title{  
    font-size:45px;  
    line-height:30px;  
    color:#333;  
}
```

```
.invoice-box table tr.information table td{  
    padding-bottom:20px;  
}
```

```
.invoice-box table tr.heading td{  
    background:#eee;  
    border-bottom:1px solid #ddd;  
    font-weight:bold;
```

```
}
```

```
.invoice-box table tr.details td{
```

```
padding-bottom:20px;
```

```
}
```

```
.invoice-box table tr.item td{
```

```
border-bottom:1px solid #eee;
```

```
}
```

```
.invoice-box table tr.item.last td{
```

```
border-bottom:none;
```

```
}
```

```
.invoice-box table tr.total td:nth-child(2){
```

```
border-top:2px solid #eee;
```

```
font-weight:bold;
```

```
}
```

```
@media only screen and (max-width: 600px) {
```

```
.invoice-box table tr.top table td{
```

```
width:100%;
```

```
display:block;
```

```
text-align:center;
```

```
}
```

```
.invoice-box table tr.information table td{
```

```

        width:100%;

        display:block;

        text-align:center;

    }

}

</style>

</head>

<body>

    <div class="invoice-box">

<?php

$cid=intval($_GET['id']);

$sql=mysql_query("select course.courseName as courname,course.courseCode as
ccode,course.courseUnit as cunit,session.session as session,department.department as
dept,level.level as level,courseenrolls.enrollDate as edate,semester.semester as sem
,students.studentName as studentname,students.studentPhoto as photo,students.cgpa
as scgpa,students.StudentRegno as sregno,students.creationdate as studentregdate
from courseenrolls join course on course.id=courseenrolls.course join session on
session.id=courseenrolls.session join department on
department.id=courseenrolls.department join level on level.id=courseenrolls.level join
students on students.StudentRegno=courseenrolls.StudentRegno join semester on
semester.id=courseenrolls.semester where courseenrolls.course='$cid'");

$cnt=1;

while($row=mysql_fetch_array($sql))

{?>

    <table cellpadding="0" cellspacing="0">

        <tr class="top">

```

```

        <td colspan="2">

            <table>

                <tr>

                    <td class="title">

                        <?php if($row['photo']== ""){ ?>

                            <?php } else
                            {?>

                                    <?php } ?>

                                </td>

                                <td>

                                    <b> Student ID: </b><?php echo
                                    htmlentities($row['sregno']);?><br>

                                    <b> Student Name: </b> <?php echo
                                    htmlentities($row['studentname']);?><br>

                                    <b> Application Date: </b> <?php echo
                                    htmlentities($row['studentregdate']);?><br>

                                    <b> Student Course Enroll Date: </b> <?php echo
                                    htmlentities($row['edate']);?><br>

                                </td>

                            </tr>

                        </table>

                    </td>

                </tr>

                <tr class="heading">

```

```
<td>
```

```
    Course Details
```

```
</td>
```

```
<td>
```

```
</td>
```

```
</tr>
```

```
<tr class="details">
```

```
    <td>
```

```
        Course Code
```

```
    </td>
```

```
    <td>
```

```
        <?php echo htmlentities($row['ccode']);?>
```

```
    </td>
```

```
</tr>
```

```
<tr class="details">
```

```
    <td>
```

```
        Course Name
```

```
    </td>
```

```
    <td>
```

```
        <?php echo htmlentities($row['courname']);?>
```

```
    </td>
```

</tr>

<tr class="details">

<td>

</td>

<td>

<?php echo htmlentities(\$row['cunit']);?>

</td>

</tr>

<tr class="heading">

<td>

Other Details

</td>

<td>

</td>

</tr>

<tr class="item">

<td>

Session

</td>


```
<td>

    <?php echo htmlentities($row['session']);?>

</td>
</tr>
```

```
<tr class="item">

    <td>

        Department

    </td>
```

```
    <td>

        <?php echo htmlentities($row['dept']);?>

    </td>
```

```
</tr>
```

```
<tr class="item">
```

```
    <td>

        Level

    </td>
```

```
    <td>

        <?php echo htmlentities($row['level']);?>

    </td>
```

```
</tr>
```

```
<tr class="item">
```

```
<td>
```

```
CGPA
```

```
</td>
```

```
<td>
```

```
<?php echo htmlentities($row['scgpa']);?>
```

```
</td>
```

```
</tr>
```

```
<tr class="item last">
```

```
<td>
```

```
Semester
```

```
</td>
```

```
<td>
```

```
<?php echo htmlentities($row['sem']);?>
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
<?php } ?>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

Manage Students

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
}
else{

if(isset($_GET['del']))
    {

        mysql_query("delete from students where StudentRegno = '".$_GET['id']."'");
        $_SESSION['delmsg']="Student record deleted !!";
    }

if(isset($_GET['pass']))
    {
        $password="Test@123";
        $newpass=$password;

        mysql_query("update students set password='$newpass' where StudentRegno
= '".$_GET['id']."'");
```

```
        $_SESSION['delmsg']="Password Reset. New Password is Test@123";

    }

?>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />

    <title>Admin | Course</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")

{

    include('includes/menubar.php');

}

?>

    <!-- MENU SECTION END-->
```

[illegible]

```

        <th> Pincode</th>

        <th>Reg Date</th>

        <th>Action</th>

    </tr>

</thead>

<tbody>

<?php
$sql=mysql_query("select * from students");
$cnt=1;
while($row=mysql_fetch_array($sql))
{
?>

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo
htmlentities($row['StudentRegno']);?></td>

            <td><?php echo
htmlentities($row['studentName']);?></td>

            <td><?php echo htmlentities($row['pincode']);?></td>

            <td><?php echo
htmlentities($row['creationdate']);?></td>

            <td>

<a href="manage-students.php?id=<?php echo $row['StudentRegno']?>&pass=update"
onClick="return confirm('Are you sure you want to reset password?')">

```

```
<button type="submit" name="submit" id="submit" class="btn btn-default">Reset  
Password</button>
```

```
</a>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
$cnt++;
```

```
} ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- End Bordered Table -->
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- CONTENT-WRAPPER SECTION END-->
```

```
<?php include('includes/footer.php');?>
```

```
<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Registration

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header('location:index.php');

    }
else{

if(isset($_POST['submit']))
{
$studentname=$_POST['studentname'];
$studentregno=$_POST['studentregno'];
$password=$_POST['password'];
$pincode = rand(100000,999999);
```



```
$ret=mysql_query("insert into students(studentName,StudentRegno,password,pincode)
values('$studentname','$studentregno','$password','$pincode')");

if($ret)

{
$_SESSION['msg']="Student Registered Successfully !!";
}

else

{
$_SESSION['msg']="Error : Student not Register";
}

}

?>
```

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />

    <title>Admin | Student Registration</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>
```

```
<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")
{
    include('includes/menubar.php');
}
?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h1 class="page-head-line">Student Registration </h1>

                </div>

            </div>

            <div class="row" >

                <div class="col-md-3"></div>

                <div class="col-md-6">

                    <div class="panel panel-default">

                        <div class="panel-heading">

                            Student Registration

                        </div>

                        <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>
```

```
        <div class="panel-body">

            <form name="dept" method="post">

                <div class="form-group">

                    <label for="studentname">Student Name </label>

                    <input type="text" class="form-control" id="studentname" name="studentname"
placeholder="Student Name" required />

                </div>


                <div class="form-group">

                    <label for="studentregno">Student ID </label>

                    <input type="text" class="form-control" id="studentregno" name="studentregno"
onBlur="userAvailability()" placeholder="Student ID" required />

                    <span id="user-availability-status1" style="font-size:12px;">

                </div>


                <div class="form-group">

                    <label for="password">Password </label>

                    <input type="password" class="form-control" id="password" name="password"
placeholder="Enter password" required />

                </div>


                <button type="submit" name="submit" id="submit" class="btn btn-
default">Submit</button>

            </form>

        </div>
```

</div>

</div>

</div>

</div>

</div>

</div>

<?php include('includes/footer.php');?>

<script src="assets/js/jquery-1.11.1.js"></script>

<script src="assets/js/bootstrap.js"></script>

<script>

function userAvailability() {

\$("#loaderIcon").show();

jQuery.ajax({

url: "check_availability.php",

data:'regno='+\$("#studentregno").val(),

type: "POST",

success:function(data){

\$("#user-availability-status1").html(data);

\$("#loaderIcon").hide();

},

```
error:function (){  
}  
});  
  
</script>
```

```
</body>  
</html>  
<?php } ?>
```

Course

```
<?php  
session_start();  
include('includes/config.php');  
if(strlen($_SESSION['alogin'])==0)  
{  
header('location:index.php');  
}  
else{  
  
if(isset($_POST['submit']))  
{  
$coursecode=$_POST['coursecode'];  
$coursename=$_POST['coursename'];  
$courseunit=$_POST['courseunit'];  
$seatlimit=$_POST['seatlimit'];
```

```
$ret=mysql_query("insert into course(courseCode,courseName,courseUnit,noofSeats)
values('$coursecode','$coursename','$courseunit','$seatlimit')");

if($ret)

{
$_SESSION['msg']="Course Created Successfully !!";
}

else

{
$_SESSION['msg']="Error : Course not created";
}
}

if(isset($_GET['del']))

{

mysql_query("delete from course where id = '".$_GET['id']."'");

$_SESSION['delmsg']="Course deleted !!";

}

?>
```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta charset="utf-8" />

<meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

<meta name="description" content="" />

<meta name="author" content="" />

<title>Admin | Course</title>

```
<link href="assets/css/bootstrap.css" rel="stylesheet" />

<link href="assets/css/font-awesome.css" rel="stylesheet" />

<link href="assets/css/style.css" rel="stylesheet" />

</head>


<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")

{

    include('includes/menubar.php');

}

?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h1 class="page-head-line">Course Resgistration </h1>

                </div>

            </div>

            <div class="row" >

                <div class="col-md-3"></div>

                <div class="col-md-6">

                    <div class="panel panel-default">

                        <div class="panel-heading">

                            Course
```

</div>

```
<font color="green" align="center"><?php echo  
htmlentities($_SESSION['msg']);?><?php echo  
htmlentities($_SESSION['msg']="");?></font>
```

<div class="panel-body">

<form name="dept" method="post">

<div class="form-group">

<label for="coursecode">Course Code </label>

<input type="text" class="form-control" id="coursecode" name="coursecode"
placeholder="Course Code" required />

</div>

<div class="form-group">

<label for="coursename">Course Name </label>

<input type="text" class="form-control" id="coursename" name="coursename"
placeholder="Course Name" required />

</div>

<div class="form-group">

<label for="courseunit">Course Duration </label>

<input type="text" class="form-control" id="courseunit" name="courseduartion"
placeholder="Course Duration" required />

</div>

<div class="form-group">

<label for="seatlimit">Seat limit </label>


```
<input type="text" class="form-control" id="seatlimit" name="seatlimit"
placeholder="Seat limit" required />
```

```
</div>
```

```
<button type="submit" name="submit" class="btn btn-default">Submit</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<font color="red" align="center"><?php echo
htmlentities($_SESSION['delmsg']);?><?php echo
htmlentities($_SESSION['delmsg']="");?></font>
```

```
<div class="col-md-12">
```

```
<!-- Bordered Table -->
```

```
<div class="panel panel-default">
```

```
<div class="panel-heading">
```

```
Manage Course
```

```
</div>
```

```
<!-- /.panel-heading -->
```

```
<div class="panel-body">
```

```
<div class="table-responsive table-bordered">
```

```
<table class="table">
```

```
<thead>
```

```
<tr>
```

```
<th>#</th>
```

```
<th>Course Code</th>
```

```

        <th>Course Name </th>

        <th>Seat limit</th>

        <th>Creation Date</th>

    </tr>

</thead>

<tbody>

<?php
$sql=mysql_query("select * from course");
$cnt=1;
while($row=mysql_fetch_array($sql))
{
?>

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo
htmlentities($row['courseCode']);?></td>

            <td><?php echo
htmlentities($row['courseName']);?></td>

            <td><?php echo
htmlentities($row['noofSeats']);?></td>

            <td><?php echo
htmlentities($row['creationDate']);?></td>

            <td>

                <a href="edit-course.php?id=<?php echo $row['id']?>">

<button class="btn btn-primary"><i class="fa fa-edit "></i> Edit</button> </a>

```

```
<a href="course.php?id=?php echo $row['id']?>&del=delete" onClick="return
confirm('Are you sure you want to delete?')">
```

```
<button class="btn btn-danger">Delete</button>
```

```
</a>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
$cnt++;
```

```
} ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- End Bordered Table -->
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- CONTENT-WRAPPER SECTION END-->
```

```
<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Department

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header("location:index.php");

    }

else{

if(isset($_POST['submit']))
    {

        $department=$_POST['department'];

        $ret=mysql_query("insert into department(department) values('$department')");

        if($ret)
        {
```

```
$_SESSION['msg']="Department Created Successfully !!";
}
else
{
    $_SESSION['msg']="Error : Department not created";
}
}

if(isset($_GET['del']))
{
    mysql_query("delete from department where id = '".$_GET['id']."'");
    $_SESSION['delmsg']="Department deleted !!";
}

?>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Admin | department</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
</head>
```

```
<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")
{
    include('includes/menubar.php');
}
?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h1 class="page-head-line">Department </h1>

                </div>

            </div>

            <div class="row" >

                <div class="col-md-3"></div>

                <div class="col-md-6">

                    <div class="panel panel-default">

                        <div class="panel-heading">

                            Department

                        </div>

                    </div>

                </div>

            </div>

            <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>
```

```
        <div class="panel-body">

        <form name="dept" method="post">

        <div class="form-group">

        <label for="department">Add Department </label>

        <input type="text" class="form-control" id="department" name="department"
placeholder="department" required />

        </div>

        <button type="submit" name="submit" class="btn btn-default">Submit</button>

        </form>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
        <font color="red" align="center"><?php echo
htmlentities($_SESSION['delmsg']);?><?php echo
htmlentities($_SESSION['delmsg']="");?></font>
```

```
        <div class="col-md-12">
```

```
            <!-- Bordered Table -->
```

```
            <div class="panel panel-default">
```

```
                <div class="panel-heading">
```

```
                    Manage Session
```

```
                </div>
```

```
            <!-- /.panel-heading -->
```

```
            <div class="panel-body">
```

```
                <div class="table-responsive table-bordered">
```

```

<table class="table">

    <thead>

        <tr>

            <th>#</th>

            <th>department</th>

            <th>Creation Date</th>

            <th>Action</th>

        </tr>

    </thead>

    <tbody>

```

```

<?php
$sql=mysql_query("select * from department");
$cnt=1;
while($row=mysql_fetch_array($sql))
{
?>

```

```

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo
htmlentities($row['department']);?></td>

            <td><?php echo
htmlentities($row['creationDate']);?></td>

            <td>

                <a href="department.php?id=<?php echo $row['id']?>&del=delete" onClick="return
confirm('Are you sure you want to delete?')">

                    <button class="btn btn-danger">Delete</button>

```


</td>

</tr>

<?php

\$cnt++;

} ?>

</tbody>

</table>

</div>

</div>

</div>

<!-- End Bordered Table -->

</div>

</div>

</div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

```
<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Semester

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header("location:index.php");

    }
else{

if(isset($_POST['submit']))
    {

        $semester=$_POST['semester'];

$ret=mysql_query("insert into semester(semester) values('$semester')");

if($ret)
    {

$_SESSION['msg']="Semester Created Successfully !!";

    }

else
```

```
{
    $_SESSION['msg']="Error : Semester not created";
}
}

if(isset($_GET['del']))
{
    mysql_query("delete from semester where id = '".$_GET['id']."'");
    $_SESSION['delmsg']="semester deleted !!";
}

?>
```

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />

    <title>Admin | Semester</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

<?php include('includes/header.php');?>
```

```
<!-- LOGO HEADER END-->

<?php if($_SESSION['alogin']!="")
{
    include('includes/menubar.php');
}

?>

<!-- MENU SECTION END-->

<div class="content-wrapper">

    <div class="container">

        <div class="row">

            <div class="col-md-12">

                <h1 class="page-head-line">Semester </h1>

            </div>

        </div>

        <div class="row" >

            <div class="col-md-3"></div>

            <div class="col-md-6">

                <div class="panel panel-default">

                    <div class="panel-heading">

                        Semester

                    </div>

                    <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>

                    <div class="panel-body">
```

```
        <form name="semester" method="post">

        <div class="form-group">

            <label for="semester">Add Semester </label>

            <input type="text" class="form-control" id="semester" name="semester"
placeholder="semester" required />

        </div>

        <button type="submit" name="submit" class="btn btn-default">Submit</button>

    </form>
```

```
        </div>

        </div>

    </div>
```

```
    </div>

    <font color="red" align="center"><?php echo
htmlentities($_SESSION['delmsg']);?><?php echo
htmlentities($_SESSION['delmsg']="");?></font>
```

```
    <div class="col-md-12">

        <!-- Bordered Table -->

        <div class="panel panel-default">

            <div class="panel-heading">

                Manage Semester

            </div>

            <!-- /.panel-heading -->

            <div class="panel-body">

                <div class="table-responsive table-bordered">

                    <table class="table">

                        <thead>

                            <tr>
```

```

        <th>#</th>

        <th>Semester</th>

        <th>Creation Date</th>

        <th>Action</th>

    </tr>

</thead>

<tbody>

<?php
$sql=mysql_query("select * from semester");

$cnt=1;

while($row=mysql_fetch_array($sql))
{
?>

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo htmlentities($row['semester']);?></td>

            <td><?php echo
htmlentities($row['creationDate']);?></td>

            <td>

                <a href="semester.php?id=<?php echo $row['id']?>&del=delete" onClick="return
confirm('Are you sure you want to delete?')">

                    <button class="btn btn-danger">Delete</button>

                </a>

            </td>

        </tr>

```

```
<?php
```

```
$cnt++;
```

```
} ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- End Bordered Table -->
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- CONTENT-WRAPPER SECTION END-->
```

```
<?php include('includes/footer.php');?>
```

```
<!-- FOOTER SECTION END-->
```

```
<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->
```

```
<!-- CORE JQUERY SCRIPTS -->
```

```
<script src="assets/js/jquery-1.11.1.js"></script>
```

```
<!-- BOOTSTRAP SCRIPTS -->
```

```
<script src="assets/js/bootstrap.js"></script>

</body>

</html>

<?php } ?>
```

Session

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {

header("location:index.php");

    }
else{

if(isset($_POST['submit']))
{
    $sesssion=$_POST['sesssion'];
    $ret=mysql_query("insert into session(session) values('$sesssion')");
    if($ret)
    {
        $_SESSION['msg']="Session Created Successfully !!";
    }
    else
    {
        $_SESSION['msg']="Error : Session not created";
    }
}
```



```
}  
  
if(isset($_GET['del']))  
  
    {  
  
        mysql_query("delete from session where id = '".$_GET['id']."'");  
  
        $_SESSION['delmsg']="Session deleted !!";  
  
    }  
  
?>
```

```
<!DOCTYPE html>  
  
<html xmlns="http://www.w3.org/1999/xhtml">  
  
<head>  
  
    <meta charset="utf-8" />  
  
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-  
scale=1" />  
  
    <meta name="description" content="" />  
  
    <meta name="author" content="" />  
  
    <title>Admin | Session</title>  
  
    <link href="assets/css/bootstrap.css" rel="stylesheet" />  
  
    <link href="assets/css/font-awesome.css" rel="stylesheet" />  
  
    <link href="assets/css/style.css" rel="stylesheet" />  
  
</head>  
  
<body>  
  
<?php include('includes/header.php');?>  
  
    <!-- LOGO HEADER END-->  
  
<?php if($_SESSION['alogin']!="")  
  
    {
```

```
include('includes/menubar.php');

}

?>

<!-- MENU SECTION END-->

<div class="content-wrapper">

    <div class="container">

        <div class="row">

            <div class="col-md-12">

                <h1 class="page-head-line">Add session </h1>

            </div>

        </div>

        <div class="row" >

            <div class="col-md-3"></div>

            <div class="col-md-6">

                <div class="panel panel-default">

                    <div class="panel-heading">

                        Session

                    </div>

                    <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>

                    <div class="panel-body">

                        <form name="session" method="post">

                            <div class="form-group">

                                <label for="session">Create Session </label>
```

[illegible]

```

        <th>Action</th>

    </tr>

</thead>

<tbody>

<?php
$sql=mysql_query("select * from session");

$cnt=1;

while($row=mysql_fetch_array($sql))
{
    ?>

        <tr>

            <td><?php echo $cnt;?></td>

            <td><?php echo htmlentities($row['session']);?></td>

            <td><?php echo
htmlentities($row['creationDate']);?></td>

            <td>

                <a href="session.php?id=<?php echo $row['id']?>&del=delete" onClick="return
confirm('Are you sure you want to delete?')">

                    <button class="btn btn-danger">Delete</button>

                </a>

            </td>

        </tr>

    <?php
    $cnt++;

    } ?>

```

```
        </tbody>

    </table>

</div>

</div>

</div>

    <!-- End Bordered Table -->

</div>

</div>
```

```
    </div>

</div>

    <!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

    <!-- FOOTER SECTION END-->

    <!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

    <!-- CORE JQUERY SCRIPTS -->

    <script src="assets/js/jquery-1.11.1.js"></script>

    <!-- BOOTSTRAP SCRIPTS -->

    <script src="assets/js/bootstrap.js"></script>

</body>

</html>
```

```
<?php } ?>
```

Logout (Admin)

```
<?php  
  
session_start();  
  
$_SESSION['alogin']=="";  
  
session_unset();  
  
//session_destroy();  
  
$_SESSION['errmsg']="You have successfully logout";  
  
?>  
  
<script language="javascript">  
  
document.location="index.php";  
  
</script>
```

Login (Student)

```
<?php  
  
session_start();  
  
error_reporting(0);  
  
include("includes/config.php");  
  
if(isset($_POST['submit']))  
  
{  
  
    $regno=$_POST['regno'];  
  
    $password=(($_POST['password']));  
  
    $query=mysql_query("SELECT * FROM students WHERE StudentRegno='$regno' and  
password='$password'");  
  
    $num=mysql_fetch_array($query);  
  
    if($num>0)  
  
{
```

```

$extra="my-profile.php";//

$_SESSION['login']=$_POST['regno'];

$_SESSION['id']=$num['studentRegno'];

$_SESSION['sname']=$num['studentName'];

$uip=$_SERVER['REMOTE_ADDR'];

$status=1;

$log=mysql_query("insert into userlog(studentRegno,userip,status)
values('".$_SESSION['login']."','$uip','$status')");

$host=$_SERVER['HTTP_HOST'];

$uri=rtrim(dirname($_SERVER['PHP_SELF']),'/\\');

header("location:http://$host$uri/$extra");

exit();

}

else

{

$_SESSION['errmsg']="Invalid Reg no or Password";

$extra="index.php";

$host = $_SERVER['HTTP_HOST'];

$uri = rtrim(dirname($_SERVER['PHP_SELF']),'/\\');

header("location:http://$host$uri/$extra");

exit();

}

}

?>

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

```
<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />


    <title>Student Login</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

    <?php include('includes/header.php');?>

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h4 class="page-head-line">Please Login To Enter </h4>


                </div>


            </div>

            <span style="color:red;" ><?php echo htmlentities($_SESSION['errmsg']);
?><?php echo htmlentities($_SESSION['errmsg']="");?></span>

            <form name="admin" method="post">

                <div class="row">
```



```
<div class="col-md-6">

    <label>Enter Student ID : </label>

    <input type="text" name="regno" class="form-control" />

    <label>Enter Password : </label>

    <input type="password" name="password" class="form-control" />

    <hr />

    <button type="submit" name="submit" class="btn btn-info"><span
class="glyphicon glyphicon-user"></span> &nbsp;Log Me In </button>&nbsp;

</div>

</form>

<div class="col-md-6">

    <div class="alert alert-info">

        <br />

        <strong> Exam stress is tough but if you want to get somewhere, you
have to put the work in. Just like when you're in the gym and your instructor shouts
motivational comments to keep the pressure on, these motivation to study quotes will
help you boost your study motivation to get you over that final hurdle.</strong>

        <ul>

        </div>

        </div>

    </div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>
```

```
<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

</body>

</html>
```

My Profile

```
<?php
session_start();

include('includes/config.php');

if(strlen($_SESSION['login'])==0)
    {

header('location:index.php');

    }
else{

if(isset($_POST['submit']))
{
$studentname=$_POST['studentname'];
$photo=$_FILES["photo"]["name"];
$cgpa=$_POST['cgpa'];
$cgpa12=$_POST['cgpa12'];

move_uploaded_file($_FILES["photo"]["tmp_name"],"studentphoto/".$_FILES["photo"]["name"]);
```

```
$ret=mysql_query("update students set
studentName='$studentname',studentPhoto='$photo',cgpa='$cgpa',cgpa12='$cgpa12'
where StudentRegno='".$$_SESSION['login']."'");

if($ret)

{

$_SESSION['msg']="Student Record updated Successfully !!";

}

else

{

$_SESSION['msg']="Error : Student Record not update";

}

}

?>
```

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />

    <title>Student Profile</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>
```

```

<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['login']!="")
{
    include('includes/menubar.php');
}
?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">

                    <h1 class="page-head-line">Student Registration </h1>

                </div>

            </div>

            <div class="row" >

                <div class="col-md-3"></div>

                <div class="col-md-6">

                    <div class="panel panel-default">

                        <div class="panel-heading">

                            Student Registration

                        </div>

                        <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>

                        <?php $sql=mysql_query("select * from students where
StudentRegno='".$_SESSION['login']."'");

```

```
$cnt=1;
```

```
while($row=mysql_fetch_array($sql))
```

```
{ ?>
```

```
    <div class="panel-body">
```

```
    <form name="dept" method="post" enctype="multipart/form-data">
```

```
    <div class="form-group">
```

```
        <label for="studentname">Student Name </label>
```

```
        <input type="text" class="form-control" id="studentname" name="studentname"
value="<?php echo htmlentities($row['studentName']);?>" />
```

```
    </div>
```

```
    <div class="form-group">
```

```
        <label for="studentregno">Student ID </label>
```

```
        <input type="text" class="form-control" id="studentregno" name="studentregno"
value="<?php echo htmlentities($row['StudentRegno']);?>" placeholder="Student Reg
no" readonly />
```

```
    </div>
```

```
    <div class="form-group">
```

```
        <label for="Pincode">Unique Code </label>
```

```
        <input type="text" class="form-control" id="Pincode" name="Pincode" readonly
value="<?php echo htmlentities($row['pincode']);?>" required />
```

```
    </div>
```

```
<div class="form-group">

    <label for="CGPA"> CGPA (X) </label>

    <input type="text" class="form-control" id="cgpa" name="cgpa" value="<?php echo
htmlentities($row['cgpa']);?>" required />

</div>
```

```
<div class="form-group">

    <label for="CGPA12"> CGPA (XII)/Percentage(%)

        <input type="text" class="form-control" id="cgpa12" name="cgpa12"
value="<?php echo htmlentities($row['cgpa12']);?>" required />

</div>
```

```
<div class="form-group">

    <label for="Pincode">Student Photo </label>

    <?php if($row['studentPhoto']== ""){ ?>

        <?php } else {?>

            <?php } ?>

    </div>
```

```
<div class="form-group">

    <label for="Pincode">Upload New Photo </label>

    <input type="file" class="form-control" id="photo" name="photo" value="<?php
echo htmlentities($row['studentPhoto']);?>" />

</div>
```

```
<?php } ?>
```

```
<button type="submit" name="submit" id="submit" class="btn btn-  
default">Update</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php include('includes/footer.php');?>
```

```
<script src="assets/js/jquery-1.11.1.js"></script>
```

```
<script src="assets/js/bootstrap.js"></script>
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

Enrol

```
<?php

session_start();

include('includes/config.php');

if(strlen($_SESSION['login'])==0 or strlen($_SESSION['pcode'])==0)

    {

header('location:index.php');

    }

else{

if(isset($_POST['submit']))

{

$studentregno=$_POST['studentregno'];

$pincode=$_POST['Pincode'];

$session=$_POST['session'];

$dept=$_POST['department'];

$level=$_POST['level'];

$course=$_POST['course'];

$sem=$_POST['sem'];

$ret=mysql_query("insert into
courseenrolls(studentRegno,pincode,session,department,level,course,semester)
values('$studentregno','$pincode','$session','$dept','$level','$course','$sem')");

if($ret)

{

$_SESSION['msg']="Enroll Successfully !!";

}

else
```



```
{
    $_SESSION['msg']="Error : Not Enroll";
}
}
?>
```

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

    <meta name="description" content="" />

    <meta name="author" content="" />

    <title>Course Enroll</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

</head>

<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['login']!="")

{

    include('includes/menubar.php');

}
```

?>

<!-- MENU SECTION END-->

<div class="content-wrapper">

<div class="container">

<div class="row">

<div class="col-md-12">

<h1 class="page-head-line">Course Enroll </h1>

</div>

</div>

<div class="row" >

<div class="col-md-3"></div>

<div class="col-md-6">

<div class="panel panel-default">

<div class="panel-heading">

Course Enroll

</div>

<?php echo
htmlentities(\$_SESSION['msg']);?><?php echo
htmlentities(\$_SESSION['msg']="");?>

<?php \$sql=mysql_query("select * from students where
StudentRegno='".\$_SESSION['login'].'"");

\$cnt=1;

while(\$row=mysql_fetch_array(\$sql))

{ ?>

<div class="panel-body">

<form name="dept" method="post" enctype="multipart/form-data">

<div class="form-group">

```
<label for="studentname">Student Name </label>
```

```
<input type="text" class="form-control" id="studentname" name="studentname"
value="<?php echo htmlentities($row['studentName']);?>" />
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="studentregno">Student ID </label>
```

```
<input type="text" class="form-control" id="studentregno" name="studentregno"
value="<?php echo htmlentities($row['StudentRegno']);?>" placeholder="Student Reg
no" readonly />
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="Pincode">Unique Code </label>
```

```
<input type="text" class="form-control" id="Pincode" name="Pincode" readonly
value="<?php echo htmlentities($row['pincode']);?>" required />
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="Pincode">Student Photo </label>
```

```
<?php if($row['studentPhoto']== ""){ ?>
```

```
<?php } else {?>
```

```

```

```
<?php } ?>
```

```
</div>
```

```
<?php } ?>
```

```
<div class="form-group">
```

```
    <label for="Session">Session </label>
```

```
    <select class="form-control" name="session" required="required">
```

```
        <option value="">Select Session</option>
```

```
        <?php
```

```
$sql=mysql_query("select * from session");
```

```
while($row=mysql_fetch_array($sql))
```

```
{
```

```
?>
```

```
    <option value="<?php echo htmlentities($row['id']);?>"><?php echo  
    htmlentities($row['session']);?></option>
```

```
<?php } ?>
```

```
    </select>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label for="Department">Department </label>
```

```
    <select class="form-control" name="department" required="required">
```

```
        <option value="">Select Department</option>
```

```
        <?php
```

```
$sql=mysql_query("select * from department");
```

```
while($row=mysql_fetch_array($sql))
{
?>

<option value="<?php echo htmlentities($row['id']);?>"><?php echo
htmlentities($row['department']);?></option>

<?php } ?>

</select>

</div>
```

```
<div class="form-group">

<label for="Level">Level </label>

<select class="form-control" name="level" required="required">

<option value="">Select Level</option>

<?php
$sql=mysql_query("select * from level");
while($row=mysql_fetch_array($sql))
{
?>

<option value="<?php echo htmlentities($row['id']);?>"><?php echo
htmlentities($row['level']);?></option>

<?php } ?>

</select>

</div>
```

```
<div class="form-group">

    <label for="Semester">Semester </label>

    <select class="form-control" name="sem" required="required">

        <option value="">Select Semester</option>

        <?php
$sql=mysql_query("select * from semester");
while($row=mysql_fetch_array($sql))
{
?>

        <option value="<?php echo htmlentities($row['id']);?>"><?php echo
        htmlentities($row['semester']);?></option>

        <?php } ?>

    </select>

</div>
```

```
<div class="form-group">

    <label for="Course">Course </label>

    <select class="form-control" name="course" id="course"
onBlur="courseAvailability()" required="required">

        <option value="">Select Course</option>

        <?php
$sql=mysql_query("select * from course");
while($row=mysql_fetch_array($sql))
{
?>
```

```
<option value="<?php echo htmlentities($row['id']);?>"><?php echo  
htmlentities($row['courseName']);?></option>
```

```
<?php } ?>
```

```
</select>
```

```
<span id="course-availability-status1" style="font-size:12px;">
```

```
</div>
```

```
<button type="submit" name="submit" id="submit" class="btn btn-  
default">Enroll</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php include('includes/footer.php');?>
```

```
<script src="assets/js/jquery-1.11.1.js"></script>

<script src="assets/js/bootstrap.js"></script>

<script>

function courseAvailability() {

$("#loaderIcon").show();

jQuery.ajax({

url: "check_availability.php",

data:'cid='+$("#course").val(),

type: "POST",

success:function(data){

$("#course-availability-status1").html(data);

$("#loaderIcon").hide();

},

error:function (){}

});

}

</script>
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

Enrol History

```
<?php
```

```
session_start();
```

```
include('includes/config.php');
```



```
if(strlen($_SESSION['login'])==0)
```

```
{
```

```
header('location:index.php');
```

```
}
```

```
else{
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
    <meta charset="utf-8" />
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-  
scale=1" />
```

```
    <meta name="description" content="" />
```

```
    <meta name="author" content="" />
```

```
    <title>Enroll History</title>
```

```
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
```

```
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
```

```
    <link href="assets/css/style.css" rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<?php include('includes/header.php');?>
```

```
    <!-- LOGO HEADER END-->
```

```
<?php if($_SESSION['login']!="")
{
    include('includes/menubar.php');
}
?>

<!-- MENU SECTION END-->

<div class="content-wrapper">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h1 class="page-head-line">Enroll History </h1>
            </div>
        </div>
        <div class="row" >

            <div class="col-md-12">
                <!-- Bordered Table -->
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Enroll History
                    </div>
                    <!-- /.panel-heading -->
                    <div class="panel-body">
                        <div class="table-responsive table-bordered">
                            <table class="table">
                                <thead>
                                    <tr>
```

```
<th>#</th>

<th>Course Name </th>

<th>Session </th>

<th> Department</th>

<th>Level</th>

    <th>Semester</th>

<th>Enrollment Date</th>

<th>Action</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$sql=mysql_query("select courseenrolls.course as cid, course.courseName as
courname,session.session as session,department.department as dept,level.level as
level,courseenrolls.enrollDate as edate ,semester.semester as sem from courseenrolls
join course on course.id=courseenrolls.course join session on
session.id=courseenrolls.session join department on
department.id=courseenrolls.department join level on level.id=courseenrolls.level join
semester on semester.id=courseenrolls.semester where
courseenrolls.studentRegno='".$_SESSION['login']."'");
```

```
$cnt=1;
```

```
while($row=mysql_fetch_array($sql))
```

```
{
```

```
?>
```

```
<tr>
```

```
<td><?php echo $cnt;?></td>
```

```

        <td><?php echo
htmlentities($row['coursename']);?></td>

        <td><?php echo htmlentities($row['session']);?></td>

        <td><?php echo htmlentities($row['dept']);?></td>

        <td><?php echo htmlentities($row['level']);?></td>

        <td><?php echo htmlentities($row['sem']);?></td>

        <td><?php echo htmlentities($row['edate']);?></td>

        <td>

        <a href="print.php?id=<?php echo $row['cid']?>"
target="_blank">

        <button class="btn btn-primary"><i class="fa fa-print "></i> Print</button> </a>

    </td>

</tr>

<?php
$cnt++;
} ?>

</tbody>

</table>

</div>

</div>

</div>

<!-- End Bordered Table -->

</div>

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- CONTENT-WRAPPER SECTION END-->
```

```
<?php include('includes/footer.php');?>
```

```
<!-- FOOTER SECTION END-->
```

```
<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->
```

```
<!-- CORE JQUERY SCRIPTS -->
```

```
<script src="assets/js/jquery-1.11.1.js"></script>
```

```
<!-- BOOTSTRAP SCRIPTS -->
```

```
<script src="assets/js/bootstrap.js"></script>
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

Change Password

```
<?php
```

```
session_start();
```

```
include('includes/config.php');
```

```
if(strlen($_SESSION['login'])==0)
```

```
{
```

```

header('location:index.php');

}

else{

date_default_timezone_set('Asia/Kolkata');// change according timezone

$currentTime = date( 'd-m-Y h:i:s A', time () );


if(isset($_POST['submit']))

{

$sql=mysql_query("SELECT password FROM students where
password='".$_POST['cpass']."' && studentRegno='".$_SESSION['login']."'");

$num=mysql_fetch_array($sql);

if($num>0)

{

$con=mysql_query("update students set password='".$_POST['newpass']."',
updationDate='$currentTime' where studentRegno='".$_SESSION['login']."'");

$_SESSION['msg']="Password Changed Successfully !!";

}

else

{

$_SESSION['msg']="Current Password not match !!";

}

}

?>


<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

```

```
<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1" />

  <meta name="description" content="" />

  <meta name="author" content="" />

  <title>Admin | Student Password</title>

  <link href="assets/css/bootstrap.css" rel="stylesheet" />

  <link href="assets/css/font-awesome.css" rel="stylesheet" />

  <link href="assets/css/style.css" rel="stylesheet" />

</head>

<script type="text/javascript">

function valid()

{

if(document.chngpwd.cpass.value=="")

{

alert("Current Password Filed is Empty !!");

document.chngpwd.cpass.focus();

return false;

}

else if(document.chngpwd.newpass.value=="")

{

alert("New Password Filed is Empty !!");

document.chngpwd.newpass.focus();

return false;

}

else if(document.chngpwd.cnfpass.value=="")
```

```
{
alert("Confirm Password Filed is Empty !!");
document.chngpwd.cnfpass.focus();
return false;
}

else if(document.chngpwd.newpass.value!= document.chngpwd.cnfpass.value)
{
alert("Password and Confirm Password Field do not match !!");
document.chngpwd.cnfpass.focus();
return false;
}
return true;
}
</script>

<body>

<?php include('includes/header.php');?>

    <!-- LOGO HEADER END-->

<?php if($_SESSION['login']!="")
{
include('includes/menubar.php');
}
?>

    <!-- MENU SECTION END-->

    <div class="content-wrapper">

        <div class="container">

            <div class="row">

                <div class="col-md-12">
```



```

        <h1 class="page-head-line">Student Change Password </h1>

    </div>

</div>

<div class="row" >

    <div class="col-md-3"></div>

    <div class="col-md-6">

        <div class="panel panel-default">

            <div class="panel-heading">

                Change Password

            </div>

            <font color="green" align="center"><?php echo
            htmlentities($_SESSION['msg']);?><?php echo
            htmlentities($_SESSION['msg']="");?></font>

            <div class="panel-body">

                <form name="chngpwd" method="post" onSubmit="return valid();">

                <div class="form-group">

                    <label for="exampleInputPassword1">Current Password</label>

                    <input type="password" class="form-control" id="exampleInputPassword1"
                    name="cpass" placeholder="Password" />

                </div>

                <div class="form-group">

                    <label for="exampleInputPassword1">New Password</label>

                    <input type="password" class="form-control" id="exampleInputPassword2"
                    name="newpass" placeholder="Password" />

                </div>

                <div class="form-group">

```

<label for="exampleInputPassword1">Confirm Password</label>

<input type="password" class="form-control" id="exampleInputPassword3"
name="cnfpass" placeholder="Password" />

</div>

<button type="submit" name="submit" class="btn btn-default">Submit</button>

<hr />

</form>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- CONTENT-WRAPPER SECTION END-->

<?php include('includes/footer.php');?>

<!-- FOOTER SECTION END-->

<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE LOADING TIME -->

<!-- CORE JQUERY SCRIPTS -->

<script src="assets/js/jquery-1.11.1.js"></script>

<!-- BOOTSTRAP SCRIPTS -->

<script src="assets/js/bootstrap.js"></script>

```
</body>
</html>
<?php } ?>
```

Logout (Student)

```
<?php
session_start();
include("includes/config.php");

$_SESSION['login']=="";

date_default_timezone_set('Asia/Kolkata');

$date=date( 'd-m-Y h:i:s A', time ( ) );

mysql_query("UPDATE userlog SET logout = '$date' WHERE studentRegno =
'".$_SESSION['login']."' ORDER BY id DESC LIMIT 1");

session_unset();

$_SESSION['errmsg']="You have successfully logout";

?>

<script language="javascript">

document.location="index.php";

</script>
```

PROJECT TESTING

Software Testing Strategies

Testing is a set of activities that can be planned in advanced and conducted systematically. A strategy for software testing must accommodate low-level tests that are necessary to verify that a small source code segment has been correctly implemented as well as high-level tests that validate major system functions against customer requirements

There are three types of testing strategies

1. Unit test
2. Integration test
3. Performance test

Unit Testing:

Unit testing focuses verification efforts on the smallest unit of software design module. The unit test is always white box oriented. The tests that occur as part of unit testing are testing the module interface, examining the local data structures, testing the boundary conditions, execution all the independent paths and testing error-handling paths.

Integration Testing:

Integration testing is a systematic technique or construction the program structure while at the same time conducting tests to uncover errors associated with interfacing. Scope of testing summarizes the specific functional, performance, and internal design characteristics that are to be tested. It employs top-down testing and bottom-up testing methods for this case.

Performance Testing:

Timing for both read and update transactions should be gathered to determine whether system functions are being performed in an acceptable timeframe.

CONCLUSION

Thus we can conclude that we have successfully developed the **Online Registration**

It has got the following advantages over Manual System:

- ❖ Manual work takes more time and cost due to staff and other materials such as papers and registers.
- ❖ Data retrieval process becomes easy when it is needed, if we use computer management instead of manually.
- ❖ Storage capacity of the computer is also excellent.
- ❖ Generating the Document by printer using computer is also useful feature.
- ❖ Updating of data is easy in computerized system.
- ❖ Data consistency is required for neat and proper management that is achieved by computer easily.
- ❖ With the help of software, data redundancy reduces as compared to manual.
- ❖ Time is precious and speed is the order of today. Our software supports this statement.

Bibliography

BOOKS:

1. Web Programming (Skyword Publisher)
2. DBMS Skyward Publisher

ONLINE REFERENCE:

www.youtube.com
www.w3schools.com
www.phptut.com

