Ex.No:3A Date:06/08/2024

Roll No:231901004

Study of different types of Network cables.

Aim:

Study of different types of Network cables.

a) Understand different types of network cable.

Different type of cables used in networking are:

- 1. Unshielded Twisted Pair (UTP) Cable
- 2. Shielded Twisted Pair (STP) Cable
- 3. Coaxial Cable
- 4. Fibre Optic Cable


	Cable type	Category	Maximum Data Transmission	Advantages/ Disadvantages	Application/Use	Image
	UTP	Category 3	10 bps	Advantages 10Base-T E Cheaper in cost Easy to install	10Base-T Ethernet	Posted plat with color colled plate travalion
		Category 5	Up to 100 Mbps	as they have a smaller overall diameter.	1	
		Category 5e	1Gbps	Disadvantages		
				☐ More prone to (EMI) Electromagnetic interference and noise		
	STP	Category6,6a	10Gbps	 Advantages Shielded. Faster than UTP. Less susceptible to noise and interference Disadvantages 	Gigabit Ethernet, 10G Ethernet (55m) Widely used in data centres	To large the state of the state
	SSTP		10Gbps	• Expensive		

Ca	ategory 7		• Greater installation effort	Gigabit Ethernet, 10G Ethernet (100m)	Conductor Installation Distriction Distriction Distriction Description Descrip
14 P a g e	14 P a g e		2024-25		

b) Make Your Own Ethernet Cross-Over Cable/ Straight cable

Tools and parts needed:

- Ethernet cabling. CAT5e is certified for gigabit support, but CAT5 cabling works as well, just over shorter distances.
- A crimping tool. This is an all-in-one networking tool shaped to push down the pins in the plug and strip and cut the shielding off the cables.
- Two RJ45 plugs.
- · Optional two plug shields.




Difference between crossover cable and straight cable

CS19541-COMPUTER NETWORKS-LAB MANUAL

CS19541-COMPUTER NETWORKS-LAB MANUAL Speed of signal High bandwidth is 500m Immune to Television interference network Low loss RG-6 High speed bandwidth RG-Coaxial 10internet Versatile 59 cable 100Mbps connections RG-11 Disadvantages Limited distance Cost Size is bulky Advantages ☐ Maximum High speed distance of fibre optics cable is High bandwidth around Single fibre 100meters High security mode 100Gbps optics Multi Long distance cable mode Disadvantages Expensive Requires skilled installers

16 | P a g e 2 0 2 4 - 2 5

| Page 2024-25




CS19541-COMPUTER NETWORKS-LAB MANUAL

Step 1: To start construction of the device, begin by threading shields onto the cable.




Step 2: Next, strip approximately 1.5 cm of cable shielding from both ends. The crimping tool has a round area to complete this task.




Step 3: After, you will need to untangle the wires; there should be four "twisted pairs." Referencing back to the sheet, arrange them from top to bottom. One end should be in

arrangement A and the other in B.



Step 4: Once the order is correct, bunch them together in a line, and if there are any that stick out farther than others, snip them back to create an even level. The difficult aspect is placing these into the RJ45 plug without messing up the order. To do so, hold the plug with the clip side facing away from you and have the gold pins facing toward you, as shown.



19 | P a g e 2 0 2 4 - 2 5

CS19541-COMPUTER NETWORKS-LAB MANUAL

Step 5: Next, push the cable right in. The notch at the end of the plug needs to be just over the cable shielding, and if it isn't, that means that you stripped off too much shielding. Simply snip the cables back a little more.



Step 6: After the wires are securely sitting inside the plug, insert it into the crimping tool and push down.

It should be shaped correctly, but pushing too hard can crack the fragile plastic plug.

Step 7: Lastly, repeat for the other end using diagram B (to make a crossover cables)/ using diagram A (to make a straight through cable)

Result:

Thus, different types of Network cables were studied.