Salesforce Certified Platform Developer I (WI22)

which method is used to fire an event

1 of 62. Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

A. ○ registerEvent()

B. ● fire()

C. ○ fireEvent()

D. ○ emit()

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Next >   Review All   Submit Exam

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:18:08

2 of 62. A developer has identified a method in an Apex class that performs resource intensive actions in memory by iterating over the result set of a SOQL statement on the account. The method also performs a DML statement to save the changes to the database.

Which two techniques should the developer implement as a best practice to ensure transaction control and avoid exceeding governor limits?

Choose 2 answers

A. ☐ Use partial DML statements to ensure only valid data is committed.

B. ☑ Use the Database.Savepoint method to enforce database integrity.

C. ☐ Use the @ReadOnly annotation to bypass the number of rows returned by a SOQL.

D. ☑ Use the System.Limit class to monitor the current CPU governor limit consumption.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I (WI22)

@testsetup annotation in an apex test class

3 of 62. Which two statements are true about using the @testSetup annotation in an Apex test class?

Choose 2 answers

A. ☑ In a test setup method, test data is inserted once and made available for all test methods in the test class.

B. ☐ Records created in the test setup method cannot be updated in individual test methods.

C. ☐ A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

D. ☑ The @testSetup annotation is not supported when the @isTest(SeeAllData=True) annotation is used.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:17:52

that have a field with the phrase acme

4 of 62. Which statement generates a list of Leads and Contacts that have a field with the phrase 'ACME'?

- A. ○ List<List <sObject>> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];
- B. ○ List<List <sObject>> searchList = [SELECT Name, ID FROM Contact, Lead WHERE Name like '%ACME%'];
- C. ○ List <sObject> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];
- D. ○ Map <sObject> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

flows before deploying them in a change set

5 of 62. How can a developer check the test coverage of active Process Builders and Flows before deploying them in a Change Set?

- A. ◉ Use SOQL and the Tooling API.
- B. ○ Use the ApexTestResult class.
- C. ○ Use the Flow Properties page.
- D. ○ Use the Code Coverage Setup page.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next   Review All   Submit Exam

The Job_Application__c custom object has a field that is a master-detail relationship to the Contact object, where the Contact object is the master.

As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology', while also retrieving the Contact's Job_Application__c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of Contacts?

A. ○ [SELECT Id, (SELECT Id FROM Job_Applications__r) FROM Contact WHERE Account.Industry = 'Technology'];

B. ● [SELECT Id, (SELECT Id FROM Job_Application__c) FROM Contact WHERE Account.Industry = 'Technology'];

C. ○ [SELECT Id, (SELECT Id FROM Job_Applications__r) FROM Contact WHERE Accounts.Industry = 'Technology'];

D. ○ [SELECT Id, (SELECT Id FROM Job_Applications__c) FROM Contact WHERE Accounts.Industry = 'Technology'];

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

where the contact object is the master

< Back   Next >   Review All   Submit Exam

KRYTERION

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:17:34

7 of 62. A Next Best Action strategy uses an Enhance Element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors.

What is the correct definition of the Apex method?

A. ○ @InvocableMethod
   global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
   { /*implementation*/ }

B. ○ @InvocableMethod
   global Recommendation getLevel(ContactWrapper input)
   { /*implementation*/ }

C. ○ @InvocableMethod
   global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
   { /*implementation*/ }

D. ○ @InvocableMethod
   global static listRecommendation getLevel(List<ContactWrapper> input)
   { /*implementation*/ }

Mark this item for later review.

Type here to search

19°C Partly cloudy

Salesforce Certified Platform Developer I (WI22)

8 of 62. A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces.

```
public interface Sortable {
    void sort();
}

public interface Drawable {
    void draw();
}
```

Which is the correct implementation?

A. ◯
```
public class DrawList implements Sortable, implements Drawable {
    public void sort() { /*implementation*/}
    public void draw() { /*implementation*/}
}
```

B. ◉
```
public class DrawList extends Sortable, Drawable {
    public void sort() { /*implementation*/}
    public void draw() { /*implementation*/}
}
```

C. ◯
```
public class DrawList implements Sortable, Drawable {
    public void sort() { /*implementation*/}
    public void draw() { /*implementation*/}
}
```

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

about a paused flow interview

Time Remaining : 01:17:13

9 of 62. In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. ○ In the system debug log by filtering on Paused Flow Interview
- B. ○ On the Paused Flow Interviews related list for a given record
- C. ○ On the Paused Flow Interviews component on the Home page
- D. ● In the Paused Interviews section of the Apex Flex Queue

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back | Next > | Review All | Submit Exam

KRYTERION GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:17:10

to insert records to validate functionality

10 of 62. A developer is writing tests for a class and needs to insert records to validate functionality.

Which annotation method should be used to create records for every method in the test class?

- A. ○ @isTest(SeeAllData=true)
- B. ○ @PreTest
- C. ● @TestSetup
- D. ○ @StartTest

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining : 01:17:05

11 of 62. Universal Containers hires a developer to build a custom search page to help users find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL?

Choose 2 answers

A. ☐ SOSL is able to return more records.

B. ☐ SOQL is faster for text searches.

C. ☑ SOSL is faster for text searches.

D. ☑ SOQL is able to return more records.

and a custom comments field

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION

Time Remaining : 01:17:02

Universal Containers uses a simple Order Management app. On the Order Lines, the order line total is calculated by multiplying the item price with the quantity ordered. There is a master-detail relationship between the Order and the Order Lines object.

What is the best practice to get the sum of all order line totals on the order header?

A. ○ Declarative Roll-up Summaries app
B. ○ Apex trigger
C. ● Roll-up summary field
D. ○ Process Builder

the order and the order lines object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

2021 KRYTERION, Inc. and KRYTERION, Limited - All Rights Reserved.   KRYTERION

Type here to search

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:17:00

13 of 62. Which two are best practices when it comes to Aura component and application event handling?

Choose 2 answers

A. ☐ Use component events to communicate actions that should be handled at the application level.

B. ☑ Handle low-level events in the event handler and re-fire them as higher-level events.

C. ☑ Reuse the event logic in a component bundle, by putting the logic in the helper.

D. ☐ Try to use application events as opposed to component events.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

application event handling

< Back   Next >   Review All   Submit Exam

Type here to search

19°C Partly cloudy   09:36 PM 12/10/2021

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:58

14 of 62. Refer to the following code snippet for an environment has more than 200 Accounts belonging to the 'Technology' industry:

```
for(Account thisAccount : [SELECT Id, Industry FROM Account LIMIT 150]){
    if(thisAccount.Industry == 'Technology'){
        thisAccount.Is_Tech__c = true;
    }
    update thisAccount;
}
```

When the code executes, what happens as a result of the Apex transaction?

A. ○ If executed in an asynchronous context, the Apex transaction is likely to fail by exceeding the DML governor limit.

B. The Apex transaction fails with the following message: sobject row was retrieved via SOQL without querying the requested fields: Account.Is_Tech__c.

C. If executed in a synchronous context, the Apex transaction is likely to fail by exceeding the DML governor limit.

D. The Apex transaction succeeds regardless of any uncaught exception and all processed accounts are updated.

Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

200 accounts belonging to the technology industry

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:55

action may cause triggers to fire

15 of 62. Which action may cause triggers to fire

A. ○ Cascading delete operations

B. ● Updates to Feed Items

C. ○ Renaming or replacing a picklist entry

D. ○ Changing a user's default division when the transfer division option is checked

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:5?

framework provide to developers

16 of 62. What does the Lightning Component framework provide to developers?

A. ● Prebuilt components that can be reused

B. ○ Templates to create custom components

C. ○ Extended governor limits for applications

D. ○ Support for Classic and Lightning UIs

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:49

code snippet

17 of 62. What is the result of the following code snippet?

```
public void doWork(Account acct){
    for (Integer i = 0; i <= 200; i++){
        insert acct;
    }
}
```

A. ⦿ 0 Accounts are inserted.
B. ◯ 201 Accounts are inserted.
C. ◯ 200 Accounts are inserted.
D. ◯ 1 Account is inserted.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

1

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written
Materials

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

a user edits in account in lightning experience

How should a custom user interface be provided when a user edits an Account in Lightning Experience?

A. ● Override the Account's Edit button with a Lightning component.
B. ○ Override the Account's Edit button with a Lightning page.
C. ○ Override the Account's Edit button with a Lightning Action.
D. ○ Override the Account's Edit button with a Lightning Flow.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Trigger implementation

Time Remaining : 01:16:41

19 of 62. Given the following trigger implementation:

```
trigger LeadTrigger on Lead (before update){
    final ID BUSINESS_RECORDTYPEID = '012500000009pad';

    for(Lead thisLead : Trigger.new){
        if(thisLead.Company != null && thisLead.RecordTypeId != BUSINESS_RECORDTYPEID){
            thisLead.RecordTypeId = BUSINESS_RECORDTYPEID;
        }
    }
}
```

The developer receives deployment errors every time a deployment is attempted from a sandbox to Production.

What should the developer do to ensure a successful deployment?

A.   Ensure BUSINESS_RECORDTYPEID is retrieved using Schema.Describe calls.

B.   Ensure BUSINESS_RECORDTYPEID is pushed as part of the deployment components.

C.   Ensure a record type with an ID of BUSINESS_RECORDTYPEID exists on Production prior to deployment.

D.   Ensure the deployment is validated by a System Admin user on Production.

Mark this item for later review.

Provide question feedback here (optional):

19°C Partly cloudy   09:36 PM
                       12/10/2021

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:37

record type before inserting record

20 of 62. A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record.

How can the developer find the current user's default record type?

A. ○ Query the Profile where the ID equals `userInfo.getProfileID()` and then use the `profile.Opportunity.getDefaultRecordType()` method.

B. ○ Create the opportunity and check the `opportunity.recordType`, which will have the record ID of the current user's default record type, before inserting.

C. ● Use `Opportunity.SObjectType.getDescribe().getRecordTypeInfos()` to get a list of record types, and iterate through them until `isDefaultRecordTypeMapping()` is true.

D. ○ Use the `schema.userInfo.Opportunity.getDefaultRecordType()` method.

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KKRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:33

21 of 62. The values 'High', 'Medium', and 'Low' are identified as common values for multiple picklists across different objects.

What is an approach a developer can take to streamline maintenance of the picklists and their values, while also restricting the values to the ones mentioned above?

- A. ○ Create the Picklist on each object and add a validation rule to ensure data integrity.
- B. ○ Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- C. ● Create the Picklist on each object and use a Global Picklist Value Set containing the values.
- D. ○ Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".

for multiple picklists across different objects

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:29

22 of 62. What is a benefit of developing applications in a multi-tenant environment?

- A. ○ Access to predefined computing resources
- B. ○ Default out-of-the-box configuration
- C. ○ Enforced best practices for development
- D. ○ Unlimited processing power and memory

☐ Mark this item for later review.

a multi-tenant environment

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:27

23 of 62. What is the value of the Trigger.old context variable in a before insert trigger?

A. An empty list of sObjects

B. null

C. Undefined

D. A list of newly created sObjects without IDs

context variables in a before insert trigger

Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

19°C Partly cloudy

09:37 PM
12/10/2021

Type here to search

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:25

24 of 62. Which three steps allow a custom Scalable Vector Graphic (SVG) to be included in a Lightning web component?

in a lightning web component

Choose 3 answers
A. ☐ Reference the variable in the HTML template.
B. ☑ Reference the import in the HTML template.
C. ☑ Import the static resource and provide a variable for it in JavaScript.
D. ☑ Upload the SVG as a static resource.
E. ☐ Import the SVG as a content asset file.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

K KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:20   declarative customizations over code

25 of 62.   What are two benefits of using declarative customizations over code?

Choose 2 answers

A. ☐ Declarative customizations automatically generate test classes.

B. ☑ Declarative customizations automatically update with each Salesforce release.

C. ☐ Declarative customizations cannot generate run time errors.

D. ☑ Declarative customizations generally require less maintenance.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written Materials

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:17

to not re-evaluate workflow rules

26 of 62. A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

A. 3
B. 4
C. 1
D. ● 2

☐ Mark this item for later review.

Provide question feedback here (optional)

Please Provide Feedback here...

Version: 17.0.2

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:12

on the page layout for related

A developer is asked to create a Visualforce page that displays some Account fields as well as fields configured on the page layout for related Contacts.

How should the developer implement this request?

A. ○ Create a controller extension.

B. ○ Use the `<apex:include>` tag.

C. ● Use the `<apex:relatedList>` tag.

D. ○ Add a method to the standard controller.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:08

of the tool report they can see accounts they do not won

28 of 62. Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own.

What should the developer use to enforce sharing permissions for the currently logged-in user while using the custom search tool?

- A. ○ Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- B. ○ Use the schema describe calls to determine if the logged-in user has access to the Account object.
- C. ● Use the with sharing keyword on the class declaration.
- D. ○ Use the without sharing keyword on the class declaration.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written Materials

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

component on a visualforce page

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:04

Which three code lines are required to create a Lightning component on a Visualforce page?

Choose 3 answers

- A. ☑ $Lightning.useComponent
- B. ☑ <apex:includeLightning/>
- C. ☑ <apex:slds/>
- D. ☐ $Lightning.createComponent
- E. ☐ $Lightning.use

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:16:01

issues when a custom page loads in their org

30 of 62. A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org.

Which tool should the developer use to troubleshoot?

A. ○ AppExchange
B. ● Developer Console
C. ○ Setup Menu
D. ○ Visual Studio Code IDE

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Type here to search

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:58

a visualforce page as a pdf

31 of 62. Which code displays the contents of a Visualforce page as a PDF?

A. ○ `<apex:page contentType="application/pdf">`

B. ○ `<apex:page contentType="pdf">`

C. ● `<apex:page renderAs="pdf">`

D. ○ `<apex:page renderAs="application/pdf">`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back | Next > | Review All | Submit Exam

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:54

Universal Containers (UC) uses a custom object called Vendor. The Vendor custom object has a master-detail relationship with the standard Account object.

Based on some internal discussions, the UC administrator tried to change the master-detail relationship to a lookup relationship but was not able to do so.

What is a possible reason that this change was not permitted?

A. ● The Account records contain Vendor roll-up summary fields.

B. ○ The Vendor object must use a master-detail field for reporting.

C. ○ The Account object is included on a workflow on the Vendor object.

D. ○ The Vendor records have existing values in the Account object.

with the standard account object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining : 01:15:49

33 of 62. What are three considerations when using the @InvocableMethod annotation in Apex?

Choose 3 answers

A. ☑ Only one method using the @InvocableMethod annotation can be defined per Apex class.

B. ☐ A method using the @InvocableMethod annotation can have multiple input parameters.

C. ☑ A method using the @InvocableMethod annotation can be declared as Public or Global.

D. ☑ A method using the @InvocableMethod annotation must be declared as static.

E. ☐ A method using the @InvocableMethod annotation must define a return value.

☐ Mark this item for later review.

@invocablemethod annotation in apex

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

Time Remaining : 01:15:47

between trigger executions

34 of 62. A developer has an integer variable called maxAttempts. The developer needs to ensure that once maxAttempts is initialized, it preserves its value for the length of the Apex transaction; while being able to share the variable's state between trigger executions.

How should the developer declare maxAttempts to meet these requirements?

- A. ◯ Declare maxAttempts as a variable on a helper class.
- B. ⦿ Declare maxAttempts as a constant using the static and final keywords.
- C. ◯ Declare maxAttempts as a private static variable on a helper class.
- D. ◯ Declare maxAttempts as a member variable on the trigger definition.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:43

following snippet of code

A developer considers the following snippet of code:

```
Boolean isOK;
Integer x;
String theString = 'Hello';

if (isOK == false && theString == 'Hello'){
    x = 1;
} else if (isOK == true && theString == 'Hello') {
    x = 2;
} else if (isOK != null && theString == 'Hello'){
    x = 3;
} else {
    x = 4;
}
```

Based on this code, what is the value of x?

A. 3
B. 1
C. 4
D. 2

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:36

A developer considers the following snippet of code:

```
Boolean isOK;
integer x;
String theString = 'Hello';

if (isOK == false && theString == 'Hello'){
    x = 1;
} else if (isOK == true && theString == 'Hello') {
    x = 2;
} else if (isOK != null && theString == 'Hello'){
    x = 3;
} else {
    x = 4;
}
```

Based on this code, what is the value of x?

A.   3

B.   1

C. ● 4

D.   2

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:33

following black of code

36 of 62. How many Accounts will be inserted by the following block of code?

```
for(Integer i = 0 ; i < 500; i++){
    Account a = new Account(Name='New Account ' + i);
    insert a;
}
```

A. ⭘ 500

B. 🔘 0

C. ⭘ 100

D. ⭘ 150

⭘ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:30

37 of 62. A developer must write an Apex method that will be called from a Lightning component. The method may delete an Account stored in the accountRec variable.

Which method should a developer use to ensure only users that should be able to delete Accounts can successfully perform deletions?

A. ☐ accountRec.isDeletable()
B. ☐ accountRec.sObjectType.isDeletable()
C. ☑ Schema.sObjectType.Account.isDeletable()
D. ☐ Account.isDeletable()

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:26

38 of 62. A developer created these three roll-up summary fields on the custom object, Project__c:
    Total_Timesheets__c
    Total_Approved_Timesheets__c
    Total_Rejected_Timesheet__c

The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

What are two benefits of choosing a formula field instead of an Apex trigger to fulfill the request?

Choose 2 answers

A. ☑ A formula field will calculate the value retroactively for existing records.

B. ☐ A test class will validate the formula field during deployment.

C. ☑ Using a formula field reduces maintenance overhead.

D. ☐ A formula field will trigger existing automation when deployed.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:23

when a record meets a specific criteria

39 of 62. A developer wants to invoke an outbound message when a record meets a specific criteria.

Which two features satisfy this use case?

Choose 2 answers

A. ☑ Process Builder can be used to check the record criteria and send an outbound message without Apex code.

B. ☐ Next Best Action can be used to check the record criteria and send an outbound message.

C. ☐ Approval Process has the capability to check the record criteria and send an outbound message without Apex code.

D. ☑ Flow Builder can be used to check the record criteria and send an outbound message.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

1

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

type cannot be caught

40 of 62. Which exception type cannot be caught?

- A. ◉ LimitException
- B. ○ CalloutException
- C. ○ NoAccessException
- D. ○ A Custom Exception

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION

K KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:15

line item is not in stock

41 of 62. A developer has the following requirements:
- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements?

- A. ● Order has a master-detail field to Line Item and there can be many Line Items per Order.
- B. ○ Line Item has a lookup field to Order and there can be many Orders per Line Items.
- C. ○ Line Item has a master-detail field to Order and the master can be re-parented.
- D. ○ Order has a lookup field to Line Item and there can be many Line Items per Order.

○ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:13

and feel of lightning experience

Universal Containers has a large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The company wants to update these applications to apply styling that resembles the look end feel of Lightning Experience.

What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. ○ Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.
- B. ○ Rewrite all Visualforce pages as Lightning components.
- C. ○ Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- D. ◉ Set the attribute enableLightning to true in the definition.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

19°C Partly cloudy   09:38 PM 12/10/2021

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:09

43 of 62. Instead of sending emails to support personnel directly from Salesforce from the finish method of a batch process, Universal Containers wants to notify an external system in the event that an unhandled exception occurs.

What is the appropriate publish/subscribe logic to meet this requirement?

- A. ○ Publish the error event using the addError() method and have the external system subscribe to the event using CometD.
- B. ○ Since this only involves sending emails, no publishing is necessary. Have the external system subscribe to the BatchApexError event.
- C. ● Publish the error event using the EventBus.publish() method and have the external system subscribe to the event using CometD.
- D. ○ Publish the error event using the addError() method and write a trigger to subscribe to the event and notify the external system.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:15:05

execute when it is invoked

44 of 62. In the following example, which sharing context will myMethod execute when it is invoked?

```
public class myClass {
    public void myMethod() { /* implementation */ }
}
```

A. ○ Sharing rules will be inherited from the calling context.
B. ○ Sharing rules will not be enforced for the running user.
C. ○ Sharing rules will be enforced by the instantiating class.
D. ○ Sharing rules will be enforced for the running user.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here....

lookup field in salesforce

What is an example of a polymorphic lookup field in Salesforce?

- A. ○ The LeadId and ContactId fields on the standard Campaign Member object
- B. ○ A custom field, Link__c, on the standard Contact object that looks up to an Account or a Campaign
- C. ○ The ParentId field on the standard Account object
- D. ● The WhatId field on the standard Event object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here....

< Back   Next >   Review All   Submit Exam

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

with no exceptions or errors

Time Remaining : 01:14:59

46 of 62. While working in a sandbox, an Apex test fails when run in the Test framework. However, running the Apex test logic in the Execute Anonymous window succeeds with no exceptions or errors.

Why did the method fail in the sandbox test framework but succeed in the Developer Console?

A. ◯ The test method is calling an @future method.
B. ◯ The test method does not use System.runAs to execute as a specific user.
C. ● The test method relies on existing data in the sandbox.
D. ◯ The test method has a syntax error in the code.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:55

47 of 62. A developer must create a Lightning component that allows users to input Contact record information to create a Contact record, including a Salary__c custom field.

What should the developer use, along with a lightning-record-edit-form, so that Salary__c field functions as a currency input and is only viewable and editable by users that have the correct field level permissions on Salary__c?

A. ☐ `<lightning-input-currency value="Salary__c">`
`</lightning-input-currency>`

B. ● `<lightning-input-field field-name="Salary__c">`
`</lightning-input-field>`

C. ☐ `<lightning-input type="number" value="Salary__c" formatter="currency">`
`</lightning-input>`

D. ☐ `<lightning-formatted-number value="Salary__c" format-style="currency">`
`</lightning-formatted-number>`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:52

related to formulas

48 of 62. What are two characteristics related to formulas?

Choose 2 answers

A. ☐ Formulas can reference themselves.

B. ☑ Formulas can reference values in related objects.

C. ☑ Formulas are calculated at runtime and are not stored in the database.

D. ☐ Fields that are used in a formula field can be deleted or edited without editing the formula.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:49

different org configurstions

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations.

Which type of Salesforce orgs should they use for their development?

A. ◯ Developer orgs

B. ◯ Full Copy sandboxes

C. ◯ Developer sandboxes

D. ◉ Scratch orgs

◻ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here....

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written Materials

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:46

running all sets

50 of 62. What should a developer do to check the code coverage of a class after running all tests?

A. ○ View the Class Test Percentage tab on the Apex Class list view in Salesforce Setup.

B. ● View the code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.

C. ○ View the Code Coverage column in the list view on the Apex Classes page.

D. ○ Select and run the class on the Apex Test Execution page in the Developer Console.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

to test a new apex class

Time Remaining : 01:14:44

51 of 62.   A developer needs to have records with specific field values in order to test a new Apex class.

What should the developer do to ensure the data is available to the test?

A. ○ Use Test.loadData() and reference a JSON file in Documents.

B. ○ Use Anonymous Apex to create the required data.

C. ● Use Test.loadData() and reference a CSV file in a static resource.

D. ○ Use SOQL to query the org for the required data.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:40

salesforce org once a month

52 of 62. Universal Containers wants to back up all of the data and attachments in its Salesforce org once a month.

Which approach should a developer use to meet this requirement?

A. ◯ Use the Data Loader command line.

B. ◉ Define a Data Export scheduled job.

C. ◯ Create a Schedulable Apex class.

D. ◯ Schedule a report.

◯ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION

Version: 17.0.2

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written
Materials

K KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:37

mvc implementation in salesforce

53 of 62. Which two statements accurately represent the MVC framework implementation in Salesforce?

Choose 2 answers

A. ☑ Validation rules enforce business rules and represent the Controller (C) part of the MVC framework.

B. ☐ Standard and Custom objects used in the app schema represent the View (V) part of the MVC framework.

C. ☑ Records created or updated by triggers represent the Model (M) part of the MVC framework.

D. ☐ Lightning component HTML files represent the Model (M) part of the MVC framework.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:34

notification is not required

54 of 62. Which Salesforce feature allows a developer to see when a user last logged in to Salesforce if real-time notification is not required?

A. Asynchronous Data Capture Events

B. Developer Log

C. Event Monitoring Log

D. Calendar Events

Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION™

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:32

55 of 62. Which two events need to happen when deploying to a production org?

Choose 2 answers

- A. ☑ All triggers must have some test coverage.
- B. ☑ All Apex code must have at least 75% test coverage.
- C. ☐ All Visual Flows must have at least 1% test coverage.
- D. ☐ All Process Builder Processes must have at least 1% test coverage.

Mark this item for later review.

Provide question feedback here (optional)

Please Provide Feedback here...

KRYTERION™
GLOBAL TESTING SOLUTIONS

salesforce **partner**

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:28

56 of 62. What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

A. ☐ SELECT lead(id, name), account(id, name), contact(id, name) FROM Lead, Account, Contact WHERE Name = 'Universal Containers'

B. ◉ FIND 'Universal Containers' IN Name Fields RETURNING lead(id, name), account(id, name), contact(id, name)

C. ☐ FIND 'Universal Containers' IN CompanyName Fields RETURNING lead(id, name), account(id, name), contact(id, name)

D. ☐ SELECT Lead.id, Lead.Name, Account.Id, Account.Name, Contact.Id, Contact.Name FROM Lead, Account, Contact WHERE CompanyName = 'Universal Containers'

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids

Single Book

Multiple Books

Calculator

Pencil & Paper

Written Materials

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:25

example page as follows

57 of 62. Universal Containers recently transitioned from Classic to Lightning Experience. One of its business processes requires certain values from the Opportunity object to be sent via an HTTP REST callout to its external order management system based on a user-initiated action on the Opportunity detail page. Example values are as follows:

- Name
- Amount
- Account

Which two methods should the developer implement to fulfill the business requirement?

Choose 2 answers

- A. ☑ Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.
- B. ☐ Create an after update trigger on the Opportunity object that calls a helper method using `@Future(Callout=true)` to perform the HTTP REST callout.
- C. ☐ Create a Process Builder on the Opportunity object that executes an Apex immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- D. ☑ Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here....

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

exceptions in apex

Time Remaining : 01:14:23

Which three statements are true regarding custom exceptions in Apex?

Choose 3 answers

A. ☑ A custom exception class name must end with "Exception".

B. ☐ A custom exception class cannot contain member variables or methods.

C. ☑ A custom exception class must extend the system Exception class.

D. ☑ A custom exception class can implement one or many interfaces.

E. ☐ A custom exception class can extend other classes besides the Exception class.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:19

59 of 62. A Lightning component has a wired property, searchResults, that stores a list of Opportunities.

Which definition of the Apex method, to which the searchResults property is wired, should be used?

A. ○ $AuraEnabled(cacheable=true)
   public List<Opportunity> search(String term) (/*implementation*/)

B. ○ $AuraEnabled(cacheable=false)
   public static List<Opportunity> search(String term) (/*implementation*/)

C. ● $AuraEnabled(cacheable=true)
   public static List<Opportunity> search(String term) (/*implementation*/)

D. ○ $AuraEnabled(cacheable=false)
   public List<Opportunity> search(String term) (/*implementation*/)

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

without using apex code

Time Remaining : 01:14:15

60 of 62.   Which process automation should be used to send an outbound message without using Apex code?

A.   Flow Builder

B.   Strategy Builder

C.   Process Builder

D. ● Workflow Rule

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:14:12

61 of 62. A developer must create a `CreditCardPayment` class that provides an implementation of an existing `Payment` class.

```
public virtual class Payment {
    public virtual void makePayment(Decimal amount) { /*implementation*/ }
}
```

Which is the correct implementation?

A. `public class CreditCardPayment implements Payment {`
`    public virtual void makePayment(Decimal amount) { /*implementation*/ }`
`}`

B. `public class CreditCardPayment implements Payment {`
`    public override void makePayment(Decimal amount) { /*implementation*/ }`
`}`

C. `public class CreditCardPayment extends Payment {`
`    public virtual void makePayment(Decimal amount) { /*implementation*/ }`
`}`

D. `public class CreditCardPayment extends Payment {`
`    public override void makePayment(Decimal amount) { /*implementation*/ }`
`}`

Mark this item for later review.

KRYTERION
GLOBAL TESTING SOLUTIONS

salesforce partner

Salesforce Certified Platform Developer I (WI22)

Time Remaining : 01:13:59

reporting errors

62 of 62. A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration that reads task records is periodically reporting errors.

Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. ◯ Use a try-catch block after the insert statement.
- B. ◯ Remove the Apex class from the integration user's profile.
- C. ⦿ Use the Database method with allOrNone set to false.
- D. ◯ Deactivate the trigger before the integration runs.

◻ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining : 01:13:39

@testsetup annotation in an apex test class

3 of 62. Which two statements are true about using the @testSetup annotation in an Apex test class?

Choose 2 answers

A. ☑ In a test setup method, test data is inserted once and made available for all test methods in the test class.

B. ☐ Records created in the test setup method cannot be updated in individual test methods.

C. ☑ A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

D. ☐ The @testSetup annotation is not supported when the @isTest(SeeAllData=True) annotation is used.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back   Next >   Review All   Submit Exam

Salesforce Certified Platform Developer I (WI22)

Time Taken: 31 minutes of 105 minutes total
Result: Pass

Topic	Percentage Correct
Salesforce Fundamentals	100%
Data Modeling and Management	75%
Process Automation and Logic	79%
User Interface	78%
Testing, Debugging, and Deployment	80%

Congratulations! You have successfully completed the certification exam to become a Salesforce Certified Platform Developer I. Welcome to the Salesforce worldwide community of Certified Professionals!

Exit Test