





HTML Tags list

Tag name	Description
<u><!-- --></u>	This tag is used to apply comments in an HTML document.
<u><!DOCTYPE></u>	This tag is used to specify the version of HTML
A	
<u><a></u>	It is termed as an anchor tag and it creates a hyperlink or link.
<u><abbr></u>	It defines an abbreviation for a phrase or longer word.
<u><acronym></u>	It defines an acronym for a word. (Not supported in HTML5)
<u><address></u>	It defines the author's contact information of the HTML article
<u><applet></u>	It defines an embedded Java applet. (Not supported in HTML5)
<u><area></u>	It defines the area of an image map.
<u><article></u> 	It defines the self-contained content.
<u><aside></u> 	It defines content aside from main content. Mainly represented as a sidebar.

<code><audio></code> 	It is used to embed sound content in HTML documents.
<h2>B</h2>	
<code></code>	It is used to make a text bold.
<code><base></code>	This tag defines the base URL for all relative URLs within the document.
<code><basefont></code>	This tag is used to set the default font, size and color for all elements of the document. (Not supported in HTML5)
<code><bdi></code> 	This tag is used to provide isolation for that part of text which may be formatted in different directions from its surrounding text.
<code><bdo></code>	It is used to override the current text direction.
<code><big></code>	This tag is used to make font size one level larger than its surrounding content. (Not supported in HTML5)
<code><blockquote></code>	It is used to define a content which is taken from another source.
<code><body></code>	It is used to define the body section of an HTML document.
<code>
</code>	It is used to apply single line break.
<code><button></code>	It is used to represent a clickable button

C

[<canvas>](#) 

It is used to provide a graphics space within a web document.

[<caption>](#)

It is used to define a caption for a table.

[<center>](#)

It is used to align the content in the center. **(Not supported in HTML5)**

[<cite>](#)

It is used to define the title of the work, book, website, etc.

[<code>](#)

It is used to display a part of programming code in an HTML document.

[<col>](#)

It defines a column within a table which represents common properties of columns and is used with the <colgroup> element.

[<colgroup>](#)

It is used to define a group of columns in a table.




D

[<data>](#) 




It is used to link the content with the machine-readable translation.

[<datalist>](#) 

It is used to provide a predefined list for input option.


<u><dd></u>	It is used to provide definition/description of a term in description list.
<u></u>	It defines a text which has been deleted from the document.
<u><details></u> 	It defines additional details which the user can either view or hide.
<u><dfn></u>	It is used to indicate a term which is defined within a sentence/phrase.
<u><dialog></u> 	It defines a dialog box or other interactive components.
<u><dir></u>	It is used as a container for a directory list of files. (Not supported in HTML5)
<u><div></u>	It defines a division or section within an HTML document.
<u><dl></u>	It is sued to define a description list.
<u><dt></u>	It is used to define a term in a description list.
E	
<u></u>	It is used to emphasize the content applied within this element.
<u><embed></u> 	It is used as an embedded container for external file/application/media, etc.



F




<u><fieldset></u>	It is used to group related elements/labels within a web form.
<u><figcaption></u> 	It is used to add a caption or explanation for the <figure> element.
<u><figure></u> 	It is used to define the self-contained content, and mostly refer to a single unit.
<u></u>	It defines the font, size, color, and face for the content. (Not supported in HTML5)
<u><footer></u> 	It defines the footer section of a webpage.
<u><form></u>	It is used to define an HTML form.
<u><frame></u>	It defines a particular area of a webpage which can contain another HTML file. (Not supported in HTML5)
<u><frameset></u>	It defines a group of Frames. (Not supported in HTML5)

H



<u><h1> to <h6></u>	It defines headings for an HTML document from level 1 to level 6.
---	---

<code><head></code>	It defines the head section of an HTML document.
<code><header></code> 	It defines the header of a section or webpage.
<code><hr></code>	It is used to apply thematic break between paragraph-level elements.
<code><html></code>	It represents the root of an HTML document.
I	
<code><i></code>	It is used to represent a text in some different voice.
<code><iframe></code>	It defines an inline frame which can embed other content.
<code></code>	It is used to insert an image within an HTML document.
<code><input></code>	It defines an input field within an HTML form.
<code><ins></code>	It represents text that has been inserted within an HTML document.
<code><isindex></code>	It is used to display search strings for current documents. (Not supported in HTML5)
K	

<code><kbd></code>	It is used to define keyboard input.
L	
<code><label></code>	It defines a text label for the input field of form.
<code><legend></code>	It defines a caption for content of <code><fieldset></code>
<code></code>	It is used to represent items in a list.
<code><link></code>	It represents a relationship between the current document and an external resource.
M	
<code><main></code> 	It represents the main content of an HTML document.
<code><map></code>	It defines an image map with active areas.
<code><mark></code> 	It represents a highlighted text.
<code><marquee></code>	It is used to insert the scrolling text or an image either horizontally or vertically. (Not supported in HTML5)
<code><menu></code>	It is used for creating a menu list of commands.
<code><meta></code>	It defines metadata of an HTML document.

<u><meter></u> 	It defines scalar measurement with known range or fractional value.
N	
<u><nav></u> 	It represents a section of the page to represent navigation links.
<u><noframes></u>	It provides alternate content to represent in the browser which does not support the <frame> elements. (Not supported in HTML5)
<u><noscript></u>	It provides an alternative content if a script type is not supported in the browser.
O	
<u><object></u>	It is used to embed an object in an HTML file.
<u></u>	It defines an ordered list of items.
<u><optgroup></u>	It is used to group the options of a drop-down list.
<u><option></u>	It is used to define options or items in a drop-down list.
<u><output></u> 	It is used as a container element which can show the result of a calculation.


P

<code><p></code>	It represents a paragraph in an HTML document.
<code><param></code>	It defines parameter for an <code><object></code> element
<code><picture></code> 	It defines more than one source element and one image element.
<code><pre></code>	It defines preformatted text in an HTML document.
<code><progress></code> 	It defines the progress of a task within an HTML document.



Q


<code><q></code>	It defines short inline quotations.
--	-------------------------------------

R

<code><rp></code> 	It defines an alternative content if the browser does not support ruby annotations.
<code><rt></code>	It defines explanations and pronunciations in ruby annotations.
<code><ruby></code>	It is used to represent ruby annotations.



S

<code><s></code>	It renders text which is no longer correct or relevant.
<code><samp></code>	It is used to represent sample output of a computer program.
<code><script></code>	It is used to declare the JavaScript within an HTML document.
<code><section></code> 	It defines a generic section for a document.
<code><select></code>	It represents a control which provides a menu of options.
<code><small></code>	It is used to make text font one size smaller than the document's base font size.
<code><source></code> 	It defines multiple media resources for different media elements such as <code><picture></code> , <code><video></code> , and <code><audio></code> element.
<code></code>	It is used for styling and grouping inline.
<code><strike></code>	It is used to render strikethrough the text. (Not supported in HTML5)
<code></code>	It is used to define important text.
<code><style></code>	It is used to contain style information for an HTML document.
<code><sub></code>	It defines a text which displays as a subscript text.

<u><summary></u> 	It defines a summary which can be used with <details> tag.
<u><sup></u>	It defines a text which is represented as superscript text.
<u><svg></u>	It is used as a container of SVG (Scalable Vector Graphics).

T

<u><table></u>	It is used to present data in tabular form or to create a table within an HTML document.
<u><tbody></u>	It represents the body content of an HTML table and is used along with <thead> and <tfoot>.
<u><td></u>	It is used to define cells of an HTML table which contains table data
<u><template></u>	It is used to contain the client side content which will not display at time of page load and may render later using JavaScript.
<u><textarea></u>	It is used to define multiple line input, such as comment, feedback, and review, etc.
<u><tfoot></u>	It defines the footer content of an HTML table.
<u><th></u>	It defines the head cell of an HTML table.

<code><thead></code>	It defines the header of an HTML table. It is used along with <code><tbody></code> and <code><tfoot></code> tags.
<code><time></code> 	It is used to define data/time within an HTML document.
<code><title></code>	It defines the title or name of an HTML document.
<code><tr></code>	It defines the row cells in an HTML table
<code><track></code>	It is used to define text tracks for <code><audio></code> and <code><video></code> elements.
<code><tt></code>	It is used to define teletype text. (Not supported in HTML5)
U	
<code><u></code>	It is used to render enclosed text with an underline.
<code></code>	It defines an unordered list of items.
V	
<code><var></code>	It defines variable names used in mathematical or programming contexts.
<code><video></code> 	It is used to embed a video content with an HTML document

W

`<wbr>` 

It defines a position within text where a break line is possible.