dbcon.php

```php
<?php
session_start();
$con=mysqli_connect("localhost","root","","opap");
?>
```

adminhome.php

```php
<?php
include 'dbcon.php';

function send($sms, $to) {

    $sms = urlencode($sms);

    $url =
'http://sms.safechaser.com/httpapi/httpapi?token=2751b86a6a4babda36a62c
1b04377a84&sender=crushe&number='.$to.'&route=2&type=1&sms='.$sms;

    $ch = curl_init($url);
    curl_setopt($ch, CURLOPT_TIMEOUT, 50);
    curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 50);
```

```php
        curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);

        $datares = curl_exec($ch);

        curl_close($ch);

        return $datares;

    }




if(isset($_POST['submit1']))

{


$a=$_POST["staff_name"];

//echo "<script> alert('hai');</script>";

$b=$_POST["address"];

$d=$_POST["email"];

$i=$_POST["contact"];


$e=$_POST["reg_no"];


$password=$_POST["password"];

 $p = $_POST["password1"];


if ($p == $password) {
```

```php
$sql1="INSERT INTO `login`(`user_name`, `password`,`role_id`,`status`) VALUES ('$d','$p','2',1)";

$result1=mysqli_query($con,$sql1);


$logid="SELECT `login_id` FROM `login` WHERE `user_name`='$d'";

$result2=mysqli_query($con,$logid);

while($row=mysqli_fetch_array($result2))

{


 $l=$row["login_id"];
 echo $sql2="INSERT INTO `registration`( `login_id`,`staff_name`,`address`,`email`,`contact`,`reg_no`, `password`, `status`) VALUES ($l,'$a','$b','$d','$i','$e','$p',1)";


    $res = mysqli_query($con, $sql2);
//      or die(mysqli_error($con))
}


//$sql="INSERT INTO `seller`(NULL,`first_name`, `last_name`, `store_name`, `mobile_number`, `email`, NULL, `gst_no`, `username`, `password`,1) VALUES ('$a','$b','$c','$d','$e','$f','$j','$k','$l')";

//$result3=mysqli_query($con,$sql);


//echo"<script>alert('Registration Successful Please Login');</script>)";

if($res==1)

{

    echo"<script>alert('Registration Successful Please Login');</script>";
```

```php
        $msg="Hai $a your username is $d password is $p -Enjoy shopping with us..!";

send($msg, $e);

}

else

{

        echo"<script>alert('Sorry email or username is already in use..Please choose a different one..! ');</script>)";

}


}else {


    echo '<script language="javascript">';

    echo 'alert("Your password does not match")';

    echo '</script>';

}}


?>
```

<!--

```
author: W3layouts

author URL: http://w3layouts.com

License: Creative Commons Attribution 3.0 Unported

License URL: http://creativecommons.org/licenses/by/3.0/

-->

<!DOCTYPE html>

<html>

<head>

<title>Online Project Assessment Portal</title>

<!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Fetch Villa Responsive web template,
Bootstrap Web Templates, Flat Web Templates, Android Compatible web
template,

Smartphone Compatible web template, free webdesigns for Nokia, Samsung,
LG, SonyEricsson, Motorola web design" />

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

                function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<link rel="stylesheet" type="text/css" href="css/zoomslider.css" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css"
media="all" />

<script type="text/javascript" src="js/modernizr-2.6.2.min.js"></script>

<!--/web-fonts-->
```

```html
<link href='//fonts.googleapis.com/css?family=Tangerine:400,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Lato:400,300,300italic,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700'
rel='stylesheet' type='text/css'>

<!--//web-fonts-->

</head>

<body>

<div class="top-main" id="home">

	<div class="w3l_header_left">

		<ul>

			<li> </li>

			<li> </li>

		</ul>

	</div>

	<div class="w3l_header_right">

		<ul class="top-links">

			<li><a href="#"><i class="fa fa-facebook"></i></a></li>

			<li><a href="#"><i class="fa fa-twitter"></i></a></li>

			<li><a href="#"><i class="fa fa-linkedin"></i></a></li>

			<li><a href="#"><i class="fa fa-google-plus"></i></a></li>

		</ul>
```

```html
</div>
<div class="clearfix"> </div>
</div>
<div class="header-bottom">
    <div class="container">
        <nav class="navbar navbar-default">
            <!-- Brand and toggle get grouped for better mobile display -->
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>

            <!-- Collect the nav links, forms, and other content for toggling -->
            <div class="collapse navbar-collapse nav-wil" id="bs-example-navbar-collapse-1">
                <nav class="cl-effect-1" id="cl-effect-1">
                    <ul class="nav navbar-nav">
                        <li><a href="index.html">Home</a></li>
```

```html
                    <li><a href="#contact"
class="scroll hvr-bounce-to-bottom"></a></li>

                    <!--

                    <li><a href="#team" class="scroll
hvr-bounce-to-bottom">Team</a></li>

                    <li><a href="#gallery" class="scroll
hvr-bounce-to-bottom">Gallery</a></li>

                    <li><a href="#contact"
class="scroll hvr-bounce-to-bottom">Contact</a></li>

                    <li><a href="register.php">Register</a></li>

                    <li><a href="login.php">Login</a></li>-->

                    </ul>

                    </nav>

                    </div>

                    <hr>

                    </div>


                    <!-- Collect the nav links, forms, and other content for
toggling -->

                    <div class="collapse navbar-collapse nav-wil" id="bs-
example-navbar-collapse-1">

                    <nav class="cl-effect-1" id="cl-effect-1">

                    <ul class="nav navbar-nav">
```

```html
                                    <li><a href="#projects"
class="scroll hvr-bounce-to-bottom">Register Staff</a></li>




                        </ul>
                    </nav>
                </div>
                <!-- /.navbar-collapse -->
            </nav>
            <div class="w3ls_search">
                <div class="cd-main-header">
                    <ul class="cd-header-buttons">
                        <li><a class="cd-search-trigger"
href="#cd-search"> <span></span></a></li>
                    </ul> <!-- cd-header-buttons -->
                </div>
                <div id="cd-search" class="cd-search">
                    <form action="#" method="post">
                        <input name="Search" type="search"
placeholder="Search...">
                    </form>
                </div>
            </div>
```

```
                    </div>

            </div>

<!--/banner-section Regisration-->

        <div id="demo-1" data-zs-src='["images/a.jpg", "images/b.jpg",
"images/d.jpg","images/c.jpg"]' data-zs-overlay="dots">

                <div class="demo-inner-content">

                        <!--/banner-info-->

                          <div class="baner-info">

                            <h3>Online <span>Project</span> Assessment
<span>Portal</span> </h3>

                                <h4>MCA</h4>

                                <span><img src="images/ajce.png" alt=""></span>

                        </div>

                        <!--/banner-ingo-->

                </div>

        </div>

<!--/banner-section--><!--/banner-section Regisration-->

</div>

<!--/main-header-->


<div class="featured-section" id="projects">

  <div class="container">

                <h3 class="tittle">Staff<span>Regisra</span>tion</h3>


                <section class="main-content">
```

```html
<div class="row">

    <div class="span12">

        <center><h4 class="title"><span class="text"><strong>Register</strong></span></h4></center>

<form name="register" class="form-stacked" id="sregister" method="POST" action="#" onsubmit="return">
                <div class="span5"></div>
                    <fieldset>



                        <div class="control-group">
                        <label class="control-label"><b>Staff Name:</b></label>

                            <div class="controls">
                                <input type="text" placeholder="Enter your first name" id="staff_name" name="staff_name" class="input-xlarge" required onChange="return gName()"/>

                                <span class="error" id="fname_error"></span>


                            </div>
                        </div>
```

```html
<div class="control-group">
    <label class="control-label"><b>Address:</b></label>
    <div class="controls">
        <input type="text" placeholder="Enter your Address" id="address" name="address" class="input-xlarge" required onChange="return glName()"/>

        <span class="error" id="lname_error"></span>

    </div>
</div>

</div>

<div class="control-group">
    <label class="control-label"><b>Email address:</b></label>

    <div class="controls">
        <input type="email" placeholder="Enter your email" id="email" name="email" class="input-xlarge" onChange="return gEmail()" required/>
```

```html
<span class="error" id="email_error"></span>

                                                    </div>

                                                </div>

                                                <div class="control-group">

                                                    <label class="control-label"><b>Mobile Number:</b></label>

                                                    <div class="controls">

                                                        <input type="tel" pattern="[789][0-9]{9}" placeholder="Enter number" id="contact" name="contact" class="input-xlarge"  onChange="return gPhone()" required/>


                                                        <span class="error" id="mobilenumber_error"></span>


                                                    </div>


                                        <div class="control-group">

                                            <label class="control-label"><b>Regisration no</b></label>

                                            <div class="controls">

                                                <input type="text" placeholder="Enter your register  number" id="reg_no" name="reg_no" class="input-xlarge" required/>

                                                <span class="error" id="username_error"></span>

                                            </div>

                                        </div>

                                        <div class="control-group">
```

```html
                                                                <label class="control-
label"><b>Password:</b></label>

                                                                <div class="controls">

                                <input type="password"
placeholder="Enter your password" id="password" name="password"
class="input-xlarge" required/>

                                                                <span class="error"
id="password_error"></span>

                                                                </div>

                                                        </div>


                                <div class="control-group">

                                        <label class=" control-label"><b>Confirm
Password:</b></label>

        <div class="controls">

          <input id="password1" name="password1" type="password"
placeholder="Confirm password"   class="input-xlarge" required
onChange="return gPwd()"/>

<span class="error" id="password1_error"></span>

        </div>

    </div>

                                                        </fieldset>

                                <center><hr>

                                        <div class="actions"><input tabindex="9"
class="btn btn-inverse large" type="submit" id="submit1" name="submit1"
value="Create your account"></div>

                                        </center>

                                        </form>

                                </div>
```

```html
                    </div>
                </section>


        </div>
            <script src="themes/js/common.js"></script>
        <script src="assets/js/jquery-3.3.1.min.js"></script>
    <script src="js/sregistration.js"></script>




        </div>
</div>
<!--//featured-projects-->
 <!-- //Stats -->


        <!-- //Stats -->
 <!--/team-->


            <!--/team-->
                <!-- gallery -->


<!-- //gallery -->



            <a href="#home" id="toTop" class="scroll" style="display: block;">
<span id="toTopHover" style="opacity: 1;"> </span></a>
```

```
</body>

</html>
```

register.php

```php
<?php
include 'dbcon.php';

function send($sms, $to) {

    $sms = urlencode($sms);

    $url =
'http://sms.safechaser.com/httpapi/httpapi?token=2751b86a6a4babda36a62c
1b04377a84&sender=crushe&number='.$to.'&route=2&type=1&sms='.$sms;

    $ch = curl_init($url);
    curl_setopt($ch, CURLOPT_TIMEOUT, 50);
```

```php
        curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 50);

        curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);

        $datares = curl_exec($ch);

        curl_close($ch);

        return $datares;

    }




if(isset($_POST['submit1']))

{

$m=$_POST["type"];

$a=$_POST["fname"];

//echo "<script> alert('hai');</script>";

$b=$_POST["lname"];

$d=$_POST["district"];

$i=$_POST["taluk_select"];

$j=$_POST["panchayath_select"];

$e=$_POST["mobile"];

$g=$_POST["email"];

$k=$_POST["username"];

$password=$_POST["password"];

 $p = $_POST["password1"];
```

```php
if ($p == $password) {


 $sql1="INSERT INTO `login`(`username`, `password`,`roleid`,`status`) VALUES ('$k','$p',$m,1)";

$result1=mysqli_query($con,$sql1);


$logid="SELECT `loginid` FROM `login` WHERE `username`='$k'";

$result2=mysqli_query($con,$logid);

while($row=mysqli_fetch_array($result2))

{


 $l=$row["loginid"];

  $sql2="INSERT INTO `registration`(`loginid`,`typeid`, `fname`, `lname`, `panchayathid`,`mobile`,`email`,`username`, `password`, `status`) VALUES ($l,$m,'$a','$b',$j,'$e','$g','$k','$p',1)";


    $res = mysqli_query($con, $sql2);
//      or die(mysqli_error($con))
}


//$sql="INSERT INTO `seller`(NULL,`first_name`, `last_name`, `store_name`, `mobile_number`, `email`, NULL, `gst_no`, `username`, `password`,1) VALUES ('$a','$b','$c','$d','$e','$f','$j','$k','$l')";

//$result3=mysqli_query($con,$sql);


//echo"<script>alert('Registration Successful Please Login');</script>)";

if($res==1)

{
```

```php
        echo"<script>alert('Registration Successful Please Login');</script>";

        $msg="Hai $a your username is $k password is $p -Enjoy shopping with us..!";

send($msg, $e);

}

else

{

        echo"<script>alert('Sorry email or username is already in use..Please choose a different one..! ');</script>)";

}


}else {


    echo '<script language="javascript">';

    echo 'alert("Your password does not match")';

    echo '</script>';

}}


?>


<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>Fetch Villa a Real Estate Category Flat Bootstrap Responsive Website Template | Home :: w3layouts</title>
```

```html
        <meta name="viewport" content="width=device-width, initial-scale=1.0">

            <meta name="description" content="">

            <!--[if ie]><meta content='IE=8' http-equiv='X-UA-Compatible'/><![endif]-->

            <!-- bootstrap -->

            <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">

            <link href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">

            <link href="themes/css/bootstrappage.css" rel="stylesheet"/>


            <!-- global styles -->

            <link href="themes/css/flexslider.css" rel="stylesheet"/>

            <link href="themes/css/main.css" rel="stylesheet"/>


            <!-- scripts -->

            <script src="themes/js/jquery-1.7.2.min.js"></script>

            <script src="bootstrap/js/bootstrap.min.js"></script>


            <script src="themes/js/superfish.js"></script>

            <script src="themes/js/jquery.scrolltotop.js"></script>

        <!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Fetch Villa Responsive web template,
Bootstrap Web Templates, Flat Web Templates, Android Compatible web
template,
```

Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web design" />

```
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

        function hideURLbar(){ window.scrollTo(0,1); } </script>
```

`<!-- //for-mobile-apps -->`

`<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />`

`<link rel="stylesheet" type="text/css" href="css/zoomslider.css" />`

`<link rel="stylesheet" type="text/css" href="css/style.css" />`

`<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />`

`<script type="text/javascript" src="js/modernizr-2.6.2.min.js"></script>`

`<!--/web-fonts-->`

`<link href='//fonts.googleapis.com/css?family=Tangerine:400,700' rel='stylesheet' type='text/css'>`

`<link href='//fonts.googleapis.com/css?family=Lato:400,300,300italic,700' rel='stylesheet' type='text/css'>`

`<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>`

```
    <style>
         .error{
        color:red;
 }
```

```html
</style>

    </head>



    <body style="background-image:url(.jpg);background-size:cover;">
        <!--/main-header-->
<div class="top-main" id="home">
  <div class="header-top">
                            <div class="w3l_header_left">
                                <ul>
                                    <li><span class="fa fa-envelope" aria-hidden="true"></span> <a
href="mailto:info@example.com">info@example.com</a></li>
                                    <li><span class="fa fa-phone-square" aria-hidden="true"></span> (010) 221 918 811</li>
                                </ul>
                            </div>
                            <div class="w3l_header_right">
                                <ul class="top-links">
                                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
```

```html
                                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                                    <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
                                </ul>

                        </div>
                        <div class="clearfix"> </div>
    </div>
    <div class="header-bottom">


            <div class="container">
                    <nav class="navbar navbar-default">
                            <!-- Brand and toggle get grouped for better mobile display -->
                            <div class="navbar-header">
                             <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                                    <span class="sr-only">Toggle navigation</span>
                                    <span class="icon-bar"></span>
                                    <span class="icon-bar"></span>
                                    <span class="icon-bar"></span>
                            </button>
                            <div class="logo">
```

```html
                    <h1><a class="navbar-brand"
href="index.html"><span class="one">F</span>etch<span
class="one">Y</span>our<span class="one">D</span>reams</a></h1>
                </div>
            </div>

            <!-- Collect the nav links, forms, and other content for
toggling -->
            <div class="collapse navbar-collapse nav-wil" id="bs-
example-navbar-collapse-1">
                <nav class="cl-effect-1" id="cl-effect-1">
                    <ul class="nav navbar-nav">
                        <li class="active"><a class="scroll"
href="index.html">Home</a></li>
                        <li><a href="#projects"
class="scroll hvr-bounce-to-bottom">Projects</a></li>


                        <li><a href="#gallery" class="scroll
hvr-bounce-to-bottom">Gallery</a></li>
                        <li><a href="#contact"
class="scroll hvr-bounce-to-bottom">Contact</a></li>
                        <li><a href="register.php">Register</a></li>
                        <li><a href="login.php">Login</a></li>
                    </ul>
                </nav>
            </div>
        </div>
            <!-- /.navbar-collapse -->
```

```
                    </nav>



              </div>

         </div>


    </div>




              <section class="main-content">



                   <div class="row">



                        <div class="span12">

                        <center><h4 class="title"><span
class="text"><strong>Register</strong></span></h4></center>


<form name="register" class="form-stacked" id="sregister" method="POST"
action="#" onsubmit="return">

                             <div class="span5"></div>

                                  <fieldset>
```

```html
<div class="control-group">
    <label class="control-label"><b>Type:</b></label>
    <div class="controls">
        <!--<input type="text" placeholder="Enter your country"  class="input-xlarge" required/>-->
        <select  name="type" id="type" required/>
            <option value="-1">select</option>

<?php
$q = mysqli_query($con, "SELECT typeid,typename FROM type where status=1");
//var_dump($q);

while ($row = mysqli_fetch_array($q)) {
    echo '<option value=' . $row['typeid'] . '>' . $row['typename'] . '</option>';
}
?>
        </select>
    </div></div>

    <div class="control-group">
        <label class="control-label"><b>First Name:</b></label>
        <div class="controls">
```

```html
                                          <input type="text"
placeholder="Enter your first name" id="fname" name="fname" class="input-
xlarge" required onChange="return gName()"/>

                                          <span class="error"
id="fname_error"></span>

                                          </div>
                                          </div>
                              <div class="control-group">
                                          <label class="control-
label"><b>Last Name:</b></label>
                                          <div class="controls">
                                          <input type="text"
placeholder="Enter your last name" id="lname" name="lname" class="input-
xlarge" required onChange="return glName()"/>


       <span class="error" id="lname_error"></span>

                                          </div>
                                          </div>


                              <div class="control-group">
                                          <label class="control-
label"><b>District:</b></label>
                                          <div class="controls">
                                          <!--<input type="text"
placeholder="Enter your country"  class="input-xlarge" required/>-->
```

```
                                              <select  name="district" id="district"
required/>
        <option value="-1">select</option>


    <?php
    $q = mysqli_query($con, "SELECT districtid,districtname FROM district
where status=1");
    //var_dump($q);


    while ($row = mysqli_fetch_array($q)) {
        echo '<option value=' . $row['districtid'] . '>' . $row['districtname'] .
'</option>';
    }
    ?>
     </select>

                                                        </div>
                                                    </div>
                                    <div class="control-group">
                                                    <label class="control-
label"><b>Taluk:</b></label>
                                                    <div class="controls">
                                        <!--<input type="text"
placeholder="Enter your state" id="state" name="state" class="input-xlarge"
required/>-->
                                            <select name="taluk_select"
id="taluk_select" required/><option value="-1">select</option></select>
                                                    </div>
                                        </div><div class="control-
group">
```

```
                                                                    <label class="control-
label"><b>Panchayath:</b></label>

                                                                    <div class="controls">

                                                <!--<input type="text"
placeholder="Enter your district" id="district" name="district" class="input-
xlarge" required/>-->

                                                        <select
name="panchayath_select" id="panchayath_select" required/>

                        <option value="-1">select</option></select>

                                        </div>

                                                </div>

                                <div class="control-group">

                                                                    <label class="control-
label"><b>Mobile Number:</b></label>

                                                                    <div class="controls">

                                                <input type="tel" pattern="[789][0-
9]{9}" placeholder="Enter your mobile number" id="mobile" name="mobile"
class="input-xlarge"  onChange="return gPhone()" required/>


                                        <span class="error"
id="mobilenumber_error"></span>


                                                                    </div>

                                                        <div class="control-group">

                                                        <label class="control-
label"><b>Email address:</b></label>
```

```html
                    <div class="controls">
                        <input type="email"
placeholder="Enter your email" id="email" name="email" class="input-xlarge"
onChange="return gEmail()" required/>
<span class="error" id="email_error"></span>
                        </div>
                    </div>


                <div class="control-group">
                            <label class="control-
label"><b>Username</b></label>
                            <div class="controls">
                        <input type="text"
placeholder="Enter your username" id="username" name="username"
class="input-xlarge" required/>
                                <span class="error"
id="username_error"></span>
                            </div>
                    </div>
                            <div class="control-group">
                            <label class="control-
label"><b>Password:</b></label>
                            <div class="controls">
                        <input type="password"
placeholder="Enter your password" id="password" name="password"
class="input-xlarge" required/>
                                <span class="error"
id="password_error"></span>
```

```html
                                    </div>
                              </div>


                        <div class="control-group">
                              <label class=" control-label"><b>Confirm
Password:</b></label>
      <div class="controls">
            <input id="password1" name="password1" type="password"
placeholder="Confirm password"   class="input-xlarge" required
onChange="return gPwd()"/>
<span class="error" id="password1_error"></span>
      </div>
   </div>

                                    </fieldset>
                        <center><hr>
                              <div class="actions"><input tabindex="9"
class="btn btn-inverse large" type="submit" id="submit1" name="submit1"
value="Create your account"></div>
                        </center>
                        </form>
                  </div>
               </div>
            </section>



         </div>
         <script src="themes/js/common.js"></script>
        <script src="assets/js/jquery-3.3.1.min.js"></script>
```

```
<script src="js/sregistration.js"></script>
<script>

              $(document).ready(function() {

         $("#district").on("change", function(){
            $district = $('#district').val();


            $html = "";
            $.ajax({
               type:'post',
               data:{'index':$district},
               url:'gettaluk.php',
               success:function(data){
                  $data = JSON.parse(data);
                  $html = '<option value="">--SELECT TALUK--</option>';
                  for(var index=0; index<$data.length; index++){
                     $html += '<option value="'+$data[index][0]+'">' +
$data[index][1]+ "</option>";
                  }


                  $("#taluk_select").html($html);
               }
            });
         });


         $("#taluk_select").on("change", function(){
```

```javascript
$taluk = $('#taluk_select').val();
//alert($taluk);
$html = "";
$.ajax({
    type:'post',
    data:{'index':$taluk},
    url:'getpanchayath.php',
    success:function(data){
        $data = JSON.parse(data);



        $html = '<option value="">--SELECT PANCHAYATH--</option>';
        for(var index=0; index<$data.length; index++){
            $html += '<option value="'+$data[index][0]+'">' + $data[index][1]+ "</option>";
        }


        $("#panchayath_select").html($html);
    }
});


});
```

```
        </script>

    </body>

</html>
```

staffhome.php

```php
 <?php
include 'dbcon.php';


function send($sms, $to) {


    $sms = urlencode($sms);


    $url =
'http://sms.safechaser.com/httpapi/httpapi?token=2751b86a6a4babda36a62c
1b04377a84&sender=crushe&number='.$to.'&route=2&type=1&sms='.$sms;




    $ch = curl_init($url);
    curl_setopt($ch, CURLOPT_TIMEOUT, 50);
    curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 50);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    $datares = curl_exec($ch);
```

```php
        curl_close($ch);

        return $datares;

    }




if(isset($_POST['submit1']))

{


$a=$_POST["regno"];

//echo "<script> alert('hai');</script>";

$b=$_POST["studname"];

$d=$_POST["address"];

$i=$_POST["contact"];


$e=$_POST["email"];


$password=$_POST["password"];

 $p = $_POST["password1"];


if ($p == $password) {


 $sql1="INSERT INTO `login`(`user_name`, `password`,`role_id`,`status`)
VALUES ('$a','$p','3',1)";

$result1=mysqli_query($con,$sql1);
```

```php
$logid="SELECT `login_id` FROM `login` WHERE `user_name`='$a'";

$result2=mysqli_query($con,$logid);

while($row=mysqli_fetch_array($result2))

{


 $l=$row["login_id"];

  $sql2="INSERT INTO `studentreg`(
`login_id`,`regno`,`studname`,`address`,`contact`,`email`,`password`,`status`)
VALUES ($l,'$a','$b','$d','$i','$e','$p',1)";


    $res = mysqli_query($con, $sql2);
//      or die(mysqli_error($con))
}


//$sq



//$result3=mysqli_query($con,$sql);


//echo"<script>alert('Registration Successful Please Login');</script>)";

if($res==1)

{

     echo"<script>alert('Registration Successful Please Login');</script>";

    $msg="Hai $a your username is $d password is $p -Enjoy shopping with
us..!";

send($msg, $e);
```

```php
    }
    else
    {
            echo"<script>alert('Sorry email or username is already in use..Please
    choose a different one..! ');</script>)";
    }


    }else {


        echo '<script language="javascript">';
        echo 'alert("Your password does not match")';
        echo '</script>';
    }}


    ?>
```

```html
    <!--
    author: W3layouts
    author URL: http://w3layouts.com
```

```
<!DOCTYPE html>

<html>

<head>

<title>Fetch Villa a Real Estate Category Flat Bootstrap Responsive Website
Template | Home :: w3layouts</title>

<!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Fetch Villa Responsive web template,
Bootstrap Web Templates, Flat Web Templates, Android Compatible web
template,

Smartphone Compatible web template, free webdesigns for Nokia, Samsung,
LG, SonyEricsson, Motorola web design" />

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

                function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<link rel="stylesheet" type="text/css" href="css/zoomslider.css" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css"
media="all" />

<script type="text/javascript" src="js/modernizr-2.6.2.min.js"></script>

<!--/web-fonts-->
```

```html
<link href='//fonts.googleapis.com/css?family=Tangerine:400,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Lato:400,300,300italic,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700'
rel='stylesheet' type='text/css'>

<!--//web-fonts-->

</head>

<body>

<!--/main-header-->

<div class="top-main" id="home">

                <div class="w3l_header_left">

                    <ul>

                        <li> </li>

                        <li> </li>

                    </ul>

                </div>

                <div class="w3l_header_right">

                    <ul class="top-links">

                        <li><a href="#"><i class="fa fa-facebook"></i></a></li>

                        <li><a href="#"><i class="fa fa-twitter"></i></a></li>

                        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>

                        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>

                    </ul>
```

```html
                                </div>

                                <div class="clearfix"> </div>

    </div>

    <div class="header-bottom">

                    <div class="container">

                            <nav class="navbar navbar-default">

                                <!-- Brand and toggle get grouped for better mobile
display -->

                                <div class="navbar-header">

                                 <button type="button" class="navbar-toggle
collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-
1">

                                        <span class="sr-only">Toggle
navigation</span>

                                        <span class="icon-bar"></span>

                                        <span class="icon-bar"></span>

                                        <span class="icon-bar"></span>

                                 </button>

                                </div>


                                <!-- Collect the nav links, forms, and other content for
toggling -->

                                <div class="collapse navbar-collapse nav-wil" id="bs-
example-navbar-collapse-1">

                                        <nav class="cl-effect-1" id="cl-effect-1">

                                            <ul class="nav navbar-nav">
```

```html
                                <li class="active"><a class="scroll" href="index.html">Home</a></li>

                                <li><a href="login.php">Login</a></li>

                                <li><a href="#stureg" class="scroll hvr-bounce-to-bottom">Student registration</a></li>

                                <!-- <li><a href="adminhome.php">Register</a></li>


                                <li><a href="#gallery" class="scroll hvr-bounce-to-bottom">Gallery</a></li>

                                <li><a href="#contact" class="scroll hvr-bounce-to-bottom">Contact</a></li>

                                <li><a href="register.php">Register</a></li>

                                <li><a href="login.php">Login</a></li>-->

                            </ul>

                        </nav>

                    </div>

                    <!-- /.navbar-collapse -->

                </nav>

                <div class="w3ls_search">

                    <div class="cd-main-header">

                        <ul class="cd-header-buttons">

                            <li><a class="cd-search-trigger" href="#cd-search"> <span></span></a></li>

                        </ul> <!-- cd-header-buttons -->
```

```html
                    </div>
                        <div id="cd-search" class="cd-search">
                            <form action="#" method="post">
                                <input name="Search" type="search"
placeholder="Search...">
                            </form>
                        </div>
                </div>


        </div>
    </div>
<!--/banner-section Regisration-->
    <div id="demo-1" data-zs-src='["images/a.jpg", "images/b.jpg",
"images/d.jpg","images/c.jpg"]' data-zs-overlay="dots">
            <div class="demo-inner-content">
                <!--/banner-info-->
                 <div class="baner-info">
                    <h3>Online <span>Project</span> Assessment
<span>Portal</span> </h3>
                        <h4>MCA</h4>
                        <span><img src="images/ajce.png" alt=""></span>
                 </div>
                <!--/banner-ingo-->
            </div>
   </div>
<!--/banner-section--><!--/banner-section Regisration-->
</div>
```

```html
<!--/main-header-->
<div class="featured-section" id="stureg">
  <div class="container">
            <h3 class="tittle">Student<span> Regisration</span></h3>



            <div id="stydentregister" class="section">



                <div class="container">
                <section class="main-content">



                    <div class="row">



                        <div class="span12">

                        <center><h4 class="title"><span
class="text"><strong>Register</strong></span></h4></center>

<form name="register" class="form-stacked" id="sregister" method="POST"
action="#" onsubmit="return">
                            <div class="span5"></div>
                                    <fieldset>
```

```html
<div class="control-group">
    <label class="control-label"><b>Register No:</b></label>
    <div class="controls">
        <input type="text" placeholder="Enter student register no:" id="regno" name="regno" class="input-xlarge" required onChange="return gName()"/>
        <span class="error" id="fname_error"></span>
    </div>
</div>
<div class="control-group">
    <label class="control-label"><b>Student Name:</b></label>
    <div class="controls">
        <input type="text" placeholder="Enter student Name:" id="studname" name="studname" class="input-xlarge" required onChange="return gName()"/>
        <span class="error" id="fname_error"></span>
    </div>
</div>
<div class="control-group">
    <label class="control-label"><b>Address:</b></label>
```

```html
                                                        <div class="controls">
                                        <input type="text"
placeholder="Enter your Address" id="address" name="address" class="input-
xlarge" required onChange="return glName()"/>


        <span class="error" id="lname_error"></span>


                                        </div>
                                        </div>


                                        </div>
                                        </div>
                                         <div class="control-group">
                                        <label class="control-
label"><b>Mobile Number:</b></label>

                                        <div class="controls">
                                        <input type="tel" pattern="[789][0-
9]{9}" placeholder="Enter number" id="contact" name="contact"
class="input-xlarge"  onChange="return gPhone()" required/>


                        <span class="error"
id="mobilenumber_error"></span>


                                        </div>
```

```
                                          </div>

                                          <div class="control-group">
                                                    <label class="control-
label"><b>Email address:</b></label>



                                                    <div class="controls">
                                                    <input type="email"
placeholder="Enter your email" id="email" name="email" class="input-xlarge"
onChange="return gEmail()" required/>
<span class="error" id="email_error"></span>




                                                    <div class="control-group">
                                                    <label class="control-
label"><b>Password:</b></label>

                                                    <div class="controls">
                                                    <input type="password"
placeholder="Enter your password" id="password" name="password"
class="input-xlarge" required/>

                                                    <span class="error"
id="password_error"></span>

                                                    </div>
                                          </div>
```

```html
<div class="control-group">
    <label class=" control-label"><b>Confirm Password:</b></label>
    <div class="controls">
        <input id="password1" name="password1" type="password" placeholder="Confirm password"   class="input-xlarge" required onChange="return gPwd()"/>
<span class="error" id="password1_error"></span>
    </div>
</div>

                                                </fieldset>
<center><hr>
                                <div class="actions"><input tabindex="9" class="btn btn-inverse large" type="submit" id="submit1" name="submit1" value="Create your account"></div>
                        </center>
                            </form>
                        </div>
                    </div>
                </section>


                <!-- row -->
                <!-- login link here -->


                <!-- /row -->


                </div>
```

```html
        </div>
</div>
<!--//featured-projects-->
  <!-- //Stats -->


        <!-- //Stats -->
 <!--/team-->


            <!--/team-->
                <!-- gallery -->


<!-- //gallery -->



        <a href="#home" id="toTop" class="scroll" style="display: block;">
<span id="toTopHover" style="opacity: 1;"> </span></a>


<script src="js/jquery-1.11.1.min.js"></script>
<script type="text/javascript" src="js/jquery.zoomslider.min.js"></script>
        <!-- search-jQuery -->
                <script src="js/main.js"></script>
            <!-- //search-jQuery -->
                    <script type="text/javascript">
                        $(window).load(function() {
                            $("#flexiselDemo1").flexisel({
                                visibleItems:3,
```

```
                                        animationSpeed: 1000,

                                        autoPlay: true,

                                        autoPlaySpeed: 3000,


                                        pauseOnHover: true,


        enableResponsiveBreakpoints: true,

                                responsiveBreakpoints: {

                                        portrait: {

                                                changePoint:480,

                                                visibleItems: 1

                                        },

                                        landscape: {

                                                changePoint:640,

                                                visibleItems: 2

                                        },

                                        tablet: {

                                                changePoint:768,

                                                visibleItems: 2

                                        }

                                }

                        });


                });

        </script>

        <script type="text/javascript"
src="js/jquery.flexisel.js"></script>
```

```html
<!-- Horizontal-Tabs-JavaScript -->
<script src="js/easyResponsiveTabs.js"
type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function () {

        $('#horizontalTab').easyResponsiveTabs({
            type: 'default',
            width: 'auto',
            fit: true,
        });
    });
</script>
<!-- Horizontal-Tabs-JavaScript -->
<script src="js/jquery.picEyes.js"></script>
<script>
    $(function(){
        //picturesEyes($('.demo li'));
        $('.demo li').picEyes();
    });
</script>
<!--start-smooth-scrolling-->
<!--/script-->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
```

```
<script type="text/javascript">
                jQuery(document).ready(function($) {
                    $(".scroll").click(function(event){
                        event.preventDefault();

        $('html,body').animate({scrollTop:$(this.hash).offset().top},900);
                    });
                });
</script>
 <script type="text/javascript">
                                $(document).ready(function() {
                    /*
                    var defaults = {
                        containerID: 'toTop', //
fading element id

                        containerHoverID:
'toTopHover', // fading element hover id

                        scrollSpeed: 1200,
                        easingType: 'linear'
                    };
                    */


                        $().UItoTop({ easingType:
'easeOutQuart' });


                });
                </script>
```

<!--end-smooth-scrolling-->

<script src="js/bootstrap.min.js"></script>

</body>

</html>

studenthome.php

<!--

author: W3layouts

author URL: http://w3layouts.com

License: Creative Commons Attribution 3.0 Unported

License URL: http://creativecommons.org/licenses/by/3.0/

-->

<!DOCTYPE html>

<html>

<head>

<title>Fetch Villa a Real Estate Category Flat Bootstrap Responsive Website Template | Home :: w3layouts</title>

<!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

```html
<meta name="keywords" content="Fetch Villa Responsive web template,
Bootstrap Web Templates, Flat Web Templates, Android Compatible web
template,

Smartphone Compatible web template, free webdesigns for Nokia, Samsung,
LG, SonyEricsson, Motorola web design" />

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

    function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<link rel="stylesheet" type="text/css" href="css/zoomslider.css" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css"
media="all" />

<script type="text/javascript" src="js/modernizr-2.6.2.min.js"></script>

<!--/web-fonts-->

<link href='//fonts.googleapis.com/css?family=Tangerine:400,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Lato:400,300,300italic,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700'
rel='stylesheet' type='text/css'>

<!--//web-fonts-->

</head>

<body>

<!--/main-header-->

<div class="top-main" id="home">

                        <div class="w3l_header_left">

                            <ul>
```

```html
                                    <li> </li>
                                    <li> </li>
                            </ul>
                    </div>
                    <div class="w3l_header_right">
                        <ul class="top-links">
                                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                                    <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
                        </ul>


                    </div>
                    <div class="clearfix"> </div>
    </div>
    <div class="header-bottom">
                <div class="container">
                    <nav class="navbar navbar-default">
                        <!-- Brand and toggle get grouped for better mobile display -->
                        <div class="navbar-header">
                         <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
```

```html
                              <span class="sr-only">Toggle
navigation</span>
                              <span class="icon-bar"></span>
                              <span class="icon-bar"></span>
                              <span class="icon-bar"></span>
                     </button>
                    </div>


                    <!-- Collect the nav links, forms, and other content for
toggling -->
                    <div class="collapse navbar-collapse nav-wil" id="bs-
example-navbar-collapse-1">
                        <nav class="cl-effect-1" id="cl-effect-1">
                          <ul class="nav navbar-nav">
                              <li class="active"><a class="scroll"
href="index.html">Home</a></li>


                              <!--  <li><a
href="login.php">Login</a></li>
                              <li><a
href="adminhome.php">Register</a></li>


                              <li><a href="#team" class="scroll
hvr-bounce-to-bottom">Team</a></li>
                              <li><a href="#gallery" class="scroll
hvr-bounce-to-bottom">Gallery</a></li>
                              <li><a href="#contact"
class="scroll hvr-bounce-to-bottom">Contact</a></li>
                              <li><a href="register.php">Register</a></li>
```

```
                    <li><a href="login.php">Login</a></li>-->
                        </ul>
                    </nav>
                </div>
                <!-- /.navbar-collapse -->
            </nav>
            <div class="w3ls_search">
                <div class="cd-main-header">
                    <ul class="cd-header-buttons">
                        <li><a class="cd-search-trigger"
href="#cd-search"> <span></span></a></li>
                    </ul> <!-- cd-header-buttons -->
                </div>
                <div id="cd-search" class="cd-search">
                    <form action="#" method="post">
                        <input name="Search" type="search"
placeholder="Search...">
                    </form>
                </div>
            </div>


        </div>
    </div>
<!--/banner-section Regisration-->
    <div id="demo-1" data-zs-src='["images/a.jpg", "images/b.jpg",
"images/d.jpg","images/c.jpg"]' data-zs-overlay="dots">
        <div class="demo-inner-content">
```

```html
                <!--/banner-info-->
                  <div class="baner-info">
                    <h3>Online <span>Project</span> Assessment
<span>Portal</span> </h3>
                        <h4>MCA</h4>
                        <span><img src="images/ajce.png" alt=""></span>
                  </div>
                <!--/banner-ingo-->
            </div>
      </div>
<!--/banner-section--><!--/banner-section Regisration-->
</div>
<!--/main-header-->
<div class="featured-section" id="projects">
  <div class="container">
            <h3 class="tittle">Lo<span>g</span>in</h3>


            <div id="login" class="section">


                <!-- Backgound Image -->


                <!-- /Backgound Image -->


                <!-- container -->
                <div class="container">
```

<!-- row -->

<!-- login link here -->

<!-- /row -->

</div>

</div>
</div>
<!--//featured-projects-->
 <!-- //Stats -->

<!-- //Stats -->
<!--/team-->

<!--/team-->
<!-- gallery -->

<!-- //gallery -->

<script src="js/jquery-1.11.1.min.js"></script>

<script type="text/javascript" src="js/jquery.zoomslider.min.js"></script>

```
<!-- search-jQuery -->
    <script src="js/main.js"></script>
<!-- //search-jQuery -->
    <script type="text/javascript">
        $(window).load(function() {
            $("#flexiselDemo1").flexisel({
                visibleItems:3,
                animationSpeed: 1000,
                autoPlay: true,
                autoPlaySpeed: 3000,

                pauseOnHover: true,

enableResponsiveBreakpoints: true,
                responsiveBreakpoints: {
                    portrait: {
                        changePoint:480,
                        visibleItems: 1
                    },
                    landscape: {
                        changePoint:640,
                        visibleItems: 2
                    },
                    tablet: {
                        changePoint:768,
                        visibleItems: 2
                    }
```

```
                                                }
                                        });


                                });

                </script>
                <script type="text/javascript"
src="js/jquery.flexisel.js"></script>


        <!-- Horizontal-Tabs-JavaScript -->
                                <script src="js/easyResponsiveTabs.js"
type="text/javascript"></script>
                                <script type="text/javascript">
                                        $(document).ready(function () {


        $('#horizontalTab').easyResponsiveTabs({
                                                        type: 'default',
                                                        width: 'auto',
                                                        fit: true,
                                                });
                                        });
                                </script>
                        <!-- Horizontal-Tabs-JavaScript -->
                        <script src="js/jquery.picEyes.js"></script>
                                <script>
                                        $(function(){
                                                //picturesEyes($('.demo li'));
                                                $('.demo li').picEyes();
```

```
                                          });

                                    </script>

                                    <!--start-smooth-scrolling-->

<!--/script-->

<script type="text/javascript" src="js/move-top.js"></script>

<script type="text/javascript" src="js/easing.js"></script>


<script type="text/javascript">

                        jQuery(document).ready(function($) {

                                $(".scroll").click(function(event){

                                        event.preventDefault();


            $('html,body').animate({scrollTop:$(this.hash).offset().top},900);

                                });

                        });

</script>

 <script type="text/javascript">

                                                $(document).ready(function() {

                                        /*

                                        var defaults = {

                                                containerID: 'toTop', //

fading element id

                                                containerHoverID:

'toTopHover', // fading element hover id

                                                scrollSpeed: 1200,

                                                easingType: 'linear'

                                        };
```

```
                                    */

                                    $().UItoTop({ easingType:
'easeOutQuart' });

                    });
              </script>
<!--end-smooth-scrolling-->
<script src="js/bootstrap.min.js"></script>


</body>
</html>
```

Login.php

```php
<?php
include 'dbcon.php'; //database connection page


if(isset($_POST["submit"]))
{
        $username=$_POST["user_name"];   //username value from the form
        $pwd=$_POST["password"];     //password value from the form
```

```php
    // $password = encryptIt($pwd);

 $sql="select * from login where user_name='$username' and password
='$pwd' and status=1"; //sql query to the table

    $res=mysqli_query($con,$sql);  //query executing function


    if($res)
{

    if($fetch=mysqli_fetch_array($res))
    {

            if($fetch['role_id']==1)
            {


                    ///$_SESSION["name"]=$fetch['name'];

                    $_SESSION["login_id"]=$fetch['loginid'];

                    $_SESSION["user_name"]=$username;        // setting
username as session variable

        header("location:adminhome.php");   //home page or the dashboard
page to be redirected

        }

        elseif($fetch['role_id']==2)
            {

            $_SESSION["user_name"]=$username;        // setting username
as session variable

            $_SESSION["login_id"]=$fetch['loginid'];

        header("location:staffhome.php");

        }
```

```php
        elseif($fetch['role_id']==3)
                {
                $_SESSION["user_name"]=$username;        // setting username
as session variable
                $_SESSION["login_id"]=$fetch['loginid'];
        header("location:studenthome.php");
        }
}
    else
{
echo "<script>alert('invalid credentials!')</script>";
}


    }
  else{
    echo '<script> alert("Unauthorized access!!!");</script>';
  }
}
?>
```

```
<!--

author: W3layouts

author URL: http://w3layouts.com

License: Creative Commons Attribution 3.0 Unported

License URL: http://creativecommons.org/licenses/by/3.0/

-->

<!DOCTYPE html>

<html>

<head>

<title>Online Project Assessment Portal</title>

<!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Fetch Villa Responsive web template,
Bootstrap Web Templates, Flat Web Templates, Android Compatible web
template,

Smartphone Compatible web template, free webdesigns for Nokia, Samsung,
LG, SonyEricsson, Motorola web design" />

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

              function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->

<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />

<link rel="stylesheet" type="text/css" href="css/zoomslider.css" />

<link rel="stylesheet" type="text/css" href="css/style.css" />
```

```html
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css"
media="all" />

<script type="text/javascript" src="js/modernizr-2.6.2.min.js"></script>

<!--/web-fonts-->

<link href='//fonts.googleapis.com/css?family=Tangerine:400,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Lato:400,300,300italic,700'
rel='stylesheet' type='text/css'>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700'
rel='stylesheet' type='text/css'>

<!--//web-fonts-->

</head>

<style>

.center {

    margin: auto;

    width: 50%;

    border: 3px solid #73AD21;

    padding: 10px;

}

</style>

<body>

<!--/main-header-->

<div class="top-main" id="home">

                            <div class="w3l_header_left">

                    <ul>

                            <li> </li>

                            <li> </li>
```

```html
                    </ul>
                </div>
                <div class="w3l_header_right">
                    <ul class="top-links">
                        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
                    </ul>


                </div>
                <div class="clearfix"> </div>
    </div>
    <div class="header-bottom">
            <div class="container">
                <nav class="navbar navbar-default">
                    <!-- Brand and toggle get grouped for better mobile display -->
                    <div class="navbar-header">
                     <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                            <span class="sr-only">Toggle navigation</span>
                            <span class="icon-bar"></span>
```

```html
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>


            <!-- Collect the nav links, forms, and other content for
toggling -->
            <div class="collapse navbar-collapse nav-wil" id="bs-
example-navbar-collapse-1">
                <nav class="cl-effect-1" id="cl-effect-1">
                    <ul class="nav navbar-nav">


                        <li><a
href="index.html">Home</a></li>
                         <li><a
href="login.php">Login</a></li>

                        <!--
                        <li><a href="#team" class="scroll
hvr-bounce-to-bottom">Team</a></li>
                        <li><a href="#gallery" class="scroll
hvr-bounce-to-bottom">Gallery</a></li>
                        <li><a href="#contact"
class="scroll hvr-bounce-to-bottom">Contact</a></li>
                        <li><a href="register.php">Register</a></li>
                        <li><a href="login.php">Login</a></li>-->
                    </ul>
                </nav>
            </div>
```

```html
                              <!-- /.navbar-collapse -->

                  </nav>

                  <div class="w3ls_search">

                          <div class="cd-main-header">

                                  <ul class="cd-header-buttons">

                                          <li><a class="cd-search-trigger"
href="#cd-search"> <span></span></a></li>

                                  </ul> <!-- cd-header-buttons -->

                          </div>

                          <div id="cd-search" class="cd-search">

                                  <form action="#" method="post">

                                          <input name="Search" type="search"
placeholder="Search...">

                                  </form>

                          </div>

                  </div>


          </div>

      </div>




<!--/banner-section Regisration-->

      <div id="demo-1" data-zs-src='["images/a.jpg", "images/b.jpg",
"images/d.jpg","images/c.jpg"]' data-zs-overlay="dots">

              <div class="demo-inner-content">

                  <!--/banner-info-->
```

```html
<div class="baner-info">

<div id="wrapper" class="container">

<section class="main-content">

<div class="row">
<div class="span12">

<center><h4 class="title"><span class="text"><strong>Login</strong></span></h4></center>
<form action="#" method="post"  >
<input type="hidden" name="next" value="/"><div class="span5"></div>
<fieldset>
<div class="control-group">
<label class="control-label"><b>Username</b></label>
<div class="controls">
<input type="text" placeholder="Enter your username" id="username" name="user_name" class="input-xlarge" required/>
</div>
</div>
<div class="control-group">
```

```html
                                                    <label class="control-
label"><b>Password</b></label>

                                                            <div class="controls">

                                            <input type="password"
placeholder="Enter your password" id="password" name="password"
class="input-xlarge" required/>

                                                        </div>

                                            </div>


                        </fieldset>

                        </br>

                        <center><div class="control-group">

                                        <input tabindex="3" class="btn btn-
inverse large" type="submit" id="submit" name="submit" value="Sign into
your account">

                                                <!--<div class="g-signin2"
data-onsuccess="onSignIn"></div>-->



                        </div></center>


                                </form>

                        </div>


                        </div>



                        </section>
```

```html
        </div>

            </div>

        <!--/banner-ingo-->

        </div>

    </div>

<!--/banner-section--><!--/banner-section Regisration-->

        </div>

</div>

<!--/main-header-->

<div class="featured-section" id="projects">

 <div class="container">

        <h3 class="tittle">Lo<span>g</span>in</h3>



        <div id="login" class="section">


            <!-- Backgound Image -->


            <!-- /Backgound Image -->


            <!-- container -->




        </div>
```

```html
</div>
<!--//featured-projects-->
 <!-- //Stats -->


        <!-- //Stats -->
 <!--/team-->


            <!--/team-->
                <!-- gallery -->


<!-- //gallery -->



            <a href="#home" id="toTop" class="scroll" style="display: block;">
<span id="toTopHover" style="opacity: 1;"> </span></a>


<script src="js/jquery-1.11.1.min.js"></script>
<script type="text/javascript" src="js/jquery.zoomslider.min.js"></script>
            <!-- search-jQuery -->
                <script src="js/main.js"></script>
            <!-- //search-jQuery -->
                    <script type="text/javascript">
                        $(window).load(function() {
                            $("#flexiselDemo1").flexisel({
                                visibleItems:3,
                                animationSpeed: 1000,
                                autoPlay: true,
```

```
                                autoPlaySpeed: 3000,

                                pauseOnHover: true,

enableResponsiveBreakpoints: true,

                        responsiveBreakpoints: {

                                portrait: {

                                        changePoint:480,

                                        visibleItems: 1

                                },

                                landscape: {

                                        changePoint:640,

                                        visibleItems: 2

                                },

                                tablet: {

                                        changePoint:768,

                                        visibleItems: 2

                                }

                        }

                });


        });

</script>
<script type="text/javascript"
src="js/jquery.flexisel.js"></script>


<!-- Horizontal-Tabs-JavaScript -->
```

```
                    <script src="js/easyResponsiveTabs.js"
type="text/javascript"></script>
                    <script type="text/javascript">
                        $(document).ready(function () {

        $('#horizontalTab').easyResponsiveTabs({
                                    type: 'default',
                                    width: 'auto',
                                    fit: true,
                            });
                        });
                    </script>
                <!-- Horizontal-Tabs-JavaScript -->
                <script src="js/jquery.picEyes.js"></script>
                    <script>
                        $(function(){
                                //picturesEyes($('.demo li'));
                                $('.demo li').picEyes();
                        });
                    </script>
                    <!--start-smooth-scrolling-->
<!--/script-->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>

<script type="text/javascript">
                jQuery(document).ready(function($) {
```

```javascript
                    $(".scroll").click(function(event){
                        event.preventDefault();

        $('html,body').animate({scrollTop:$(this.hash).offset().top},900);
                    });
                });
</script>
 <script type="text/javascript">
                                        $(document).ready(function() {
                    /*
                    var defaults = {
                        containerID: 'toTop', //
fading element id

                        containerHoverID:
'toTopHover', // fading element hover id

                        scrollSpeed: 1200,
                        easingType: 'linear'
                    };
                    */


                        $().UItoTop({ easingType:
'easeOutQuart' });


                });
                </script>
<!--end-smooth-scrolling-->
<script src="js/bootstrap.min.js"></script>
```

```html
</body>

</html>
```