



Configure

 General

 Advanced Project Options

 Pipeline

General

Enabled



Description

Plain text [Preview](#)

☐ Discard old builds

☐ Do not allow concurrent builds

☐ Do not allow the pipeline to resume if the controller restarts

☐ GitHub project

☐ Pipeline speed/durability override

☐ Preserve stashes from completed builds

Boolean Parameter

Name

CREATE EKS CLUSTER

☐

Set by Default

Description

Select this if you want to create the cluster

Plain text [Preview](#)**Boolean Parameter**

Name

DESTROY EKS CLUSTER

☐

Set by Default

Description

Select this if you want to destroy the running cluster

Plain text [Preview](#)

Add Parameter

☐

Throttle builds

Build Triggers

- ☐ Build after other projects are built
- ☐ Build periodically
- ☐ GitHub hook trigger for GITScm polling
- ☐ Poll SCM
- ☐ Quiet period
- ☐ Trigger builds remotely (e.g., from scripts)

Advanced Project Options

Advanced ▾

Save

Apply

Definition

Pipeline script

Script

```
3      node{
4          label 'Build-server'
5      }
6  }
7  environment {
8      AWS_ACCESS_KEY_ID = credentials('Akash_Access_ID')
9      AWS_SECRET_ACCESS_KEY = credentials('Akash_Secret')
10     AWS_REGION = 'us-east-1'
11     CLUSTER_NAME = 'Staging-dev-eks'
12     PROFILE = 'Akash-user'
13     KUBECONFIG = '/var/lib/jenkins/.kube/config'
14 }
15 stages{
16     stage('Checkout SCM'){
17         steps{
18             script{
19
```

Use Groovy Sandbox

[Pipeline Syntax](#)

