Movie Review API Documentation

Modules

The project is divided into the following modules:

1. Authentication
2. Register
3. Login
4. Profile
5. Genre
6. Create Genre
7. Get Genres
8. Movie
9. Create Movie
10. Get All Movies
11. Get Movie By ID
12. Update Movie
13. Delete Movie
14. Review
15. Add Review
16. Get Reviews
17. Update Review
18. Delete Review
19. Favorites
20. Add Favorite
21. Get Favorites
22. Remove Favorite

Module Dependency

The modules are linked in the following order:

```
Authentication
        |
        ▼
Genre
        |
        ▼
Movie
        |
        ▼
Review
        |
        ▼
Favorites
```

Dependency Explanation

- Register/Login must be completed first.
- A Genre must exist before creating a Movie.
- A Movie must exist before adding a Review.
- A Movie must exist before adding it to Favorites.

---

1. Authentication Module

Register User

Method

```
POST
```

URL

```
http://localhost:5000/api/auth/register
```

Body

```
{
    "name": "priya",
    "email": "priya@gmail.com",
```

```
    "password": "priya123"
}
```

Response

```
{
    "success": true,
    "message": "User registered successfully",
    "token": "YOUR_REGISTER_TOKEN",
    "data": {
        "id": "6a4efce05d34a5bfddb6ef87",
        "name": "priya",
        "email": "priya@gmail.com",
        "role": "user"
    }
}
```

Copy the generated JWT Token.

Login

Method

```
POST
```

URL

```
http://localhost:5000/api/auth/login
```

Headers

```
Content-Type: application/json
```

Body

```
{
    "email": "priya@gmail.com",
    "password": "priya123"
}
```

Response


```
{
    "success": true,
    "message": "Login successful",
    "token": "YOUR_LOGIN_TOKEN",
    "data": {
        "id": "6a4efce05d34a5bfddb6ef87",
        "name": "priya",
        "email": "priya@gmail.com",
        "role": "admin"
    }
}
```


Copy the Login Token.

Get Profile

Method

```
GET
```

URL

```
http://localhost:5000/api/auth/profile
```

Authorization

```
Bearer <LOGIN_TOKEN>
```

---

2. Genre Module

Create Genre

Method

```
POST
```

URL

```
http://localhost:5000/api/genres
```

Authorization

```
Bearer <ADMIN_LOGIN_TOKEN>
```

Headers

```
Content-Type: application/json
```

Body

```
{
    "name": "Sci-Fi",
    "description": "Sci-Fi Movies"
}
```

Response

Copy the generated Genre ID.

Example:

```
Genre ID

6a4f01265d34a5bfddb6ef88
```

Get All Genres

Method

```
GET
```

URL

```
http://localhost:5000/api/genres
```

No Token Required.

---

3. Movie Module

Use the Genre ID obtained from the Genre module.

Create Movie

Method

```
POST
```

URL

```
http://localhost:5000/api/movies
```

Authorization

```
Bearer <ADMIN_LOGIN_TOKEN>
```

Headers

```
Content-Type: application/json
```

Body

```
{
    "title": "Interstellar",
    "description": "A team of explorers travel through a wormhole in space.",
    "releaseYear": 2014,
    "duration": 169,
    "language": "English",
    "director": "Christopher Nolan",
    "cast": [
        "Matthew McConaughey",
        "Anne Hathaway",
        "Jessica Chastain"
    ],
    "genre": [
        "6a4f01265d34a5bfddb6ef88"
    ],
    "poster": "https://example.com/interstellar.jpg",
    "trailer": "https://youtube.com/example"
}
```

Copy the generated Movie ID.

Example:

```
Movie ID

6a4f023f5d34a5bfddb6ef89
```

Get All Movies

Method

```
GET
```

URL

```
http://localhost:5000/api/movies
```

No Token Required.

Get Movie By ID

Method

```
GET
```

URL

```
http://localhost:5000/api/movies/6a4f023f5d34a5bfddb6ef89
```

No Token Required.

Update Movie

Method

```
PUT
```

URL

```
http://localhost:5000/api/movies/6a4f023f5d34a5bfddb6ef89
```

Authorization

```
Bearer <ADMIN_LOGIN_TOKEN>
```

Delete Movie

Method

```
DELETE
```

URL

```
http://localhost:5000/api/movies/6a4f023f5d34a5bfddb6ef89
```

Authorization

```
Bearer <ADMIN_LOGIN_TOKEN>
```

---

4. Review Module

Use the Movie ID obtained from the Movie module.

Add Review

Method

```
POST
```

URL

```
http://localhost:5000/api/reviews
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

Headers

```
Content-Type: application/json
```

Body

```
{
    "movie": "6a4f023f5d34a5bfddb6ef89",
    "rating": 5,
    "review": "Outstanding movie with excellent visuals."
}
```

Get All Reviews

Method

```
GET
```

URL

```
http://localhost:5000/api/reviews
```

No Token Required.

Copy the generated Review ID.

Example:

```
Review ID

6a4f04165d34a5bfddb6ef8a
```

Update Review

Method

```
PUT
```

URL

```
http://localhost:5000/api/reviews/6a4f04165d34a5bfddb6ef8a
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

Body

```
{
    "rating": 4,
    "review": "Good movie with excellent visuals."
}
```

Delete Review

Method

```
DELETE
```

URL

```
http://localhost:5000/api/reviews/6a4f04165d34a5bfddb6ef8a
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

---

5. Favorites Module

Use the Movie ID obtained from the Movie module.

Add Favorite

Method

```
POST
```

URL

```
http://localhost:5000/api/favorites
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

Body

```
{
    "movie": "6a4f023f5d34a5bfddb6ef89"
}
```

Get Favorites

Method

```
GET
```

URL

```
http://localhost:5000/api/favorites
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

Remove Favorite

Method

```
DELETE
```

URL

```
http://localhost:5000/api/favorites/6a4f023f5d34a5bfddb6ef89
```

Authorization

```
Bearer <USER_LOGIN_TOKEN>
```

Response

```
{
    "success": true,
    "message": "Movie removed from favorites"
}
```

Complete API Execution Order

```
1. Register User

2. Login

3. Get Profile

4. Create Genre

5. Get Genres (Copy Genre ID)

6. Create Movie (Use Genre ID)

7. Get Movies (Copy Movie ID)

8. Get Movie By ID

9. Update Movie

10. Delete Movie

11. Add Review (Use Movie ID)

12. Get Reviews (Copy Review ID)

13. Update Review

14. Delete Review

15. Add Favorite (Use Movie ID)
```

16. Get Favorites

17. Remove Favorite (Use Movie ID)