```
Importing the Libraries
import numpy as np
import pandas as pd
from sklearn.model selection import train test split
from sklearn.feature extraction.text import TfidfVectorizer
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score
Data Collection & Pre-Processing
# Loading the data from csv file to a pandas Dataframe
raw mail data = pd.read csv('/content/spam.csv', encoding = "ISO-8859-1")
print(raw_mail_data)
        ν1
                                                             v2 Unnamed: 2
0
            Go until jurong point, crazy.. Available only ...
       ham
                                                                       NaN
                                 Ok lar... Joking wif u oni...
1
       ham
                                                                       NaN
2
      spam
            Free entry in 2 a wkly comp to win FA Cup fina...
                                                                       NaN
3
            U dun say so early hor... U c already then say...
       ham
                                                                       NaN
            Nah I don't think he goes to usf, he lives aro...
4
       ham
                                                                       NaN
            This is the 2nd time we have tried 2 contact u...
5567
                                                                       NaN
      spam
                        Will I b going to esplanade fr home?
5568
       ham
                                                                       NaN
            Pity, * was in mood for that. So...any other s...
5569
       ham
                                                                       NaN
5570
            The guy did some bitching but I acted like i'd...
       ham
                                                                       NaN
       ham
                                    Rofl. Its true to its name
5571
                                                                       NaN
     Unnamed: 3 Unnamed: 4
0
                       NaN
            NaN
1
            NaN
                       NaN
2
            NaN
                       NaN
3
            NaN
                       NaN
4
            NaN
                       NaN
            . . .
                       NaN
5567
            NaN
5568
            NaN
                       NaN
5569
                       NaN
            NaN
5570
            NaN
                       NaN
5571
            NaN
                       NaN
[5572 rows x 5 columns]
# replace the null values with a null string
mail_data = raw_mail_data.where((pd.notnull(raw_mail_data)),'')
# printing the first 5 rows of the dataframe
mail data.head()
```

```
v1
                                                         v2 Unnamed: 2 \
        Go until jurong point, crazy.. Available only ...
0
    ham
                             Ok lar... Joking wif u oni...
1
    ham
2 spam
        Free entry in 2 a wkly comp to win FA Cup fina...
    ham U dun say so early hor... U c already then say...
3
        Nah I don't think he goes to usf, he lives aro...
  Unnamed: 3 Unnamed: 4
0
1
2
3
4
# checking the number of rows and columns in the dataframe
mail data.shape
(5572, 5)
Label Encoding
# label spam mail as 0; ham mail as 1;
mail_data.loc[mail_data['v1'] == 'spam', 'v1',] = 0
mail_data.loc[mail_data['v1'] == 'ham', 'v1',] = 1
spam - 0
ham - 1
# separating the data as texts and label
X = mail data['v2']
Y = mail data['v1']
print(X)
0
        Go until jurong point, crazy.. Available only ...
                            Ok lar... Joking wif u oni...
1
2
        Free entry in 2 a wkly comp to win FA Cup fina...
3
        U dun say so early hor... U c already then say...
4
        Nah I don't think he goes to usf, he lives aro...
5567
        This is the 2nd time we have tried 2 contact u...
5568
                    Will I b going to esplanade fr home?
        Pity, * was in mood for that. So...any other s...
5569
5570
        The guy did some bitching but I acted like i'd...
5571
                               Rofl. Its true to its name
Name: v2, Length: 5572, dtype: object
print(Y)
```

```
0
        1
1
        1
2
        0
3
        1
4
        1
5567
5568
        1
5569
        1
5570
        1
5571
        1
Name: v1, Length: 5572, dtype: object
Splitting the data into training data & test data
X_train, X_test, Y_train, Y_test = train_test_split(X, Y, test_size=0.2, rand
om state=3)
print(X.shape)
print(X train.shape)
print(X_test.shape)
(5572,)
(4457,)
(1115,)
Feature Extraction
# transform the text data to feature vectors that can be used as input to the
Logistic regression
feature_extraction = TfidfVectorizer(min_df = 1, stop_words='english', lowerc
ase='True')
X_train_features = feature_extraction.fit_transform(X_train)
X_test_features = feature_extraction.transform(X_test)
# convert Y_train and Y_test values as integers
Y_train = Y_train.astype('int')
Y_test = Y_test.astype('int')
print(X_train)
3075
        Mum, hope you are having a great day. Hoping t...
1787
                               Yes:)sura in sun tv.:)lol.
1614
        Me sef dey laugh you. Meanwhile how's my darli...
4304
                    Yo come over carlos will be here soon
3266
                        Ok then i come n pick u at engin?
789
                             Gud mrng dear hav a nice day
```

```
Are you willing to go for aptitude class.
968
        So now my dad is gonna call after he gets out ...
1667
        Ok darlin i supose it was ok i just worry too ...
3321
1688
                         Nan sonathaya soladha. Why boss?
Name: v2, Length: 4457, dtype: object
print(X train features)
  (0, 741) 0.3219352588930141
  (0, 3979) 0.2410582143632299
  (0, 4296) 0.3891385935794867
  (0, 6599) 0.20296878731699391
  (0, 3386) 0.3219352588930141
  (0, 2122) 0.38613577623520473
  (0, 3136) 0.440116181574609
  (0, 3262) 0.25877035357606315
  (0, 3380) 0.21807195185332803
  (0, 4513) 0.2909649098524696
  (1, 4061) 0.380431198316959
  (1, 6872) 0.4306015894277422
  (1, 6417) 0.4769136859540388
  (1, 6442) 0.5652509076654626
  (1, 7443) 0.35056971070320353
  (2, 933) 0.4917598465723273
  (2, 2109) 0.42972812260098503
  (2, 3917) 0.40088501350982736
  (2, 2226) 0.413484525934624
  (2, 5825) 0.4917598465723273
  (3, 6140) 0.4903863168693604
  (3, 1599) 0.5927091854194291
  (3, 1842) 0.3708680641487708
  (3, 7453) 0.5202633571003087
  (4, 2531) 0.7419319091456392
  (4452, 2122)
                  0.31002103760284144
  (4453, 999)
                  0.6760129013031282
  (4453, 7273)
                  0.5787739591782677
  (4453, 1762)
                  0.45610005640082985
  (4454, 3029)
                  0.42618909997886
  (4454, 2086)
                  0.3809693742808703
  (4454, 3088)
                  0.34475593009514444
  (4454, 2001)
                  0.4166919007849217
  (4454, 1049)
                  0.31932060116006045
  (4454, 7346)
                  0.31166263834107377
  (4454, 5370)
                  0.42618909997886
  (4455, 1148)
                  0.38998123077430413
  (4455, 6433)
                  0.38998123077430413
  (4455, 6361)
                  0.25697343671652706
  (4455, 2764)
                  0.3226323745940581
  (4455, 7358)
                  0.2915949626395065
```

```
(4455, 7407)
                 0.3028481995557642
  (4455, 2108)
                 0.3136468384526087
  (4455, 4251)
                 0.30616657078392584
  (4455, 3763) 0.16807158405536876
  (4455, 4773)
                0.35860460546223444
  (4456, 6117) 0.5304350313291551
  (4456, 6133)
                0.5304350313291551
  (4456, 1386)
                 0.4460036316446079
  (4456, 4557)
                 0.48821933148688146
Training the Model
Logistic Regression
model = LogisticRegression()
# training the Logistic Regression model with the training data
model.fit(X train features, Y train)
LogisticRegression()
Evaluating the trained model
# prediction on training data
prediction on training data = model.predict(X train features)
accuracy_on_training_data = accuracy_score(Y_train, prediction_on_training_da
ta)
print('Accuracy on training data : ', accuracy_on_training_data)
Accuracy on training data : 0.9661207089970832
# prediction on test data
prediction on test data = model.predict(X test features)
accuracy_on_test_data = accuracy_score(Y_test, prediction_on_test_data)
print('Accuracy on test data : ', accuracy_on_test_data)
Accuracy on test data : 0.9623318385650225
Building a Predictive System
input mail = ["I've been searching for the right words to thank you for this
breather. I promise i wont take your help for granted and will fulfil my prom
ise. You have been wonderful and a blessing at all times"]
# convert text to feature vectors
input_data_features = feature_extraction.transform(input_mail)
# making prediction
```

```
prediction = model.predict(input_data_features)
print(prediction)

if (prediction[0]==1):
   print('Ham mail')

else:
   print('Spam mail')

[1]
Ham mail
```