Assignment-4

Problem Statement :- SMS SPAM Classification

Assignment Date	26 October 2022
Team ID	PNT2022TMID45005
Student Name	Shareen Banu M R
Student RollNumber	811219205013
Project Name	AI Based Discourse For Banking Industry
Maximum Marks	2 Marks

Importing the Libraries

```python
import numpy as np
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.feature_extraction.text import TfidfVectorizer
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score
```

Data Collection & Pre-Processing

```python
# Loading the data from csv file to a pandas Dataframe
raw_mail_data = pd.read_csv('/content/spam.csv', encoding = "ISO-8859-1")

print(raw_mail_data)
```

```
        v1                                                 v2 Unnamed: 2  \
0      ham  Go until jurong point, crazy.. Available only ...        NaN
1      ham                      Ok lar... Joking wif u oni...        NaN
2     spam  Free entry in 2 a wkly comp to win FA Cup fina...        NaN
3      ham  U dun say so early hor... U c already then say...        NaN
4      ham  Nah I don't think he goes to usf, he lives aro...        NaN
...    ...                                                ...        ...
5567  spam  This is the 2nd time we have tried 2 contact u...        NaN
5568   ham               Will Ì_ b going to esplanade fr home?        NaN
5569   ham  Pity, * was in mood for that. So...any other s...        NaN
5570   ham  The guy did some bitching but I acted like i'd...        NaN
5571   ham                         Rofl. Its true to its name        NaN

     Unnamed: 3 Unnamed: 4
0           NaN        NaN
1           NaN        NaN
2           NaN        NaN
3           NaN        NaN
```

```
4          NaN          NaN
...        ...          ...
5567       NaN          NaN
5568       NaN          NaN
5569       NaN          NaN
5570       NaN          NaN
5571       NaN          NaN
```

[5572 rows x 5 columns]

```python
# replace the null values with a null string
mail_data = raw_mail_data.where((pd.notnull(raw_mail_data)),'')
```

```python
# printing the first 5 rows of the dataframe
mail_data.head()
```

```
     v1                                                v2 Unnamed: 2  \
0   ham  Go until jurong point, crazy.. Available only ...
1   ham                      Ok lar... Joking wif u oni...
2  spam  Free entry in 2 a wkly comp to win FA Cup fina...
3   ham  U dun say so early hor... U c already then say...
4   ham  Nah I don't think he goes to usf, he lives aro...

  Unnamed: 3 Unnamed: 4
0
1
2
3
4
```

```python
# checking the number of rows and columns in the dataframe
mail_data.shape
```

(5572, 5)

Label Encoding

```python
# label spam mail as 0;  ham mail as 1;

mail_data.loc[mail_data['v1'] == 'spam', 'v1',] = 0
mail_data.loc[mail_data['v1'] == 'ham', 'v1',] = 1
```

spam - 0

ham - 1

```python
# separating the data as texts and label

X = mail_data['v2']

Y = mail_data['v1']
```

```
print(X)

0       Go until jurong point, crazy.. Available only ...
1                           Ok lar... Joking wif u oni...
2       Free entry in 2 a wkly comp to win FA Cup fina...
3       U dun say so early hor... U c already then say...
4       Nah I don't think he goes to usf, he lives aro...
                              ...
5567    This is the 2nd time we have tried 2 contact u...
5568                Will Ì_ b going to esplanade fr home?
5569    Pity, * was in mood for that. So...any other s...
5570    The guy did some bitching but I acted like i'd...
5571                          Rofl. Its true to its name
Name: v2, Length: 5572, dtype: object
```

```
print(Y)

0       1
1       1
2       0
3       1
4       1
       ..
5567    0
5568    1
5569    1
5570    1
5571    1
Name: v1, Length: 5572, dtype: object
```

Splitting the data into training data & test data

```
X_train, X_test, Y_train, Y_test = train_test_split(X, Y, test_size=0.2, rand
om_state=3)
```

```
print(X.shape)
print(X_train.shape)
print(X_test.shape)
```

```
(5572,)
(4457,)
(1115,)
```

Feature Extraction

```
# transform the text data to feature vectors that can be used as input to the
Logistic regression
```

```
feature_extraction = TfidfVectorizer(min_df = 1, stop_words='english', lowerc
ase='True')
```

```
X_train_features = feature_extraction.fit_transform(X_train)
```

```python
X_test_features = feature_extraction.transform(X_test)

# convert Y_train and Y_test values as integers

Y_train = Y_train.astype('int')
Y_test = Y_test.astype('int')

print(X_train)
```

```
3075    Mum, hope you are having a great day. Hoping t...
1787                         Yes:)sura in sun tv.:)lol.
1614    Me sef dey laugh you. Meanwhile how's my darli...
4304               Yo come over carlos will be here soon
3266                      Ok then i come n pick u at engin?
                            ...
789                         Gud mrng dear hav a nice day
968             Are you willing to go for aptitude class.
1667    So now my dad is gonna call after he gets out ...
3321    Ok darlin i supose it was ok i just worry too ...
1688                      Nan sonathaya soladha. Why boss?
Name: v2, Length: 4457, dtype: object
```

```python
print(X_train_features)
```

```
  (0, 741)   0.3219352588930141
  (0, 3979) 0.2410582143632299
  (0, 4296) 0.3891385935794867
  (0, 6599) 0.20296878731699391
  (0, 3386) 0.3219352588930141
  (0, 2122) 0.38613577623520473
  (0, 3136) 0.440116181574609
  (0, 3262) 0.25877035357606315
  (0, 3380) 0.21807195185332803
  (0, 4513) 0.2909649098524696
  (1, 4061) 0.380431198316959
  (1, 6872) 0.4306015894277422
  (1, 6417) 0.4769136859540388
  (1, 6442) 0.5652509076654626
  (1, 7443) 0.35056971070320353
  (2, 933)   0.4917598465723273
  (2, 2109) 0.42972812260098503
  (2, 3917) 0.40088501350982736
  (2, 2226) 0.413484525934624
  (2, 5825) 0.4917598465723273
  (3, 6140) 0.4903863168693604
  (3, 1599) 0.5927091854194291
  (3, 1842) 0.3708680641487708
  (3, 7453) 0.5202633571003087
  (4, 2531) 0.7419319091456392
  :    :
  (4452, 2122)    0.31002103760284144
```

```
(4453, 999)      0.6760129013031282
(4453, 7273)     0.5787739591782677
(4453, 1762)     0.45610005640082985
(4454, 3029)     0.42618909997886
(4454, 2086)     0.3809693742808703
(4454, 3088)     0.34475593009514444
(4454, 2001)     0.4166919007849217
(4454, 1049)     0.31932060116006045
(4454, 7346)     0.31166263834107377
(4454, 5370)     0.42618909997886
(4455, 1148)     0.38998123077430413
(4455, 6433)     0.38998123077430413
(4455, 6361)     0.25697343671652706
(4455, 2764)     0.3226323745940581
(4455, 7358)     0.2915949626395065
(4455, 7407)     0.3028481995557642
(4455, 2108)     0.3136468384526087
(4455, 4251)     0.30616657078392584
(4455, 3763)     0.16807158405536876
(4455, 4773)     0.35860460546223444
(4456, 6117)     0.5304350313291551
(4456, 6133)     0.5304350313291551
(4456, 1386)     0.4460036316446079
(4456, 4557)     0.48821933148688146
```

Training the Model

Logistic Regression

```
model = LogisticRegression()
```

```
# training the Logistic Regression model with the training data
model.fit(X_train_features, Y_train)
```

```
LogisticRegression()
```

Evaluating the trained model

```
# prediction on training data
```

```
prediction_on_training_data = model.predict(X_train_features)
accuracy_on_training_data = accuracy_score(Y_train, prediction_on_training_da
ta)
```

```
print('Accuracy on training data : ', accuracy_on_training_data)
```

```
Accuracy on training data :   0.9661207089970832
```

```
# prediction on test data
```

```
prediction_on_test_data = model.predict(X_test_features)
accuracy_on_test_data = accuracy_score(Y_test, prediction_on_test_data)
```

```
print('Accuracy on test data : ', accuracy_on_test_data)
```

Accuracy on test data : 0.9623318385650225

Building a Predictive System

```
input_mail = ["I've been searching for the right words to thank you for this
breather. I promise i wont take your help for granted and will fulfil my prom
ise. You have been wonderful and a blessing at all times"]

# convert text to feature vectors
input_data_features = feature_extraction.transform(input_mail)

# making prediction

prediction = model.predict(input_data_features)
print(prediction)


if (prediction[0]==1):
  print('Ham mail')

else:
  print('Spam mail')
```

```
[1]
Ham mail
```