

EXPERIMENT-20:-LIBRARY MANAGEMENT SYSTEM


USE CASE DIAGRAM:




CLASS DIAGRAM:




ACTIVITY DIAGRAM:




SEQUENCE DIAGRAM:




COLLABORATION DIAGRAM:




STATE CHART DIAGRAM:



COMPOMEMT DIAGRAM:



DEPLOYMENT DIAGRAM:



PROGRAM CODING:

```
* Class Central_Library_Database
public class Central_Library_Database {
 // Fields
 private String Borrower_Details;
 private String Book_Details;
 private String Other_Stock_Details;
 // Constructors
 public Central_Library_Database () { };
 // Methods
 //
 //
 // Accessor methods
 //
 * Set the value of Borrower_Details
  * @param newVar the new value of Borrower_Details
 private void setBorrower_Details (String newVar) {
  Borrower_Details = newVar;
  * Get the value of Borrower_Details
  * @return the value of Borrower_Details
 private String getBorrower_Details () {
  return Borrower_Details;
 * Set the value of Book_Details
  * @param newVar the new value of Book_Details
 private void setBook_Details (String newVar) {
  Book_Details = newVar;
  * Get the value of Book_Details
  * @return the value of Book_Details
 private String getBook_Details () {
  return Book_Details;
  * Set the value of Other_Stock_Details
  * @param newVar the new value of Other_Stock_Details
 private void setOther_Stock_Details (String newVar) {
  Other\_Stock\_Details = newVar;
 /**
  * Get the value of Other_Stock_Details
  * @return the value of Other_Stock_Details
 private String getOther_Stock_Details () {
  return Other_Stock_Details;
 // Other methods
 //
 /**
 public void Borrower_Info()
```

```
public void Maintain_Book_Details()
 public void Update_Book_Details()
* Class Book_Borrower
public class Book_Borrower {
 // Fields
 //
 private String General_Details;
 private String Book_Required;
 private String Book_Issued;
 private int Payment;
 // Constructors
 public Book_Borrower () { };
 // Methods
 //
 //
 // Accessor methods
 //
/**
  * Set the value of General_Details
  * @param newVar the new value of General_Details
 private void setGeneral_Details (String newVar) {
  General_Details = newVar;
 * Get the value of General_Details
  * @return the value of General_Details
 private String getGeneral_Details () {
  return General_Details;
 }
/**
  * Set the value of Book_Required
  * @param newVar the new value of Book_Required
 private void setBook_Required (String newVar) {
  Book_Required = newVar;
 _
/**
  * Get the value of Book_Required
  * @return the value of Book_Required
 private String getBook_Required () {
  return Book_Required;
  * Set the value of Book_Issued
  * @param newVar the new value of Book_Issued
 private void setBook_Issued (String newVar) {
  Book_Issued = newVar;
 _
/**
 * Get the value of Book_Issued
  * @return the value of Book_Issued
 private String getBook_Issued () {
  return Book_Issued;
  * Set the value of Payment
  * @param newVar the new value of Payment
```

```
private void setPayment (int newVar) {
  Payment = newVar;
 * Get the value of Payment
  * @return the value of Payment
 private int getPayment () {
  return Payment;
 //
 // Other methods
 //
 */
 public void Give_General_Details()
 }
/**
 */
 public void Intimate_Book_Required()
 /**
 public void Inform_Book_Issued()
 /**
 */
 public void Do_the_payment_if_any()
* Class Librarian
public class Librarian {
 // Fields
 private String Categorize_Details; private String Book_Information;
 private String Procedure_Protocal;
 private String Update_Database;
 // Constructors
 public Librarian () { };
 // Methods
 //
 // Accessor methods
 //
 /**
  * Set the value of Categorize_Details
  * @param newVar the new value of Categorize_Details
 private void setCategorize_Details (String newVar) {
  Categorize_Details = newVar;
  * Get the value of Categorize_Details
  * @return the value of Categorize_Details
 private String getCategorize_Details () {
  return Categorize_Details;
 /**
  * Set the value of Book_Information
  * @param newVar the new value of Book_Information
 private void setBook_Information (String newVar) {
```

```
Book\_Information = newVar;
}
/**
* Get the value of Book_Information
* @return the value of Book_Information
private String getBook_Information () {
  return Book_Information;
/**
* Set the value of Procedure_Protocal
 * @param newVar the new value of Procedure_Protocal
private void setProcedure_Protocal (String newVar) {
 Procedure_Protocal = newVar;
/**
* Get the value of Procedure_Protocal
 * @return the value of Procedure_Protocal
private String getProcedure_Protocal () {
 return Procedure_Protocal;
/**
* Set the value of Update_Database
 * @param newVar the new value of Update_Database
private void setUpdate_Database (String newVar) {
 Update_Database = newVar;
* Get the value of Update_Database
* @return the value of Update_Database
private String getUpdate_Database () {
 return Update_Database;
//
// Other methods
//
/**
*/
public void Store_Collect_the_Book_Borrower_info()
/**
public void Update_Book_Borrowed_info()
*/
public void Rules_to_be_followed()
public void Keep_the_database_update()
```