Username:akash
Password:br

Select C:\Windows\System32\cmd.exe

```
C:\Users\RP.CS\mark1>php artisan make:controller LoginController
Controller created successfully.

C:\Users\RP.CS\mark1>
```

ername:akash
ssword:br

```
Microsoft Windows [Version 10.0.22621.963]
(c) Microsoft Corporation. All rights reserved.

C:\Users\RP.CS\mark1>php artisan serve
Starting Laravel development server: http://127.0.0.1:8000
[Mon Jan  9 21:31:49 2023] PHP 8.1.12 Development Server (http://127.0.0.1:8000) started
[Mon Jan  9 21:32:07 2023] 127.0.0.1:51854 Accepted
[Mon Jan  9 21:32:07 2023] 127.0.0.1:51855 Accepted
[Mon Jan  9 21:32:07 2023] 127.0.0.1:51854 Closing
[Mon Jan  9 21:32:07 2023] 127.0.0.1:51855 [200]: GET /favicon.ico
[Mon Jan  9 21:32:07 2023] 127.0.0.1:51855 Closing
[Mon Jan  9 21:41:49 2023] 127.0.0.1:51962 Accepted
[Mon Jan  9 21:41:49 2023] 127.0.0.1:51962 Closing
[Mon Jan  9 21:41:49 2023] 127.0.0.1:51963 Accepted
[Mon Jan  9 21:41:49 2023] 127.0.0.1:51964 Accepted
[Mon Jan  9 21:41:50 2023] 127.0.0.1:51963 [200]: GET /favicon.ico
```

```php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Signup</title>
</head>
<body>
    <form action="signupData">
    <h1>welcome</h1>
        <center>
        <table border="1">
            <tr>
                <td>UserName:</td>
                <td><input type="text" name="num"></td>
            </tr>
            <tr>
                <td>Password:</td>
                <td><input type="text" name="Password"></td>
            </tr>
            <tr>
                <td colspan="2" align="center"><input type="submit"></td>
            </tr>
        </table>
        </center>
    </form>
</body>
</html>
```

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class LoginController extends Controller
{
    public function index()
    {
        return view("new");
    }
    public function signupData(Request $request)
    {
        $uname=$request->input('num');
        $Pword=$request->input('Password');

        echo"Username:".$uname."<br>"."Password:".$Pword;
    }

}
```

EXPLORER

OPEN EDITORS
- Controller.php a...
- × web.php  routes
- LoginController....
- new.blade.php r...

MARK1
- Kernel.php
- > Models
- > Providers
- > bootstrap
- > config
- > database
- > mark1
- > public
- > resources
- v routes
  - api.php
  - channels.php
  - console.php
  - web.php
- > storage
- > tests
- v vendor
  - > asm89
  - > bin
  - > brick
  - > composer

Tabs: Controller.php | web.php × | LoginController.php | new.blade.php

routes > web.php

```php
1   <?php
2
3   use Illuminate\Http\Request;
4   use App\Http\Controllers\LoginController;
5
6   /*
7   |--------------------------------------------------------------------------
8   | Web Routes
9   |--------------------------------------------------------------------------
10  |
11  | Here is where you can register web routes for your application. These
12  | routes are loaded by the RouteServiceProvider within a group which
13  | contains the "web" middleware group. Now create something great!
14  |
15  */
16
17
18  // Route::get('/', function () {
19  //     return view('welcome');
20  // });
21  // Route::get('akash', function () {
22  //     return view('new');
23  // });
24  Route::get('new',[LoginController::class,'index']);
25  Route::get('signupData',[LoginController::class,'signupData']);
```

# welcome

| UserName: | akash |
|-----------|-------|
| Password: | br |
| | Submit |

Username:akash
Password:br