AKASH RAJ

DEFECT REPORT ANAYLICS

Bug Report 1

Bug ID

GP-10

Summary

Future Date of Birth Accepted in New Customer Registration

Module

New Customer

Severity

Medium

Priority

Medium

Environment

- Application: Guru99 Banking System
- Browser: Chrome
- OS: Windows 11

Preconditions

User logged in as Bank Manager.

Steps to Reproduce

1. Login to Guru99 Banking System.
2. Navigate to **New Customer**.
3. Enter valid customer details.
4. Enter a future DOB (e.g., 01/01/2028).
5. Submit the form.

Expected Result

System should reject future dates and display a validation message such as:
"Date of Birth cannot be a future date."

Actual Result

System accepts the future DOB and creates the customer successfully.

Impact

Invalid customer records can be created, affecting data integrity.

Status

Open

Guru99 Banking System Functional Testing (GP-1)

[GP-10] Future Date of Birth Accepted Created: 10/Jun/26 Updated: 11/Jun/26 Due: 30/Jun/26

Status:	To Do		
Project:	guru99_project		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Parent:	Guru99 Banking System Functional Testing		
Type:	Bug	**Priority:**	Medium
Reporter:	AKASH RAJ	**Assignee:**	AKASH RAJ
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	Screenshot 2026-06-10 103101.png		
Rank:	0ji00073:		
Start date:	11/Jun/26		
Sprint:	GP Sprint 1		

Description

Bug Report 2

Bug ID

GP-11

Summary

Invalid City and State Values Accepted During Customer Registration

Module

New Customer

Severity

Medium

Priority

Medium

Environment

- Application: Guru99 Banking System
- Browser: Chrome
- OS: Windows 10

Preconditions

User logged in as Bank Manager.

Steps to Reproduce

1. Login to application.
2. Open **New Customer** page.
3. Enter valid customer information.
4. Enter invalid City and State values containing special characters or numbers (e.g., "123@@").
5. Submit the form.

Expected Result

System should validate City and State fields and reject invalid input.

Actual Result

System accepts invalid City and State values and creates customer successfully.

Impact

Incorrect address information can be stored in the database.

Status

Open

Guru99 Banking System Functional Testing (GP-1)

[GP-11] Invalid City and State Accepted Created: 10/Jun/26 Updated: 11/Jun/26 Due: 30/Jun/26

Status:	To Do		
Project:	guru99_project		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Parent:	Guru99 Banking System Functional Testing		
Type:	Bug	Priority:	Medium
Reporter:	AKASH RAJ	Assignee:	AKASH RAJ
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	Screenshot 2026-06-10 103438.png		
Rank:	0ji0007b:		
Start date:	11/Jun/26		
Sprint:	GP Sprint 1		

Bug Report 3

Bug ID

GP-12

Summary

Weak Password Accepted During User Registration

Module

Authentication / Registration

Severity

High

Priority

High

Environment

- Application: Guru99 Banking System
- Browser: Chrome
- OS: Windows 10

Preconditions

User is on registration page.

Steps to Reproduce

1. Navigate to registration page.
2. Enter required details.
3. Use a weak password such as "12345" or "password".
4. Submit the form.

Expected Result

System should enforce password policy and reject weak passwords.

Actual Result

Weak passwords are accepted successfully.

Impact

Creates security vulnerabilities and increases risk of unauthorized access.

Status

Open

Guru99 Banking System Functional Testing (GP-1)

[GP-12] Weak Password Accepted Created: 10/Jun/26 Updated: 11/Jun/26 Due: 30/Jun/26

Status:	To Do		
Project:	guru99_project		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Parent:	Guru99 Banking System Functional Testing		
Type:	Bug	Priority:	High
Reporter:	AKASH RAJ	Assignee:	AKASH RAJ
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	Screenshot 2026-06-10 103438.png		
Rank:	0ji0007j:		
Start date:	11/Jun/26		
Sprint:	GP Sprint 1		

Description

Summary

Bug Report 4

Bug ID

GP-13

Summary

Deposit Transaction Fails with HTTP ERROR 500

Module

Deposit

Severity

Critical

Priority

Highest

Environment

- Application: Guru99 Banking System
- Browser: Chrome
- OS: Windows 10

Preconditions

- User logged in.
- Valid customer account exists.

Steps to Reproduce

1. Login to application.
2. Navigate to **Deposit** page.
3. Enter valid Account Number.
4. Enter deposit amount.
5. Click **Submit**.

Expected Result

Deposit transaction should complete successfully and account balance should be updated.

Actual Result

Application displays **HTTP ERROR 500** and transaction fails.

Impact

Core banking transaction functionality becomes unavailable.

Status

Open

Guru99 Banking System Functional Testing (GP-1)

[GP-13] Deposit Transaction Fails with HTTP ERROR 500 Created: 10/Jun/26 Updated: 11/Jun/26 Due: 30/Jun/26

Status:	To Do		
Project:	guru99_project		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Parent:	Guru99 Banking System Functional Testing		
Type:	Bug	Priority:	Highest
Reporter:	AKASH RAJ	Assignee:	AKASH RAJ
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	Screenshot 2026-06-10 103614.png Screenshot 2026-06-07 143129.png		
Rank:	0|i0007r:		
Start date:	11/Jun/26		
Sprint:	GP Sprint 1		

Description

Bug Report 5

Bug ID

GP-14

Summary

Intermittent Error While Creating New Account

Module

New Account

Severity

High

Priority

High

Environment

- Application: Guru99 Banking System
- Browser: Chrome
- OS: Windows 10

Preconditions

- User logged in as Bank Manager.
- Customer already exists.

Steps to Reproduce

1. Login to application.
2. Navigate to **New Account**.
3. Enter valid Customer ID.
4. Select account type.
5. Enter initial deposit amount.
6. Submit multiple times.

Expected Result

Account should be created successfully every time with valid data.

Actual Result

System intermittently throws an error and account creation fails.

Impact

Creates inconsistent user experience and may prevent account creation.

Status

Open

Guru99 Banking System Functional Testing (GP-1)

[GP-14] Intermittent Error While Creating New Account

Created: 11/Jun/26 Updated: 11/Jun/26 Due: 30/Jun/26

Status:	To Do
Project:	guru99_project
Components:	None
Affects versions:	None
Fix versions:	None
Parent:	Guru99 Banking System Functional Testing

Type:	Bug	**Priority:**	High
Reporter:	AKASH RAJ	**Assignee:**	AKASH RAJ
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	Screenshot 2026-06-11 114747.png
Rank:	0ji0007z:
Start date:	12/Jun/26
Sprint:	GP Sprint 1

Description





Negative Bug testing from code:-

Base

```
package base;


import java.time.Duration;


import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.edge.EdgeDriver;
import org.openqa.selenium.firefox.FirefoxDriver;



import org.testng.annotations.AfterMethod;
import org.testng.annotations.BeforeMethod;


import pages.LoginPage;
import utilities.ConfigReader;
```

```
import utilities.ExcelUtils;

public class Base_Test {

    public static WebDriver driver;

    ConfigReader config;

    @BeforeMethod
    public void setup() throws Exception {

        config = new ConfigReader();

        String browser = config.getBrowser();

        if(browser.equalsIgnoreCase("chrome")) {

            driver = new ChromeDriver();
            System.out.println("opened chrome successfully ");

        } else if(browser.equalsIgnoreCase("edge")) {

            driver = new EdgeDriver();
            System.out.println("opened edge successfully ");

        } else if(browser.equalsIgnoreCase("firefox")) {

            driver = new FirefoxDriver();
            System.out.println("opened firefox successfully ");
```

```
        }

        driver.manage().window().maximize();

        driver.manage().timeouts()
            .implicitlyWait(Duration.ofSeconds(10));

        driver.get(config.getUrl());
    }



    public void login() throws Exception {

            String user = ExcelUtils.getData("Sheet1",1,0);
            String pass = ExcelUtils.getData("Sheet1",1,1);

        LoginPage lp = new LoginPage(driver);

        lp.enterUser(user);
        lp.enterPass(pass);
        lp.clickLogin();
    }

    @AfterMethod
    public void tearDown() {

        driver.quit();
    }
}
```

Pages

Login

```
package pages;

import org.openqa.selenium.*;

public class LoginPage {

	WebDriver driver;

	public LoginPage(WebDriver driver) {
		this.driver = driver;
	}

	By uid =By.name("uid");
	By pass =By.name("password");
	By login =By.name("btnLogin");

	public void enterUser(String user) {
		driver.findElement(uid).sendKeys(user);
	}

	public void enterPass(String password) {
		driver.findElement(pass).sendKeys(password);
	}

	public void clickLogin() {
		driver.findElement(login).click();
	}
```

```
}
```

Pages

Coustomer

```
package pages;


import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;


public class CustomerPage {


	WebDriver driver;


	public CustomerPage(WebDriver driver) {
		this.driver = driver;
	}


	By newCustomer = By.linkText("New Customer");
	By customerName = By.name("name");
	By gender = By.xpath("//input[@value='m']");
	By dob = By.id("dob");
	By address = By.name("addr");
	By city = By.name("city");
	By state = By.name("state");
	By pin = By.name("pinno");
	By mobile = By.name("telephoneno");
	By email = By.name("emailid");
	By password = By.name("password");
	By submit = By.name("sub");
```

```
public void clickNewCustomer() {

        driver.findElement(newCustomer).click(); }

public void enterCustomerName(String cname) {
        driver.findElement(customerName).sendKeys(cname);
        }

public void selectGender() {
        driver.findElement(gender).click();
        }

public void enterDOB(String date) {
        driver.findElement(dob).sendKeys(date);
        }

public void enterAddress(String addr) {
        driver.findElement(address).sendKeys(addr); }

public void enterCity(String cityname) {
        driver.findElement(city).sendKeys(cityname);
        }

public void enterState(String statename) {
        driver.findElement(state).sendKeys(statename);
        }

public void enterPin(String pinno) {
        driver.findElement(pin).sendKeys(pinno);
```

```
        }

    public void enterMobile(String mob) {
        driver.findElement(mobile).sendKeys(mob);
        }

    public void enterEmail(String mail) {
        driver.findElement(email).sendKeys(mail);
        }

    public void enterPassword(String pass) {
        driver.findElement(password).sendKeys(pass);
        }

    public void clickSubmit() {
        driver.findElement(submit).click();
        }

}
```

Pages

Deposite

```
package pages;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;

public class DepositPage {

  WebDriver driver;
```

```
public DepositPage(WebDriver driver) {
    this.driver = driver;
}

By depositLink = By.linkText("Deposit");
By accountNo = By.name("accountno");
By amount = By.name("ammount");
By description = By.name("desc");
By submitBtn = By.name("AccSubmit");

public void clickDeposit() {

    driver.findElement(depositLink).click();
}

public void enterAccountNo(String accNo) {
    driver.findElement(accountNo).sendKeys(accNo);
}

public void enterAmount(String amt) {
    driver.findElement(amount).sendKeys(amt);
}

public void enterDescription(String desc) {
    driver.findElement(description).sendKeys(desc);
}

public void clickSubmit() {
```

```
        driver.findElement(submitBtn).click();
    }
}
```

Test_Bug

Coustomer

```
package Test_Bug;

import org.testng.Assert;

import org.testng.annotations.Test;
import base.Base_Test;
import pages.CustomerPage;

public class CustomerTest extends Base_Test {

    @Test(priority = 1)
    public void addCustomer_invalid_date() throws Exception {

        login();

        CustomerPage cp = new CustomerPage(driver);

        cp.clickNewCustomer();
        cp.enterCustomerName("Akashsingh");
        cp.selectGender();
        cp.enterDOB("01052028");
        cp.enterAddress("Kolkata");
        cp.enterCity("Kolkata");
        cp.enterState("West Bengal");
```

```
    cp.enterPin("700001");
    cp.enterMobile("9876543210");
    int random = (int)(Math.random() * 10000);
    cp.enterEmail("akash" + random + "@gmail.com");
    cp.enterPassword("12345");
    cp.clickSubmit();
    Thread.sleep(3000);



    System.out.println("Customer Added Successfully but with invalid date of birth and weak password");
}
@Test(priority = 2)
public void addCustomer_invalid_city() throws Exception {

    login();

    CustomerPage cp = new CustomerPage(driver);

    cp.clickNewCustomer();
    cp.enterCustomerName("Akashsingh");
    cp.selectGender();
    cp.enterDOB("01052028");
    cp.enterAddress("Kolkata");
    cp.enterCity("London");
    cp.enterState("West Bengal");
    cp.enterPin("700001");
    cp.enterMobile("9876543210");
    int random = (int)(Math.random() * 10000);
    cp.enterEmail("akash" + random + "@gmail.com");
```

```
        cp.enterPassword("abc123");
        cp.clickSubmit();
        Thread.sleep(3000);
        System.out.println("Customer Added Successfully but invalid city ");
    }

}
```

Test_Bug

Deposite

```
package Test_Bug;

import org.testng.Assert;

import org.testng.annotations.Test;



import base.Base_Test;
import pages.DepositPage;

public class DepositTest extends Base_Test {
    @Test(priority = 1)
    public void validDeposit() throws Exception {

        login();

        DepositPage dp = new DepositPage(driver);

        dp.clickDeposit();
        dp.enterAccountNo("183286");
```

```
    dp.enterAmount("5000");

    dp.enterDescription("Cash Deposit");

    dp.clickSubmit();


    if(driver.getPageSource().contains("HTTP ERROR 500")) {


        System.out.println("Guru99 Deposit error Found");


        return;

    }




   Assert.assertTrue(driver.getPageSource().contains("Transaction details of Deposit"));


    System.out.println("Deposit not Successful due to error ");

  }




}
```

```
    https://testng.org/testng-1.0.dtd (doctype)
1   <?xml version="1.0" encoding="UTF-8"?>
2   <!DOCTYPE suite SYSTEM "https://testng.org/testng-1.0.dtd">
3   <suite name="Suite">
4     <test thread-count="5" name="Test">
5       <classes>
6         <class name="base.Base_Test"/>
7         <class name="Test_Bug.CustomerTest"/>
8         <class name="Test_Bug.DepositTest"/>
9       </classes>
10    </test> <!-- Test -->
11  </suite> <!-- Suite -->
12
```

Console output

opened chrome successfully

opened chrome successfully

Customer Added Successfully but invalid city

opened chrome successfully

Guru99 Deposit error Found

==========

Suite

Total tests run: 3, Passes: 3, Failures: 0, Skips: 0

==========