

Exp. No. 11

APPLICATION DEPLOYMENT AND MIGRATION IN ZOHOCREATOR

AIM

To deploy and migrate a Zoho Creator application (**Hotel Booking System**) across the Development, Stage and Production environments using the Environments feature, and to publish a new version (V2.0) of the application from Stage to Production without affecting the live users.

PROCEDURE

Step 1: Open the Environments page

Log in to Zoho Creator and click **Environments** under the **DEPLOY** section in the left menu. The page shows two columns, **Stage** and **Production**. Initially no application has been added, so both columns display "No applications in Stage yet" and "No applications in Production yet". Click the **Add Application** button to add the application to the environment.




Fig. 1: Environments page with no applications added

Step 2: Add the application to the environment (Version 1.0)

After clicking Add Application, the *Add applications to environment* panel opens (Fig. 2). Select *Hotel Booking System*, check that **Total applications** shows 1 and click **Add**. The app is then added and the creation of the apps in the respective environments begins (Fig. 3): **Production** shows **Version 1.0**, **Stage** shows "Waiting for development app creation" and the status below the app name reads "Creating development app".




Fig. 2: Add applications to environment panel with Hotel Booking System selected




Fig. 3: Hotel Booking System added to the environment (Version 1.0 in Production)

Step 3: Make changes in the Development environment

Go to **Applications** on the home page. On the app card, the **Environment** drop-down lists the options for each environment: under **Development** – Edit, Access and Settings; under **Stage** – Access and Settings; and **Open in Environment** at the bottom. Choose **Edit** under Development and make the required improvements to the application. Here, a new **Email** field was added to the **Add New Lead** form to enhance customer service. These changes are visible only to the developer until they are published.

Step 4: Publish the changes to the Stage environment

Open **Open in Environment** (Environments page), click **Publish** and choose **Publish to Stage**. The *Staging – Publish to Stage Environment* window first lists the changed components of the Hotel Booking System. The new **Email** field (Forms > Add New Lead > Fields > Add a New Lead > Email) is selected, so **Selected Components** shows 1. Click **Proceed** (Fig. 4). In the next window fill in the following details: **Title** (Booking System 3.0), **Description** (what has changed), **Type** (*Major* for enhancements and updates, *Minor* for minimal changes and bug fixes) and the **Email Notification** address. The right side shows the **Application Versions** table, where the version changes from **V1.0 to V2.0**. A warning states that the application will be in maintenance mode until the publish is complete. Click **Publish** (Fig. 5).




Fig. 4: Components selected for publishing to Stage (new Email field)




Fig. 5: Publish to Stage Environment dialog (V1.0 → V2.0)

Step 5: Publish to Stage initiated

A confirmation screen "*Publish to Stage initiated*" appears. The publish takes a few minutes; the progress can be tracked on the Environments page and an email is sent when it completes. Click **Go to Environments**.

Step 6: Verify the new version in Stage

Back on the Environments page, the **Stage** column now shows **Version 2.0** while **Production** still shows **Version 1.0**. The status **Changes available** indicates that the Stage version is newer than the Production version and can be published. The application is tested in Stage at this point, and the live users are not affected.

Step 7: Publish (migrate) to the Production environment

Click **Publish** and select **Publish to Production**. The *Version – Publish to Production Environment* window opens. Under **Publishing Options**, **Publish Now** starts immediately, while **Publish Later** schedules it for a chosen date, time and time zone (GMT+05:30 Chennai, Kolkata). Enter the e-mail address in **Send Mail Notification**. The **Selected Versions** table shows the version title *Booking System 3.0*, the application version *Hotel Booking System - V2.0* and its description. Click **Publish**; the application stays in maintenance mode until the publish finishes.

Version - Publish to Production Environment

Publishing Options

☒ **Publish Now**
Starts the publishing process immediately

☐ **Publish Later**
Starts the publishing process at a specified time

Choose Date & Time*
06/10/2026, 11:34:25

Choose Timezone
(GMT+05:30) Chennai, Kolkata, Mu...

Send Mail Notification*
athinayanakashsunder.2024.cbs@rajalakshmi.edu.in

Selected Versions

Version Title	Applications - Versions	Description
Booking System 3.0	Hotel Booking System - V2.0	enhanced customer service

The application will be set to maintenance mode and will be inaccessible till published.

Back **Publish**

Fig. 6: Publish to Production Environment dialog (Publish Now selected)

OUTPUT


After the Production publish is completed, the Environments page shows the final deployed state of the application.

Output 1: Before migration to Production

Stage contains **V2.0** (tested version) whereas Production still runs **V1.0**. This confirms that the new changes were first isolated in Stage.

Output 2: After migration to Production

Both the **Stage** and **Production** columns now display **Version 2.0** dated Oct 06, 2026, and the status below the app name reads "No changes available". This shows that the updated Hotel Booking System (with the new Email field in the Add New Lead form) was successfully migrated from Stage to Production and is now available to the end users.



Output 2: Stage = 2.0, Production = 2.0

RESULT

Thus, the Hotel Booking System application was successfully deployed and migrated in Zoho Creator. Version 1.0 was first deployed to the Stage and Production environments, the changes were then published to Stage as Version 2.0 after testing, and finally Version 2.0 was published to the Production environment using the Environments feature.